



**Quantum View<sup>SM</sup> Data Subscription  
Comma Separated Values (CSV) File Layout**

January 2010

© 2010

United Parcel Service of America, Inc.

All Rights Reserved.

All revisions must be coordinated with Information Services.

Information in this manual is subject to change without notice and does not represent a commitment on the part of United Parcel Service of America, Inc. The software described in this manual is furnished under a license agreement and may be used or copied only in accordance with the terms of the agreement.

The distribution of this document is limited to authorized personnel. The use, disclosure, reproduction, modification, transfer, or transmittal of this work for any purpose in any form or by any means without the written permission of United Parcel Service is strictly prohibited.

## Summary of Changes

### Purpose of Enhancement:

Enhancements to the CSV File Layout have been made to provide visibility for a Return to Shipper (RTS) Undeliverable Return package that has an Alternate Tracking number.

### Effective Date of Enhancement

January 4, 2010

### Technical Changes:

The following table outlines the data elements that were modified with this release.

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description
Package Reference Number Type 1	50 / AX	2	Alphanumeric	The associated code of 'UR' is applied when there is an RTS Undeliverable Return package that has an Alternate Tracking number.
Package Reference Number Value 1	51 / AY	35	Alphanumeric	The Alternate Tracking number displays for an RTS Undeliverable Return package that has an Alternate Tracking number.
Activity Type	122 / DR	2	Alphanumeric	Valid code for Alternate Tracking number is 'UR'

## Comma-Separated Value (CSV) Files – Description

The type of records included in your Quantum View Data CSV files is dependent on the configuration of your subscription. Check the chart below to see what type of records you can elect to receive for each Quantum View subscription type.

Subscription Type	Choice of Manifest		Package Activity Scans			
	Basic (M1)	Complete (M2)	Generic (G1)	Origin (O1)	Exception (E1)	Delivery (D1,D2)
<b>Quantum View Data Inbound</b>						
Inbound Notification		X	X	X	X	
Inbound and Delivery Notification		X	X	X	X	X
<b>Quantum View Data Outbound</b>						
Outbound Notification	X		X	X	X	X
Additional Elements		X	X			
Exception Notification	X		X		X	
Delivery Notification	X		X			X
Additional Elements		X	X	X		
<b>Quantum View Data Alternate Billing</b>						
Outbound Notification	X		X	X	X	X
Additional Elements		X	X			
Exception Notification	X		X		X	
Delivery Notification	X		X			X
Additional Elements		X	X	X		

There are six types of records that may appear in Quantum View files, depending on the subscription type.

- 1. Manifest Basic (M1)** – Includes the most popular fields entered by the shipper when the package is manifested (entered into a shipping system and uploaded electronically to UPS).
- 2. Manifest Complete (M2)** – Includes virtually all of the fields entered by the shipper when the package is manifested (entered into a shipping system and uploaded electronically to UPS).
- 3. Origin (O1)** – Includes information about scans at the origin UPS facility.
- 4. Generic Activity (G1)** – Includes information about generic package activity, such as voided packages and Alternate Tracking Numbers.
- 5. Exception (E1)** – Includes information about in-transit scans that indicate a potential change in the package’s scheduled delivery date (e.g., bad weather).
- 6. Delivery Short (D1)** – Includes basic information about a delivery (this record appears in the Quantum View file within hours of the actual delivery).

7. **Delivery Long (D2)** – Includes complete information about a delivery (this record appears in the Quantum View file usually much later the day of the delivery).

Each row in a comma-separated value (CSV) file has the same format, regardless of the record type, but not all fields will be populated for each record type. For example, the “Exception Reason Description” field will only be populated in rows with “Record Type” = “E1” (an exception record).

## Comma-Separated Value (CSV) Files – Format

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
Subscriber ID	1 / A	16	Alphanumeric	The MyUPS ID of the Quantum View subscriber	All
Subscription Name	2 / B	35	Alphanumeric	Name assigned to the subscription by the subscriber	All
Subscription Number	3 / C	16	Alphanumeric	System-generated number assigned by UPS and used for support inquiries	All
Query Begin Date	4 / D	10	YYYY/MM/DD	Beginning date for the period of the file(s) selected for download	All
Query End Date	5 / E	10	YYYY/MM/DD	End date for the period of the file(s) selected for download	All
Subscription File Name	6 / F	35	Alphanumeric	File name for the downloaded file(s)	All
File Status	7 / G	13	“Read” or “Unread”	An indicator flag representing the status of “Read” or “Unread” for the subscription file	All
Record Type	8 / H	2	Alphanumeric (see codes at right)	Code that describes the event that the data row represents. Values: M1 = Manifest (Basic) M2 = Manifest (Complete) G1 = Generic Activity O1 = Origin E1 = Exception D1 = Short Delivery D2 = Long Delivery	All
Shipper Number	9 / I	10	Alphanumeric	The UPS account number of the person/company that shipped the package	All
Shipper Name	10 / J	35	Alphanumeric	The name of the person/company that shipped the package	Manifest Basic and Complete
Shipper Address Line 1	11 / K	35	Alphanumeric	First of three lines for the address of the person/company that shipped the package. Typically the street address	Manifest Basic and Complete
Shipper Address Line 2	12 / L	35	Alphanumeric	Second of three lines for the address of the	Manifest Basic and Complete

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				person/company that shipped the package. Typically the room/suite/floor	
Shipper Address Line 3	13 / M	35	Alphanumeric	Third of three lines for the address of the person/company that shipped the package. Typically the department name	Manifest Basic and Complete
Shipper City	14 / N	30	Alphanumeric	City of the person / company that shipped the package	Manifest Basic and Complete
Shipper State/Province	15 / O	5	Alphanumeric	State or province of the person / company that shipped the package	Manifest Basic and Complete
Shipper Postal Code	16 / P	16	Alphanumeric	Postal code of the person / company that shipped the package (includes ZIP+4 for U.S.-Origin packages)	Manifest Basic and Complete
Shipper Country	17 / Q	3	Alphanumeric (2 characters)	Country code of the person / company that shipped the package (e.g., US=United States)	Manifest Basic and Complete
Ship To Attention	18 / R	35	Alphanumeric	The "Attention To" field for the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To Phone	19 / S	17	Alphanumeric	Telephone number for the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To Name	20 / T	35	Alphanumeric	The name of the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To Address Line 1	21 / U	35	Alphanumeric	First of three lines for the address of the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To Address Line 2	22 / V	35	Alphanumeric	Second of three lines for the address of the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To Address	23 / W	35	Alphanumeric	Third of three lines for	Manifest Basic

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
Line 3				the address of the person/company to whom the package was shipped	and Complete
Ship To City	24 / X	30	Alphanumeric	City of the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To State/Province	25 / Y	5	Alphanumeric	State or province of the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To Postal Code	26 / Z	16	Alphanumeric	Postal code of the person/company to whom the package was shipped (Includes Zip+4 for US-Origin packages)	Manifest Basic and Complete
Ship To Country	27 / AA	3	Alphanumeric (2 characters)	Country code of the person/company to whom the package was shipped (e.g., US=United States)	Manifest Basic and Complete
Ship To Location ID	28 / AB	10	Alphanumeric	Unique identifier for a specific receiving location	Manifest Complete and Generic Activity
Shipment Reference Number Type 1	29 / AC	2	Alphanumeric	First reference type assigned to a shipment by a shipper; relates to Shipment Reference Number Value 1	All
Shipment Reference Number Value 1	30 / AD	35	Alphanumeric	First reference number assigned to a shipment by a shipper	All
Shipment Reference Number Type 2	31 / AE	2	Alphanumeric	Second reference type assigned to a shipment by a shipper; relates to Shipment Reference Number Value 2	All
Shipment Reference Number Value 2	32 / AF	35	Alphanumeric	First reference number assigned to a shipment by a shipper	All
UPS Service	33 / AG	3	Alphanumeric (3 characters, see codes at right)	A code representing the service level of the package: 001 = UPS Next Day Air/UPS Express 002 = UPS 2 <sup>nd</sup> Day Air/UPS Expedited	Manifest Basic and Complete and Generic Activity

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				003 = UPS Ground 007 = UPS Worldwide Express/UPS Express 008 = UPS Worldwide Expedited/UPS Expedited 011 = UPS Worldwide Standard/UPS Standard 012 = UPS 3 Day Select 013 = UPS Next Day Air Saver/UPS Express Savers (to US) 014 = UPS Next Day Air Early A.M./UPS Express Early A.M. 021 = UPS Economy 054 = UPS Worldwide Express Plus 059 = UPS 2 <sup>nd</sup> Day A.M. 064 = UPS Express NA1 065 = UPS Saver 066 = Worldwide Express Freight 082 = UPS Today Standard 083 = UPS Today Dedicated Courier 084 = UPS Today Intercity 085 = UPS Today Express 086 = UPS Today Express Saver	
Pickup Date	34 / AH	8	YYYYMMDD	The planned pickup date as indicated to UPS by the person/company who shipped the package as supplied in PLD.	Manifest Basic and Complete
Scheduled Delivery Date	35 / AI	8	YYYYMMDD	Date a package is scheduled for delivery by UPS; based on the date information is uploaded to UPS by the person/company who shipped the package as supplied in PLD. (Note: For PLD-Compliant	Manifest Basic and Complete, Origin

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				Return Services only. In Outbound and Alternate Billing subscriptions, the Scheduled Delivery Date will not be populated in the Manifest Record. Instead, the Scheduled Delivery Date will be provided in the Origin Record at the time the Return Service package is moving within the UPS system.	
Scheduled Delivery Time	36 / AJ	6		<b>Currently not populated.</b>	
Document Type	37 / AK	1	Alphanumeric (1 character, see codes at right)	An indicator that identifies the content type of the package: 1 = Letter 2 = Document 3 = Non-Document 4 = Pallet	Manifest Complete
Package Activity Date	38 / AL	8	Alphanumeric	Date a package event occurred within the UPS system	All
Package Activity Time	39 / AM	6	HHMMSS	Time a package event occurred within the UPS system	All
Package Description	40 / AN	35	Alphanumeric	Description of the contents enclosed in the package as indicated in PLD by the person/company who shipped the package.	Manifest Basic and Complete
Package Count	41 / AO	9	Alphanumeric	Number of packages in the shipment	Manifest Complete
Package Dimensions Unit of Measurement	42 / AP	3	Alphanumeric	Unit of measure used when calculating the dimensional weight of a package (e.g., LBS = pounds)	Manifest Complete
Length	43 / AQ	8	Alphanumeric	The length of the package as indicated in PLD by the person/company who shipped the package.	Manifest Complete
Width	44 / AR	8	Alphanumeric	The width of the package as indicated in PLD by the	Manifest Complete

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				person/company who shipped the package.	
Height	45 / AS	8	Alphanumeric	The height of the package as indicated in PLD by the person/company who shipped the package.	Manifest Complete
Package Dimensional Weight	46 / AT	7	Alphanumeric	The weight of the package considering its dimensions (length, width, height), based on the International Air Transport Association (IATA) volumetric standards; consult the UPS Rate and Service Guide for more information	Manifest Complete
Package Weight	47 / AU	7	Alphanumeric	The actual weight of the package as specified in PLD by person/company who shipped the package. (e.g., 12.30 lbs. will appear as 12.3)	Manifest Complete
Large Package Type	48 / AV	1	Alphanumeric	Indicates whether a package exceeds a standard threshold for package dimensions and weight; consult the UPS Rate and Service Guide for more information	Manifest Complete
Tracking Number	49 / AW	35	Alphanumeric	Number used to identify and track a package through the UPS system	All
Package Reference Number Type 1	50 / AX	2	Alphanumeric	<p>First reference type assigned to a package by a shipper.</p> <p>The associated code of 'UR' is applied when there is an RTS Undeliverable Return package that has an Alternate Tracking number.</p> <p>Both relate to Package Reference Number</p>	All

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				Value 1.	
Package Reference Number Value 1	51 / AY	35	Alphanumeric	First reference number assigned to a package by a shipper.  The Alternate Tracking number displays for an RTS Undeliverable Return package that has an Alternate Tracking number.	All
Package Reference Number Type 2	52 / AZ	2	Alphanumeric	Second reference type assigned to a package by a shipper; relates to Package Reference Number Value 2	All
Package Reference Number Value 2	53 / BA	35	Alphanumeric	Second reference number assigned to a package by the shipper	All
Package Reference Number Type 3	54 / BB	2	Alphanumeric	Third reference type assigned to a package by a shipper; relates to Package Reference Number Value 3	All
Package Reference Number Value 3	55 / BC	35	Alphanumeric	Third reference number assigned to a package by the shipper	All
Package Reference Number Type 4	56 / BD	2	Alphanumeric	Fourth reference type assigned to a package by a shipper; relates to Package Reference Number Value 4	All
Package Reference Number Value 4	57 / BE	35	Alphanumeric	Fourth reference number assigned to a package by the shipper	All
Package Reference Number Type 5	58 / BF	2	Alphanumeric	Fifth reference type assigned to a package by a shipper; relates to Package Reference Number Value 5	All
Package Reference Number Value 5	59 / BG	35	Alphanumeric	Fifth reference number assigned to a package by the shipper	All
COD Currency Type	60 / BH	3	Alphanumeric	Type of currency for a Collect On Delivery (COD) package as indicated in PLD by the person/company who shipped the package.	Manifest Basic and Complete
COD Amount Due	61 / BI	15	Numeric	The amount due on a	Manifest Basic

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				Collect On Delivery (COD) package (e.g., \$12.25 will appear as 12.25)	and Complete
Insured Monetary Value	62 / BJ	15	Numeric	Declared Value in excess of \$100 for the purposes of obtaining additional protection against loss or damage.	Manifest Complete
Earliest Delivery Time	63 / BK	6	Alphanumeric	Time indicated as the earliest delivery time for an Early AM package	Manifest Complete
Hazardous Material Type	64 / BL	3	Alphanumeric (1 character, see codes at right)	Indicates whether a package contains hazardous materials: 0 = No Hazardous Material 1 = Hazardous Material / International Dangerous Goods	Manifest Complete
Hold for Pickup	65 / BM	1	Alphanumeric (1 character, see code(s) at right)	Indicates whether a package should be held by UPS for pickup by the receiver instead of delivered to an address: 1 = Hold for Pickup	Manifest Basic and Complete
Saturday Delivery Indicator	66 / BN	1	Alphanumeric (1 character, see code(s) at right)	Indicates a package scheduled for delivery on a Saturday: 1 = Saturday Delivery	Manifest Basic and Complete
Call Tag ARS Type	67 / BO	3	Alphanumeric (2 characters, see code(s) at right)	Indicates whether a package is a Return Service package: 00 = No return service 01 = UPS Call Tag Service 02 = UPS Print and Mail 03 = 1 UPS Pickup Attempt 04 = UPS Print Return Label 05 = 3 UPS Pickup Attempt 06 = UPS Electronic Return Label 08 = UPS Returns on the Web Label	Manifest Complete
Manufacture Country	68 / BP	3	Alphanumeric	Country of the	Manifest

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				manufacturer of the contents of the package as indicated in PLD by the person/company who shipped the package (applies to international shipments)	Complete
Harmonized Type	69 / BQ	35	Alphanumeric	Code representing the contents of the package (applies to international shipments)	Manifest Complete
Customs Monetary Value	70 / BR	18	Alphanumeric	Value of a package reported for customs (applies to international shipments)	Manifest Complete
Special Instructions	71 / BS	35	Alphanumeric	Information provided for a package that describes any special instructions about the handling / delivery of a package as indicated in PLD by the person/company who shipped the package.	Manifest Basic and Complete
Shipment Charge Type	72 / BT	3	Currently not Populated		
Bill Ship To	73 / BU	3	Alphanumeric (1 character, see codes at right)	Indicates whether the package is to be billed to the consignee: Y = Bill Consignee N = Do not Bill Consignee	Manifest Complete
Collect Bill	74 / BV	3	Alphanumeric	Indicates a Collect on Delivery (COD) package Y = COD N = Not a COD	Manifest Complete
UPS Location	75 / BW	8	Alphanumeric	Location name of the UPS facility where the event occurred	Origin, Exception, Delivery Short and Long <b>For Future Use in Generic Activity</b>
UPS Location State/Province	76 / BX	5	Alphanumeric	The state/province of the UPS facility where the event occurred (e.g., New Jersey = NJ)	Origin, Exception, Delivery Short and Long <b>For Future</b>

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
					Use in Generic Activity
UPS Location Country	77 / BY	3	Alphanumeric (2 characters)	Country code of the UPS facility where the event occurred (e.g., US = United States)	Origin, Exception, Delivery Short and Long <b>For Future Use in Generic Activity</b>
Updated Ship To Name	78 / BZ	35	Alphanumeric	An updated ship-to name resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Street Number	79 / CA	11	Alphanumeric	An updated ship-to street number resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Street Prefix	80 / CB	2	Alphanumeric	An updated ship-to street prefix resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Street Name	81 / CC	30	Alphanumeric	An updated ship-to street name resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Street Type	82 / CD	4	Alphanumeric	An updated ship-to street type resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Street Suffix	83 / CE	2	Alphanumeric	An updated ship-to street suffix resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Building Name	84 / CF	3	Alphanumeric	An updated ship-to building/name resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Room/Suite/Floor	85 / CG	8	Alphanumeric	An updated ship-to room/suite/floor resulting from an exception (exception example, receiver	Exception

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				moved)	
Updated Ship To Political Division 3	86 / CH	30	Alphanumeric	An updated ship-to political division 3 resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To City	87 / CI	30	Alphanumeric	An updated ship-to city resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To State/Province	88 / CJ	5	Alphanumeric	An updated ship-to state/province resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Country	89 / CK	3	Alphanumeric	An updated ship-to country resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Postal Code	90 / CL	16	Alphanumeric	An updated ship-to postal code resulting from an exception (exception example, receiver moved)	Exception
Exception Status Description	91 / CM	120	Alphanumeric	Description of the status of a package that has an exception (e.g., "business closed today")	Exception
Exception Reason Description	92 / CN	120	Alphanumeric	Description of the reason for a package exception	Exception
Exception Resolution Type	93 / CO	2	Alphanumeric	Code representing the resolution description	Exception
Exception Resolution Description	94 / CP	120	Alphanumeric	Description of the resolution for a package exception (e.g., "delivery rescheduled")	Exception
Rescheduled Delivery Date	95 / CQ	8	YYYYMMDD	Date a package is rescheduled for delivery (if an exception prevents the package from reaching the consignee by the scheduled delivery date)	Exception <b>For Future Use in Generic Activity</b>
Rescheduled	96 / CR	6	Currently not Populated		

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
Delivery Time					
Driver Release	97 / CS	40	Alphanumeric	Indicates whether a package was released to the consignee without a signature	Delivery Short and Long
Delivery Location	98 / CT	15	Alphanumeric	Description of the location where the package was left (e.g., dock)	Delivery Short and Long
Delivery Name	99 / CU	35	Alphanumeric	Name of the person/company to which the package was delivered	Delivery Long
Delivery Street Number	100 / CV	11	Alphanumeric	Street number to which the package was delivered	Delivery Long
Delivery Street Prefix	101 / CW	2	Alphanumeric	Street prefix to which the package was delivered	Delivery Long
Delivery Street Name	102 / CX	30	Alphanumeric	Street name to which the package was delivered	Delivery Long
Delivery Street Type	103 / CY	4	Alphanumeric	Street type to which the package was delivered	Delivery Long
Delivery Street Suffix	104 / CZ	2	Alphanumeric	Street suffix to which the package was delivered	Delivery Long
Delivery Building Name	105 / DA	3	Alphanumeric	Building name to which the package was delivered	Delivery Long
Delivery Room/Suite/Floor	106 / DB	8	Alphanumeric	Room/suite/floor to which the package was delivered	Delivery Long
Delivery Political Division 3	107 / DC	30	Alphanumeric	Political division 3 to which the package was delivered	Delivery Long
Delivery City	108 / DD	30	Alphanumeric	City to which the package was delivered	Delivery Long
Delivery State/Province	109 / DE	5	Alphanumeric	State/province to which the package was delivered (e.g., NJ = New Jersey)	Delivery Long
Delivery Country	110 / DF	3	Alphanumeric	Country code to which the package was delivered (e.g., US=United States)	Delivery Long
Delivery Postal Code	111 / DG	16	Alphanumeric	Postal code to which the package was delivered	Delivery Long
Residential Address	112 / DH	1	Alphanumeric (1	Indicates whether the	Delivery Short

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
			character, see code(s) at right)	package was delivered to a residential or commercial address: 1 = Commercial 2 = Residential	and Long
Signed for By	113 / DI	35	Alphanumeric	Name of the person who signed for the package	Delivery Long
COD Collected Currency Type	114 / DJ	3	Alphanumeric	Type of currency collected for a Collect On Delivery (COD) package (MCC – Multiple Currency Types collected – causes the COD amount collected to be blank)	Delivery Long
COD Amount Collected	115 / DK	13	Numeric	The amount collected on a Collect on Delivery (COD) package. This is the COD amount collected without the decimal included (e.g., \$12.35 will appear as 1235)	Delivery Long
COD Amount Decimal	116 / DL	1	Alphanumeric	The number of decimal places in the “COD Amount Collected” field (e.g., if the actual COD amount is \$12.35 this field will display 2)	Delivery Long
Bill To Account Number	117 / DM	10	Alphanumeric	The UPS account number to which shipping charges were billed as supplied in PLD by the person/company who shipped the package.	All
Bill Option	118 / DN	2	Alphanumeric (2 characters, see codes at right)	Indicates how shipping charges for the package will were billed: 01 = Shipper 02 = Consignee Billing 03 = Third Party 04 = Freight Collect 99 = International Bill Option	All
Exception Reason Code	119 / DO	2	Alphanumeric	Package Exception Reason Code	Exception
Exception Status Code	120 / DP	2	Alphanumeric	Package Exception Status Code	Exception
Receiving Address	121 / DQ	35	Alphanumeric	Receiver’s Business	Manifest Basic

<b>Field Name</b>	<b>Column # / Microsoft Excel Column #</b>	<b>Maximum Field Length</b>	<b>Type</b>	<b>Description</b>	<b>Relevant Record Types</b>
Name				Party Name	and Complete and Generic Activity
Activity Type	122 / DR	2	Alphanumeric	Code that identifies record by specific activity type	Generic Activity
Location Assured	123 / DS	1	Alphanumeric	Indicates whether the Location Assured assessorial was uploaded. Valid values are: Y=Yes	Manifest Basic and Complete