

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|---|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Acetal | 3 | | UN1088 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Acetaldehyde ammonia | 9 | | UN1841 | III | MISCELLANEOUS | | | | 906 | 6 kg | 30 kg | A48 |
| Acetaldehyde oxime | 3 | | UN2332 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Acetic acid solution, not less than 50% but not more than 80% acid, by weight | 8 | | UN2790 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Acetic acid solution, more than 10% but less than 50% acid, by weight | 8 | | UN2790 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Acetic acid solution, more than 80% acid, by weight | 8 | 3 | UN2789 | II | CORROSIVE, FLAMMABLE LIQUID | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Acetic acid, glacial | 8 | 3 | UN2789 | II | CORROSIVE, FLAMMABLE LIQUID | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Acetic anhydride | 8 | 3 | UN1715 | II | CORROSIVE, FLAMMABLE LIQUID | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Acetone | 3 | | UN1090 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Acetone oils | 3 | | UN1091 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Acetonitrile | 3 | | UN1648 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Acetyl bromide | 8 | | UN1716 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Acetyl chloride | 3 | 8 | UN1717 | II | FLAMMABLE LIQUID, CORROSIVE | | Y306 | 500 ml | 306 | 500 ml | 1 L | |
| Acetyl iodide | 8 | | UN1898 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Acetyl methyl carbinol | 3 | | UN2621 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Acrolein dimer, stabilized | 3 | | UN2607 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Acrylic acid, stabilized | 8 | 3 | UN2218 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Adhesives, containing flammable liquid | 3 | | UN1133 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Adhesives, containing flammable liquid | 3 | | UN1133 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | |
| Adhesives, containing flammable liquid | 3 | | UN1133 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Aerosols, flammable | 2.1 | | UN1950 | | FLAMMABLE GAS | | Y203 | 30 kg G | 203 | 1 L | 30 kg | A145 A153 |
| Aerosols, flammable, containing substances in Class 8, Packing Group III | 2.1 | 8 | UN1950 | | FLAMMABLE GAS, CORROSIVE | | Y203 | 30 kg G | 203 | 1 L | 30 kg | A145 A153 |
| Aerosols, non-flammable (containing biological products or a medicinal preparation which will be deteriorated by a heat test) | 2.2 | | UN1950 | | NON-FLAMMABLE GAS | | Y204 | 30 kg G | 204 | 575 ml | 30 kg | A145 A153 |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-----------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Aerosols, non-flammable | 2.2 | | UN1950 | | NON-FLAMMABLE GAS | | Y203 | 30 kg G | 203 | 1 L | 30 kg | A98 A145 A153 |
| Aerosols, non-flammable, containing substances in Class 8, Packing Group III | 2.2 | 8 | UN1950 | | NON-FLAMMABLE GAS, CORROSIVE | | Y203 | 30 kg G | 203 | 1 L | 30 kg | A145 A153 |
| Air bag inflators | 9 | | UN3268 | III | MISCELLANEOUS | Europe | | | 917 | | 25 kg | A32, A115, A119 |
| Air bag modules | 9 | | UN3268 | III | MISCELLANEOUS | Europe | | | 917 | | 25 kg | A32, A115, A119 |
| Air, compressed | 2.2 | | UN1002 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | A124 |
| Alcoholates solution, n.o.s.*, in alcohol | 3 | 8 | UN3274 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Alcohols, n.o.s.* | 3 | | UN1987 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Alcohols, n.o.s.* | 3 | | UN1987 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | A148 |
| Aldehydes, n.o.s.* | 3 | | UN1989 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Aldehydes, n.o.s.* | 3 | | UN1989 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Aldehydes, n.o.s.* | 3 | | UN1989 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Alkylphenols, liquid, n.o.s. (including C INF>2 /INF> - C INF>12 /INF> homologues) | 8 | | UN3145 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Alkylphenols, liquid, n.o.s. (including C INF>2 /INF> - C INF>12 /INF> homologues) | 8 | | UN3145 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Alkylphenols, solid, n.o.s. (including C INF>2 /INF> - C INF>12 /INF> homologues) | 8 | | UN2430 | II | CORROSIVE | | Y814 | 1 kg | 814 | 2.5 kg | 15 kg | |
| Alkylphenols, solid, n.o.s. (including C INF>2 /INF> - C INF>12 /INF> homologues) | 8 | | UN2430 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Alkylsulphonic acids, liquid, with more than 5% free sulphuric acid | 8 | | UN2584 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Alkylsulphonic acids, liquid, with 5% or less free sulphuric acid | 8 | | UN2586 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Alkylsulphonic acids, solid, with more than 5% free sulphuric acid | 8 | | UN2583 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Alkylsulphonic acids, solid, with not more than 5% free sulphuric acid | 8 | | UN2585 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Alkylsulphuric acids* | 8 | | UN2571 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Allyl glycidyl ether | 3 | | UN2219 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Allyl iodide | 3 | 8 | UN1723 | II | FLAMMABLE LIQUID, CORROSIVE | | Y306 | 500 ml | 306 | 500 ml | 1 L | |
| Aluminium bromide solution | 8 | | UN2580 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | A3 |
| Aluminium bromide, anhydrous | 8 | | UN1725 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Aluminium chloride solution | 8 | | UN2581 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | A3 |
| Aluminium chloride, anhydrous | 8 | | UN1726 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Aluminium powder, coated | 4.1 | | UN1309 | II | FLAMMABLE SOLID | | Y415 | 5 kg | 415 | 2.5 kg | 15 kg | A3 |
| Aluminium powder, coated | 4.1 | | UN1309 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Aluminium resinate | 4.1 | | UN2715 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Amines, flammable, corrosive, n.o.s.* | 3 | 8 | UN2733 | I | FLAMMABLE LIQUID, CORROSIVE | | | | 302 | 500 ml | 500 ml | A3 |
| Amines, flammable, corrosive, n.o.s.* | 3 | 8 | UN2733 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Amines, flammable, corrosive, n.o.s.* | 3 | 8 | UN2733 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| Amines, liquid, corrosive, flammable, n.o.s.* | 8 | 3 | UN2734 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Amines, liquid, corrosive, n.o.s.* | 8 | | UN2735 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Amines, liquid, corrosive, n.o.s.* | 8 | | UN2735 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Amines, solid, corrosive, n.o.s.* | 8 | | UN3259 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Amines, solid, corrosive, n.o.s.* | 8 | | UN3259 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| 2-(2-Aminoethoxy)ethanol | 8 | | UN3055 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| N-Aminoethylpiperazine | 8 | | UN2815 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Ammonia solution, relative density (specific gravity) between 0.880 and 0.957 at 15°C in water, with more than 10% but not more than 35% ammonia | 8 | | UN2672 | III | CORROSIVE | | Y819 | 1 L | 819 | 3 L | 5 L | A64 |
| Ammonium hydrogen sulphate | 8 | | UN2506 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Ammonium hydrogendifluoride, solid | 8 | | UN1727 | II | CORROSIVE | | Y815 | 5 kg | 815 | 2.5 kg | 15 kg | |
| Ammonium nitrate fertilizers | 9 | | UN2071 | | MISCELLANEOUS | | Y909 | 30 kg G | 909 | 30 kg | 30 kg | A89, A90 |
| Amyl acetates | 3 | | UN1104 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Amyl acid phosphate | 8 | | UN2819 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Amyl butyrates | 3 | | UN2620 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Amyl chloride | 3 | | UN1107 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|---------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Amyl formates | 3 | | UN1109 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Amyl mercaptan | 3 | | UN1111 | II | FLAMMABLE LIQUID | | Y306 | 1 L | 306 | 500 ml | 5 L | |
| n-Amyl methyl ketone | 3 | | UN1110 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Amyl nitrate | 3 | | UN1112 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Amyl nitrite | 3 | | UN1113 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Amylamine | 3 | 8 | UN1106 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | A3 |
| Amylamine | 3 | 8 | UN1106 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| n-Amylene | 3 | | UN1108 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | |
| Anisole | 3 | | UN2222 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Anisoyl chloride | 8 | | UN1729 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Antimony pentachloride, liquid | 8 | | UN1730 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Antimony pentachloride solution | 8 | | UN1731 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | A3 |
| Antimony pentachloride solution | 8 | | UN1731 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Antimony trichloride, liquid | 8 | | UN1733 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Antimony trichloride, solid | 8 | | UN1733 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Argon, compressed | 2.2 | | UN1006 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Articles, pressurized, hydraulic containing non-flammable gas | 2.2 | | UN3164 | | NON-FLAMMABLE GAS | Europe | | | 208 | | 30 kg | A48 A114 |
| Articles, pressurized, pneumatic containing non-flammable gas | 2.2 | | UN3164 | | NON-FLAMMABLE GAS | Europe | | | 208 | | 30 kg | A48 A114 |
| Arylsulphonic acids, liquid, with 5% or less free sulphuric acid | 8 | | UN2586 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Arylsulphonic acids, liquid, with more than 5% free sulphuric acid | 8 | | UN2584 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Arylsulphonic acids, solid, with more than 5% free sulphuric acid | 8 | | UN2583 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Arylsulphonic acids, solid, with 5% or less free sulphuric acid | 8 | | UN2585 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Aviation regulated liquid, n.o.s.* | 9 | | UN3334 | | MISCELLANEOUS | | | | 906 | 25 L | 25 L | A27, A48 |
| Aviation regulated solid, n.o.s.* | 9 | | UN3335 | | MISCELLANEOUS | | | | 906 | 25 kg | 25 kg | A27, A48 |
| Battery fluid, acid | 8 | | UN2796 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Battery fluid, alkali | 8 | | UN2797 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Battery-powered equipment | 9 | | UN3171 | | MISCELLANEOUS | | | | | NOT ACCEPTED | | A21,A67, A87,A94 |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Battery-powered vehicle | 9 | | UN3171 | | MISCELLANEOUS | | | | | NOT ACCEPTED | | A21,A67, A87,A94 |
| Benzaldehyde | 9 | | UN1990 | III | MISCELLANEOUS | | Y907 | 12 L | 907 | 3 L | 25 L | |
| Benzene | 3 | | UN1114 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Benzenesulphonyl chloride | 8 | | UN2225 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Benzotrichloride | 8 | | UN2226 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Benzotrifluoride | 3 | | UN2338 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Benzoyl chloride | 8 | | UN1736 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Benzyl dimethylamine | 8 | 3 | UN2619 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Bicyclo[2,2,1]hepta-2-5-diene, stabilized | 3 | | UN2251 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Bisulphates, aqueous solution | 8 | | UN2837 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Bisulphates, aqueous solution | 8 | | UN2837 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |
| Bisulphites, aqueous solution, n.o.s. | 8 | | UN2693 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Borneol | 4.1 | | UN1312 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Boron trifluoride acetic acid complex, liquid | 8 | | UN1742 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Boron trifluoride acetic acid complex, solid | 8 | | UN3419 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Boron trifluoride dihydrate | 8 | | UN2851 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Boron trifluoride propionic acid complex, liquid | 8 | | UN1743 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Boron trifluoride propionic acid complex, solid | 8 | | UN3420 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| 1-Bromo-3-methylbutane | 3 | | UN2341 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Bromoacetic acid, solid | 8 | | UN3425 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Bromoacetic acid, solution | 8 | | UN1938 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Bromoacetic acid, solution | 8 | | UN1938 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5L | |
| Bromoacetyl bromide | 8 | | UN2513 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Bromobenzene | 3 | | UN2514 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 1-Bromobutane | 3 | | UN1126 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 2-Bromobutane | 3 | | UN2339 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 2-Bromoethyl ethyl ether | 3 | | UN2340 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Bromomethylpropanes | 3 | | UN2342 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 2-Bromopentane | 3 | | UN2343 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Bromopropanes | 3 | | UN2344 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Bromopropanes | 3 | | UN2344 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 3-Bromopropyne | 3 | | UN2345 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
|----------------------------------|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Bromotrifluoromethane | 2.2 | | UN1009 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Butanedione | 3 | | UN2346 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Butanols | 3 | | UN1120 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Butanols | 3 | | UN1120 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Butyl acetates | 3 | | UN1123 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Butyl acetates | 3 | | UN1123 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Butyl acid phosphate | 8 | | UN1718 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Butyl acrylates, stabilized | 3 | | UN2348 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| n-Butyl formate | 3 | | UN1128 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Butyl mercaptan | 3 | | UN2347 | II | FLAMMABLE LIQUID | | Y306 | 1 L | 306 | 500 ml | 5 L | |
| n-Butyl methacrylate, stabilized | 3 | | UN2227 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Butyl methyl ether | 3 | | UN2350 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Butyl nitrites | 3 | | UN2351 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Butyl nitrites | 3 | | UN2351 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Butyl propionates | 3 | | UN1914 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Butyl vinyl ether, stabilized | 3 | | UN2352 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| n-Butylamine | 3 | 8 | UN1125 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Butylbenzenes | 3 | | UN2709 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 1,2-Butylene oxide, stabilized | 3 | | UN3022 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Butyraldehyde | 3 | | UN1129 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Butyraldoxime | 3 | | UN2840 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Butyric acid | 8 | | UN2820 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Butyric anhydride | 8 | | UN2739 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Butyryl chloride | 3 | 8 | UN2353 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Caesium hydroxide | 8 | | UN2682 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Caesium hydroxide solution | 8 | | UN2681 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Caesium hydroxide solution | 8 | | UN2681 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |
| Calcium oxide | 8 | | UN1910 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Calcium resinate | 4.1 | | UN1313 | III | FLAMMABLE SOLID | | Y422 | 10 kg | 422 | 5 kg | 25 kg | |
| Calcium resinate, fused | 4.1 | | UN1314 | III | FLAMMABLE SOLID | | Y422 | 10 kg | 422 | 5 kg | 25 kg | |
| Camphor, synthetic | 4.1 | | UN2717 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Camphor oil | 3 | | UN1130 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Caproic acid | 8 | | UN2829 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Carbon dioxide | 2.2 | | UN1013 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Carbon dioxide, solid | 9 | | UN1845 | III | MISCELLANEOUS | | | | 904 | | 68 kg | A48, A151 |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|---|--------------------------|----------|---------------|-----|---|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Castor beans | 9 | | UN2969 | II | MISCELLANEOUS | | | | 906 | 1 kg | 30 kg | A31, A48 |
| Castor flake | 9 | | UN2969 | II | MISCELLANEOUS | | | | 906 | 1 kg | 30 kg | A31, A48 |
| Castor meal | 9 | | UN2969 | II | MISCELLANEOUS | | | | 906 | 1 kg | 30 kg | A31, A48 |
| Castor pomace | 9 | | UN2969 | II | MISCELLANEOUS | | | | 906 | 1 kg | 30 kg | A31, A48 |
| Caustic alkali liquid, n.o.s.* | 8 | | UN1719 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Caustic alkali liquid, n.o.s.* | 8 | | UN1719 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |
| Celluloid, in blocks, rods, rolls, sheets, tubes, etc. (except scrap) | 4.1 | | UN2000 | III | FLAMMABLE SOLID | | | | 407 | 6 kg | 25 kg | A3,A48 |
| Cerium, slabs, ingots or rods | 4.1 | | UN1333 | II | FLAMMABLE SOLID | | Y415 | 5 kg | 415 | 2.5 kg | 15 kg | |
| Chemical Kit | 9 | | UN3316 | | Accepted only if in conformance with ADR SP 251 | | Y915 | 1 kg | 915 | 250 ml | 10 kg | A44, A802 |
| Chlorite solution | 8 | | UN1908 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Chlorite solution | 8 | | UN1908 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |
| 1-Chloro-1,2,2,2-tetrafluoroethane | 2.2 | | UN1021 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| 1-Chloro-2,2,2-trifluoroethane | 2.2 | | UN1983 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Chlorobenzene | 3 | | UN1134 | III | FLAMMABLE LIQUID | Singapore | Y309 | 10 L | 309 | 5 L | 25 L | |
| Chlorobenzotrifluorides | 3 | | UN2234 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Chlorobutanes | 3 | | UN1127 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Chlorodifluorobromomethane | 2.2 | | UN1974 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Chlorodifluoromethane | 2.2 | | UN1018 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Chlorodifluoromethane and chloropentafluoroethane mixture, with fixed boiling point, with approximately 49% chlorodifluoromethane | 2.2 | | UN1973 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Chloropentafluoroethane | 2.2 | | UN1020 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Chlorophenolates, liquid | 8 | | UN2904 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Chlorophenolates, solid | 8 | | UN2905 | III | CORROSIVE | | Y822 | 5 kg | 822 | 6 kg | 25 kg | |
| Chloroplatinic acid, solid | 8 | | UN2507 | III | CORROSIVE | | Y822 | 5 kg | 822 | 6 kg | 25 kg | |
| 2-Chloropropane | 3 | | UN2356 | I | FLAMMABLE LIQUID | | | | 306 | 500 ml | 1 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|---|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| 2-Chloropropene | 3 | | UN2456 | I | FLAMMABLE LIQUID | | | | 306 | 500 ml | 1 L | |
| 2-Chloropropionic acid | 8 | | UN2511 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | A3 |
| Chlorosilanes, corrosive, flammable, n.o.s. | 8 | 3 | UN2986 | II | CORROSIVE, FLAMMABLE LIQUID | | | | 808 | 1 L | 1 L | |
| Chlorosilanes, corrosive, n.o.s. | 8 | | UN2987 | II | CORROSIVE | | | | 808 | 1 L | 1 L | |
| Chlorosilanes, flammable, corrosive, n.o.s. | 3 | 8 | UN2985 | II | FLAMMABLE LIQUID, CORROSIVE | | | | 305 | 1 L | 1 L | |
| Chlorotoluenes | 3 | | UN2238 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Chlorotrifluoromethane | 2.2 | | UN1022 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Chlorotrifluoromethane and trifluoromethane azeotropic mixture, with approximately 60% chlorotrifluoromethane | 2.2 | | UN2599 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Chromic acid solution | 8 | | UN1755 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | A3 |
| Chromic acid solution | 8 | | UN1755 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Chromic fluoride solution | 8 | | UN1757 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | A3 |
| Chromic fluoride solution | 8 | | UN1757 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Chromic fluoride, solid | 8 | | UN1756 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Coal tar distillates, flammable | 3 | | UN1136 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Coal tar distillates, flammable | 3 | | UN1136 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Coating solution, (includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining) | 3 | | UN1139 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Coating solution, (includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining) | 3 | | UN1139 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | |
| Coating solution, (includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining) | 3 | | UN1139 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Cobalt naphthenates, powder | 4.1 | | UN2001 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Cobalt resinate, precipitated | 4.1 | | UN1318 | III | FLAMMABLE SOLID | | Y422 | 10 kg | 422 | 6 kg | 25 kg | |
| Compressed gas, n.o.s.* | 2.2 | | UN1956 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | A124 |
| Consumer commodity | 9 | | ID8000 | | MISCELLANEOUS | | | | 910 | 500 g | 30 kg G | A112 |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Copper chloride | 8 | | UN2802 | III | CORROSIVE | | Y822 | 5 kg | 822 | 6 kg | 25 kg | |
| Corrosive liquid, acidic, inorganic, n.o.s.* | 8 | | UN3264 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Corrosive liquid, acidic, inorganic, n.o.s.* | 8 | | UN3264 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Corrosive liquid, acidic, organic, n.o.s.* | 8 | | UN3265 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Corrosive liquid, acidic, organic, n.o.s.* | 8 | | UN3265 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Corrosive liquid, basic, inorganic, n.o.s.* | 8 | | UN3266 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Corrosive liquid, basic, inorganic, n.o.s.* | 8 | | UN3266 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Corrosive liquid, basic, organic, n.o.s.* | 8 | | UN3267 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Corrosive liquid, basic, organic, n.o.s.* | 8 | | UN3267 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Corrosive liquid, flammable, n.o.s.* | 8 | 3 | UN2920 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Corrosive liquid, n.o.s.* | 8 | | UN1760 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Corrosive liquid, n.o.s.* | 8 | | UN1760 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Corrosive solid, acidic, inorganic, n.o.s.* | 8 | | UN3260 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Corrosive solid, acidic, inorganic, n.o.s.* | 8 | | UN3260 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Corrosive solid, acidic, organic, n.o.s.* | 8 | | UN3261 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Corrosive solid, acidic, organic, n.o.s.* | 8 | | UN3261 | III | CORROSIVE | | Y822 | 5 kg | 822 | 6 kg | 25 kg | |
| Corrosive solid, basic, inorganic, n.o.s.* | 8 | | UN3262 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Corrosive solid, basic, inorganic, n.o.s.* | 8 | | UN3262 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Corrosive solid, basic, organic, n.o.s.* | 8 | | UN3263 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Corrosive solid, basic, organic, n.o.s.* | 8 | | UN3263 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Corrosive solid, flammable, n.o.s.* | 8 | 4.1 | UN2921 | II | CORROSIVE, FLAMMABLE SOLID | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Corrosive solid, n.o.s.* | 8 | | UN1759 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Corrosive solid, n.o.s.* | 8 | | UN1759 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Crotonic acid, liquid | 8 | | UN3472 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Crotonic acid, solid | 8 | | UN2823 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Crotonylene | 3 | | UN1144 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | |
| Cyanuric chloride | 8 | | UN2670 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Cycloheptane | 3 | | UN2241 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Cycloheptene | 3 | | UN2242 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Cyclohexane | 3 | | UN1145 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Cyclohexanone | 3 | | UN1915 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Cyclohexene | 3 | | UN2256 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Cyclohexyl acetate | 3 | | UN2243 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Cyclohexyl mercaptan | 3 | | UN3054 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Cyclohexylamine | 8 | 3 | UN2357 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Cyclooctadienes | 3 | | UN2520 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Cyclooctatetraene | 3 | | UN2358 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Cyclopentane | 3 | | UN1146 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Cyclopentanol | 3 | | UN2244 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Cyclopentanone | 3 | | UN2245 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Cyclopentene | 3 | | UN2246 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Cymenes | 3 | | UN2046 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Dangerous goods in apparatus | 9 | | UN3363 | | MISCELLANEOUS | | | | 916 | | 30 kg | A48, A107 |
| Dangerous goods in machinery | 9 | | UN3363 | | MISCELLANEOUS | | | | 916 | | 30 kg | A48, A107 |
| Decahydronaphthalene | 3 | | UN1147 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| n-Decane | 3 | | UN2247 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 1,2-Di-(dimethylamino) ethane | 3 | | UN2372 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Di-n-butylamine | 8 | 3 | UN2248 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Di-n-propyl ether | 3 | | UN2384 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Diacetone alcohol | 3 | | UN1148 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Diacetone alcohol | 3 | | UN1148 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Dibenzylchlorosilane | 8 | | UN2434 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Dibromodifluoromethane, (R12B2) | 9 | | UN1941 | III | MISCELLANEOUS | | Y907 | 12 L | 907 | 3 L | 25 L | |
| Dibutyl ethers | 3 | | UN1149 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 1,2-Dichloro-1,1,2,2-tetrafluoroethane | 2.2 | | UN1958 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Dichloroacetic acid | 8 | | UN1764 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Dichloroacetyl chloride | 8 | | UN1765 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Dichlorodifluoromethane | 2.2 | | UN1028 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
|---|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Dichlorodifluoromethane and difluoroethane azeotropic mixture, with approximately 74% dichlorodifluoromethane | 2.2 | | UN2602 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| 1,1-Dichloroethane | 3 | | UN2362 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 1,2-Dichloroethylene | 3 | | UN1150 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Dichlorofluoromethane | 2.2 | | UN1029 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Dichloropentanes | 3 | | UN1152 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 1,2-Dichloropropane | 3 | | UN1279 | II | FLAMMABLE LIQUID | | Y306 | 1 L | 306 | 500 ml | 5 L | |
| Dichloropropenes | 3 | | UN2047 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Dichloropropenes | 3 | | UN2047 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Dicyclohexylamine | 8 | | UN2565 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Dicyclohexylammonium nitrite | 4.1 | | UN2687 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Dicyclopentadiene | 3 | | UN2048 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Diesel fuel | 3 | | UN1202 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | A3 |
| Diethoxymethane | 3 | | UN2373 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 3,3-Diethoxypropene | 3 | | UN2374 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Diethyl carbonate | 3 | | UN2366 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Diethyl ether | 3 | | UN1155 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | |
| Diethyl ketone | 3 | | UN1156 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Diethyl sulphide | 3 | | UN2375 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Diethylamine | 3 | 8 | UN1154 | II | FLAMMABLE LIQUID, CORROSIVE | | Y306 | 500 ml | 306 | 500 ml | 1 L | |
| 2-Diethylaminoethanol | 8 | 3 | UN2686 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| 3-Diethylaminopropylamine | 3 | 8 | UN2684 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| Diethylbenzene | 3 | | UN2049 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Diethylenetriamine | 8 | | UN2079 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| N,N-Diethylethylenediamine | 8 | 3 | UN2685 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Diethylthiophosphoryl chloride | 8 | | UN2751 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Difluorophosphoric acid, anhydrous | 8 | | UN1768 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| 2,3-Dihydropyran | 3 | | UN2376 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Diisobutyl ketone | 3 | | UN1157 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Diisobutylamine | 3 | 8 | UN2361 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| Diisobutylene, isomeric compound | 3 | | UN2050 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Diisooctyl acid phosphate | 8 | | UN1902 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Diisopropyl ether | 3 | | UN1159 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Diisopropylamine | 3 | 8 | UN1158 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| 1,2-Dimethoxyethane | 3 | | UN2252 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 1,1-Dimethoxyethane | 3 | | UN2377 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Dimethyl carbonate | 3 | | UN1161 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Dimethyl disulphide | 3 | | UN2381 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Dimethyl sulphide | 3 | | UN1164 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Dimethyl-N-propylamine | 3 | 8 | UN2266 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Dimethylamine, aqueous solution | 3 | 8 | UN1160 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| 2-Dimethylaminoethanol | 8 | 3 | UN2051 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| 2,3-Dimethylbutane | 3 | | UN2457 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 1,3-Dimethylbutylamine | 3 | 8 | UN2379 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Dimethylcarbamoyl chloride | 8 | | UN2262 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Dimethylcyclohexanes | 3 | | UN2263 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| N,N-Dimethylcyclohexylamine | 8 | 3 | UN2264 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Dimethyldiethoxysilane | 3 | | UN2380 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Dimethyldioxanes | 3 | | UN2707 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Dimethyldioxanes | 3 | | UN2707 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| N,N-Dimethylformamide | 3 | | UN2265 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Dioxane | 3 | | UN1165 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Dioxolane | 3 | | UN1166 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Dipentene | 3 | | UN2052 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Diphenylmethyl bromide | 8 | | UN1770 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Dipropyl ketone | 3 | | UN2710 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Dipropylamine | 3 | 8 | UN2383 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Disinfectant, liquid, corrosive, n.o.s.* | 8 | | UN1903 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Disinfectant, liquid, corrosive, n.o.s.* | 8 | | UN1903 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Disodium trioxosilicate | 8 | | UN3253 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Divinyl ether, stabilized | 3 | | UN1167 | I | FLAMMABLE LIQUID | | | | 306 | 500 ml | 1 L | |
| Dry ice | 9 | | UN1845 | III | MISCELLANEOUS | | | | 904 | | 68 kg | A48 |
| Dye intermediate, liquid, corrosive, n.o.s.* | 8 | | UN2801 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|---------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Dye intermediate, liquid, corrosive, n.o.s.* | 8 | | UN2801 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Dye intermediate, solid, corrosive, n.o.s.* | 8 | | UN3147 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Dye intermediate, solid, corrosive, n.o.s.* | 8 | | UN3147 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Dye, liquid, corrosive, n.o.s.* | 8 | | UN2801 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Dye, liquid, corrosive, n.o.s.* | 8 | | UN2801 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Dye, solid, corrosive, n.o.s.* | 8 | | UN3147 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Dye, solid, corrosive, n.o.s.* | 8 | | UN3147 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Engines, internal combustion, flammable liquid powered | 9 | | UN3166 | | MISCELLANEOUS | | | | 900 | | 30 kg | A67, A70, A87, A134 |
| Environmentally hazardous substance, liquid, n.o.s.* | 9 | | UN3082 | III | MISCELLANEOUS | | Y914 | 30 kg G | 914 | 5 L | 25 L | A97 |
| Environmentally hazardous substance, solid, n.o.s.* | 9 | | UN3077 | III | MISCELLANEOUS | | Y911 | 30 kg G | 911 | 6 kg | 30 kg | A97 |
| 1,2-Epoxy-3-ethoxypropane | 3 | | UN2752 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Esters, n.o.s.* | 3 | | UN3272 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Esters, n.o.s.* | 3 | | UN3272 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ethanol | 3 | | UN1170 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Ethanol | 3 | | UN1170 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | A58 A148 |
| Ethanol solution | 3 | | UN1170 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Ethanol solution | 3 | | UN1170 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | A58 A148 |
| Ethanolamine | 8 | | UN2491 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | A3 |
| Ethanolamine solution | 8 | | UN2491 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | A3 |
| Ethers, n.o.s.* | 3 | | UN3271 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Ethers, n.o.s.* | 3 | | UN3271 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ethyl 2-chloropropionate | 3 | | UN2935 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ethyl acetate | 3 | | UN1173 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethyl acrylate, stabilized | 3 | | UN1917 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethyl alcohol | 3 | | UN1170 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Ethyl alcohol | 3 | | UN1170 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | A58 A148 |
| Ethyl alcohol solution | 3 | | UN1170 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|--------------------------------|-------------------------|---------------------------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | | | International Small Pkg Air Shipments | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Ethyl alcohol solution | 3 | | UN1170 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | A58 A148 |
| Ethyl amyl ketone | 3 | | UN2271 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ethyl borate | 3 | | UN1176 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethyl butyl ether | 3 | | UN1179 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethyl butyrate | 3 | | UN1180 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ethyl crotonate | 3 | | UN1862 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethyl ether | 3 | | UN1155 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | |
| Ethyl formate | 3 | | UN1190 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethyl isobutyrate | 3 | | UN2385 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethyl lactate | 3 | | UN1192 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ethyl methacrylate, stabilized | 3 | | UN2277 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethyl methyl ketone | 3 | | UN1193 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethyl orthoformate | 3 | | UN2524 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ethyl propionate | 3 | | UN1195 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethyl propyl ether | 3 | | UN2615 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethylamine, aqueous solution, with 50% or more but not more than 70% ethylamine | 3 | 8 | UN2270 | II | FLAMMABLE LIQUID, CORROSIVE | | Y306 | 500 ml | 306 | 500 ml | 1 L | |
| Ethylbenzene | 3 | | UN1175 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 2-Ethylbutanol | 3 | | UN2275 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 2-Ethylbutyl acetate | 3 | | UN1177 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 2-Ethylbutyraldehyde | 3 | | UN1178 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethylene glycol diethyl ether | 3 | | UN1153 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Ethylene glycol diethyl ether | 3 | | UN1153 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ethylene glycol monoethyl ether | 3 | | UN1171 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ethylene glycol monoethyl ether acetate | 3 | | UN1172 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ethylene glycol monomethyl ether | 3 | | UN1188 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ethylene glycol monomethyl ether acetate | 3 | | UN1189 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ethylene oxide and carbon dioxide mixture, with not more than 9% ethylene oxide | 2.2 | | UN1952 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Ethylene oxide and chlorotetrafluoroethane mixture, with not more than 8.8% ethylene oxide | 2.2 | | UN3297 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Ethylene oxide and pentafluoroethane mixture, with not more than 7.9% ethylene oxide | 2.2 | | UN3298 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Ethylene oxide and tetrafluoroethane mixture, with not more than 5.6% ethylene oxide | 2.2 | | UN3299 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Ethylenediamine | 8 | 3 | UN1604 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| 2-Ethylhexylamine | 3 | 8 | UN2276 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| 1-Ethylpiperidine | 3 | 8 | UN2386 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Ethyltrichlorosilane | 3 | 8 | UN1196 | II | FLAMMABLE LIQUID, CORROSIVE | | | | 306 | 500ml | 1 L | |
| Extracts, aromatic, liquid | 3 | | UN1169 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | A3 |
| Extracts, aromatic, liquid | 3 | | UN1169 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Extracts, flavouring, liquid | 3 | | UN1197 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | A3 |
| Extracts, flavouring, liquid | 3 | | UN1197 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Fabrics impregnated with weakly nitrated nitrocellulose, n.o.s. | 4.1 | | UN1353 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Ferric chloride solution | 8 | | UN2582 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | A3 |
| Ferric chloride, anhydrous | 8 | | UN1773 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Ferrocerium | 4.1 | | UN1323 | II | FLAMMABLE SOLID | | Y415 | 5 kg | 415 | 2.5 kg | 15 kg | A42 |
| Films, nitrocellulose base, gelatin coated, except scrap | 4.1 | | UN1324 | III | FLAMMABLE SOLID | | Y400 | 10 kg | 400 | 6 kg | 25 kg | |
| Fire extinguisher charges | 8 | | UN1774 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1L | 1L | |
| Firelighters, solid, with flammable liquid | 4.1 | | UN2623 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Flammable liquid, n.o.s.* | 3 | | UN1993 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Flammable liquid, n.o.s.* | 3 | | UN1993 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A148 |
| Flammable liquid, n.o.s.* | 3 | | UN1993 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Flammable liquid, corrosive, n.o.s.* | 3 | 8 | UN2924 | I | FLAMMABLE LIQUID, CORROSIVE | | | | 302 | 500 ml | 500 ml | A3 |
| Flammable liquid, corrosive, n.o.s.* | 3 | 8 | UN2924 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Flammable liquid, corrosive, n.o.s.* | 3 | 8 | UN2924 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|-----------------------------|-------------------------|---------------------------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | | | International Small Pkg Air Shipments | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Flammable solid, inorganic, n.o.s.* | 4.1 | | UN3178 | II | FLAMMABLE SOLID | | Y415 | 5 kg | 415 | 2.5 kg | 15 kg | A3 |
| Flammable solid, inorganic, n.o.s.* | 4.1 | | UN3178 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Flammable solid, organic, n.o.s.* | 4.1 | | UN1325 | II | FLAMMABLE SOLID | | Y415 | 5 kg | 415 | 2.5 kg | 15 kg | A3 |
| Flammable solid, organic, n.o.s.* | 4.1 | | UN1325 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Fluorobenzene | 3 | | UN2387 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Fluoroboric acid | 8 | | UN1775 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Fluorophosphoric acid, anhydrous | 8 | | UN1776 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Fluorosilicic acid | 8 | | UN1778 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Fluorotoluenes | 3 | | UN2388 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Formaldehyde solution, with not less than 25% formaldehyde | 8 | | UN2209 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Formaldehyde solution, flammable | 3 | 8 | UN1198 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| Formic acid with ≥ 10% but ≤ 85% acid by weight | 8 | | UN3412 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Formic acid with ≥ 5% but < 10% acid by weight | 8 | | UN3412 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Formic acid with more than 85% acid by weight | 8 | 3 | UN1779 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Fuel, aviation, turbine engine | 3 | | UN1863 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Fuel, aviation, turbine engine | 3 | | UN1863 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Fuel, aviation, turbine engine | 3 | | UN1863 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Fuel cell cartridges containing flammable liquids | 3 | | UN3473 | | FLAMMABLE LIQUID | | | | 313 | 1 L | 5 L | A146 |
| Fumaryl chloride | 8 | | UN1780 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Furfurylamine | 3 | 8 | UN2526 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| Fusel oil | 3 | | UN1201 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Fusel oil | 3 | | UN1201 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Gallium | 8 | | UN2803 | III | CORROSIVE | | | | 804 | 2.5 kg | 20 kg | A69 |
| Gas cartridges, (non-flammable) without a release device, non-refillable | 2.2 | | UN2037 | | NON-FLAMMABLE GAS | | Y203 | 1 kg | 203 | 1 kg | 1 kg | |
| Gas cartridges, (flammable) without a release device, non-refillable | 2.1 | | UN2037 | | FLAMMABLE GAS | | Y203 | 1 kg | 203 | 1 kg | 1 kg | |
| Gas oil | 3 | | UN1202 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | A3 |
| Gasoline | 3 | | UN1203 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A100 |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

Effective 07/01/08

16

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Hafnium powder, wetted, with not less than 25% water (a visible excess of water must be present) (a) mechanically produced: particle size less than 53 microns; (b) chemically produced: particle size less than 840 microns | 4.1 | | UN1326 | II | FLAMMABLE SOLID | | Y416 | 5 kg | 416 | 2.5 kg | 15 kg | A35 |
| Heating oil, light | 3 | | UN1202 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | A3 |
| Helium, compressed | 2.2 | | UN1046 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Heptafluoropropane | 2.2 | | UN3296 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| n-Heptaldehyde | 3 | | UN3056 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Heptanes | 3 | | UN1206 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| n-Heptene | 3 | | UN2278 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Hexadiene | 3 | | UN2458 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Hexafluoroethane | 2.2 | | UN2193 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Hexafluorophosphoric acid | 8 | | UN1782 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Hexafluoropropylene | 2.2 | | UN1858 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Hexaldehyde | 3 | | UN1207 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Hexamethylenediamine, solid | 8 | | UN2280 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Hexamethylenediamine solution | 8 | | UN1783 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | A3 |
| Hexamethylenediamine solution | 8 | | UN1783 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Hexamethyleneimine | 3 | 8 | UN2493 | II | FLAMMABLE LIQUID, CORROSIVE | | Y306 | 500 ml | 306 | 500 ml | 1 L | |
| Hexamethylenetetramine | 4.1 | | UN1328 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Hexanes | 3 | | UN1208 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Hexanols | 3 | | UN2282 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 1-Hexene | 3 | | UN2370 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Hydriodic acid | 8 | | UN1787 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Hydriodic acid | 8 | | UN1787 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |
| Hydrobromic acid, 49% or less strength | 8 | | UN1788 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Hydrobromic acid, 49% or less strength | 8 | | UN1788 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |
| Hydrocarbons, liquid, n.o.s. | 3 | | UN3295 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Hydrocarbons, liquid, n.o.s. | 3 | | UN3295 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|-----------------------------|-------------------------|---------------------------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | | | International Small Pkg Air Shipments | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Hydrocarbons, liquid, n.o.s. | 3 | | UN3295 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Hydrochloric acid | 8 | | UN1789 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Hydrochloric acid | 8 | | UN1789 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |
| Hydrogendifluorides, solid, n.o.s. | 8 | | UN1740 | II | CORROSIVE | | Y815 | 5 kg | 815 | 2.5 kg | 15 kg | A3 |
| Hydrogendifluorides, solid, n.o.s. | 8 | | UN1740 | III | CORROSIVE | | Y825 | 5 kg | 825 | 5 kg | 25 kg | |
| Hydroxylamine sulphate | 8 | | UN2865 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Hypochlorite solution | 8 | | UN1791 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Hypochlorite solution | 8 | | UN1791 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |
| 3,3'-Iminodipropylamine | 8 | | UN2269 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Insecticide gas, n.o.s.*, (aerosols in boxes) | 2.2 | | UN1968 | | NON-FLAMMABLE GAS | | Y203 | 30 kg G | 203 | 120 ml | 30 kg | |
| Insecticide gas, n.o.s.*, (cylinders) | 2.2 | | UN1968 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| 2-Iodobutane | 3 | | UN2390 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Iodomethylpropanes | 3 | | UN2391 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Iodopropanes | 3 | | UN2392 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Isobutanol | 3 | | UN1212 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Isobutyl acetate | 3 | | UN1213 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isobutyl acrylate, stabilized | 3 | | UN2527 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Isobutyl alcohol | 3 | | UN1212 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Isobutyl aldehyde | 3 | | UN2045 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isobutyl formate | 3 | | UN2393 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isobutyl isobutyrate | 3 | | UN2528 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Isobutyl methacrylate, stabilized | 3 | | UN2283 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Isobutyl propionate | 3 | | UN2394 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Isobutylamine | 3 | 8 | UN1214 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Isobutyraldehyde | 3 | | UN2045 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isobutyric acid | 3 | 8 | UN2529 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| Isobutyryl chloride | 3 | 8 | UN2395 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Isoheptene | 3 | | UN2287 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isohexene | 3 | | UN2288 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isooctene | 3 | | UN1216 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isopentenes | 3 | | UN2371 | I | FLAMMABLE LIQUID | | | | 306 | 500 ml | 1 L | |
| Isophoronediamine | 8 | | UN2289 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Isoprene, stabilized | 3 | | UN1218 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|---|-------------------------|---------------------------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | | | International Small Pkg Air Shipments | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Isopropanol | 3 | | UN1219 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isopropenyl acetate | 3 | | UN2403 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isopropenylbenzene | 3 | | UN2303 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Isopropyl 2-chloropropionate | 3 | | UN2934 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Isopropyl acetate | 3 | | UN1220 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isopropyl acid phosphate | 8 | | UN1793 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Isopropyl alcohol | 3 | | UN1219 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isopropyl butyrate | 3 | | UN2405 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Isopropyl chloroacetate | 3 | | UN2947 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Isopropyl isobutyrate | 3 | | UN2406 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isopropyl nitrate | 3 | | UN1222 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isopropyl propionate | 3 | | UN2409 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Isopropylamine | 3 | 8 | UN1221 | I | FLAMMABLE LIQUID, CORROSIVE | | | | 302 | 500 ml | 500 ml | |
| Isopropylbenzene | 3 | | UN1918 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Isosorbide dinitrate mixture with 60% or more lactose, mannose, starch or calcium hydrogen phosphate | 4.1 | | UN2907 | II | FLAMMABLE SOLID | | | | 415 | 2.5 kg | 15kg | A49 |
| Kerosene | 3 | | UN1223 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Ketones, liquid, n.o.s.* | 3 | | UN1224 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Ketones, liquid, n.o.s.* | 3 | | UN1224 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Krypton, compressed | 2.2 | | UN1056 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | A69 |
| Lead phosphite, dibasic | 4.1 | | UN2989 | II | FLAMMABLE SOLID | | Y415 | 5 kg | 415 | 2.5 kg | 15 kg | A3 |
| Lead phosphite, dibasic | 4.1 | | UN2989 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Lead sulphate, with more than 3% free acid | 8 | | UN1794 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Lighters | 2.1 | | UN1057 | | FLAMMABLE GAS | Europe | | | 201 | | 1 kg | |
| Liquefied gas, n.o.s.* | 2.2 | | UN3163 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Liquefied gases, non-flammable charged with nitrogen, carbon dioxide, or air | 2.2 | | UN1058 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Lithium batteries | 9 | | UN3090 | | Accepted only if in conformance with SP A45 | | | | | | | A45, A154 |
| Lithium batteries contained in equipment | 9 | | UN3091 | | Accepted only if in conformance with SP A45 | | | | | | | A45, A154 |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|---|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Lithium batteries packed with equipment | 9 | | UN3091 | | Accepted only if in conformance with SP A45 | | | | | | | A45, A154 |
| Lithium hydroxide | 8 | | UN2680 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Lithium hydroxide solution | 8 | | UN2679 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Lithium hydroxide solution | 8 | | UN2679 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |
| Magnesium, in pellets, turnings or ribbons | 4.1 | | UN1869 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 24 kg | A15 |
| Magnesium alloys, with more than 50% magnesium in pellets, turnings or ribbons | 4.1 | | UN1869 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 24 kg | A15 |
| Magnetized material | 9 | | UN2807 | | MAGNETIZED MATERIAL | | | | 902 | | 30 kg | |
| Maleic anhydride | 8 | | UN2215 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Manganese resinate | 4.1 | | UN1330 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Matches, safety, (book, card or strike on box) | 4.1 | | UN1944 | III | FLAMMABLE SOLID | | Y404 | 10 kg | 404 | 5 kg | 25 kg | A125 |
| Matches, wax vesta | 4.1 | | UN1945 | III | FLAMMABLE SOLID | | Y404 | 10 kg | 404 | 5 kg | 25 kg | A125 |
| Mercaptan mixture, liquid, flammable, n.o.s.* | 3 | | UN3336 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Mercaptan mixture, liquid, flammable, n.o.s.* | 3 | | UN3336 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Mercaptan mixture, liquid, flammable, n.o.s.* | 3 | | UN3336 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Mercaptans, liquid, flammable, n.o.s.* | 3 | | UN3336 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Mercaptans, liquid, flammable, n.o.s.* | 3 | | UN3336 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Mercaptans, liquid, flammable, n.o.s.* | 3 | | UN3336 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Mesityl oxide | 3 | | UN1229 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Metal hydrides, flammable, n.o.s.* | 4.1 | | UN3182 | II | FLAMMABLE SOLID | | Y416 | 5 kg | 416 | 500 g | 15 kg | A3 |
| Metal hydrides, flammable, n.o.s.* | 4.1 | | UN3182 | III | FLAMMABLE SOLID | | Y422 | 10 kg | 422 | 5 kg | 25 kg | |
| Metal powder, flammable, n.o.s.* | 4.1 | | UN3089 | II | FLAMMABLE SOLID | | Y415 | 5 kg | 415 | 2.5 kg | 15 kg | A3 |
| Metal powder, flammable, n.o.s.* | 4.1 | | UN3089 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Metal salts of organic compounds, flammable, n.o.s.* | 4.1 | | UN3181 | II | FLAMMABLE SOLID | | Y415 | 5 kg | 415 | 2.5 kg | 15 kg | A3 |
| Metal salts of organic compounds, flammable, n.o.s.* | 4.1 | | UN3181 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Metaldhyde | 4.1 | | UN1332 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Methacrylic acid, stabilized | 8 | | UN2531 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | | | International Small Pkg Air Shipments | | | | | |
|---|--------------------------|----------|---------------|-----|-----------------------------|-------------------------|---------------------------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Methyl alcohol | 3 | | UN2614 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 1-Methoxy-2-propanol | 3 | | UN3092 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 4-Methoxy-4-methylpentan-2-one | 3 | | UN2293 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Methyl 2-chloropropionate | 3 | | UN2933 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Methyl acetate | 3 | | UN1231 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methyl acrylate, stabilized | 3 | | UN1919 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methyl butyrate | 3 | | UN1237 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methyl ethyl ketone | 3 | | UN1193 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methyl formate | 3 | | UN1243 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | |
| Methyl isobutyl carbinol | 3 | | UN2053 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Methyl isobutyl ketone | 3 | | UN1245 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methyl isopropenyl ketone, stabilized | 3 | | UN1246 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methyl isovalerate | 3 | | UN2400 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methyl methacrylate monomer, stabilized | 3 | | UN1247 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methyl propionate | 3 | | UN1248 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methyl propyl ether | 3 | | UN2612 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methyl propyl ketone | 3 | | UN1249 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methyl tert-butyl ether | 3 | | UN2398 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 3-Methyl-1-butene | 3 | | UN2561 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | |
| 2-Methyl-1-butene | 3 | | UN2459 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | |
| 2-Methyl-2-butene | 3 | | UN2460 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methylal | 3 | | UN1234 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methylallyl chloride | 3 | | UN2554 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methylamine, aqueous solution | 3 | 8 | UN1235 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1L | 1 L | |
| Methylamyl acetate | 3 | | UN1233 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 3-Methylbutan-2-one | 3 | | UN2397 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 2-Methylbutanal | 3 | | UN3371 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| N-Methylbutylamine | 3 | 8 | UN2945 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Methylcyclohexane | 3 | | UN2296 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Methylcyclohexanols, flammable | 3 | | UN2617 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Methylcyclohexanone | 3 | | UN2297 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Methylcyclopentane | 3 | | UN2298 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 2-Methylfuran | 3 | | UN2301 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 5-Methylhexan-2-one | 3 | | UN2302 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 4-Methylmorpholine | 3 | 8 | UN2535 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| N-Methylmorpholine | 3 | 8 | UN2535 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Methylpentadiene | 3 | | UN2461 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| 2-Methylpentan-2-ol | 3 | | UN2560 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Methylphenyldichlorosilane | 8 | | UN2437 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| 1-Methylpiperidine | 3 | 8 | UN2399 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Methyltetrahydrofuran | 3 | | UN2536 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| alpha-Methylvaleraldehyde | 3 | | UN2367 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Molybdenum pentachloride | 8 | | UN2508 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Motor spirit | 3 | | UN1203 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A100 |
| Naphthalene, crude | 4.1 | | UN1334 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Naphthalene, refined | 4.1 | | UN1334 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Neon, compressed | 2.2 | | UN1065 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Nitrobenzenesulphonic acid | 8 | | UN2305 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Nitrocellulose membrane filters, with less than 12.6% nitrogen, by dry weight | 4.1 | | UN3270 | II | FLAMMABLE SOLID | | Y401 | 1 kg | 401 | 500 g | 1 kg | A57, A73, A122 |
| Nitrocellulose mixture, with pigment | 4.1 | | UN2557 | II | FLAMMABLE SOLID | | | | | NOT ACCEPTED | | A57,A86 |
| Nitrocellulose mixture, with plasticizer | 4.1 | | UN2557 | II | FLAMMABLE SOLID | | | | | NOT ACCEPTED | | A57,A86 |
| Nitrocellulose mixture, without pigment | 4.1 | | UN2557 | II | FLAMMABLE SOLID | | | | | NOT ACCEPTED | | A57,A86 |
| Nitrocellulose mixture, without plasticizer | 4.1 | | UN2557 | II | FLAMMABLE SOLID | | | | | NOT ACCEPTED | | A57,A86 |
| Nitrocellulose solution, flammable, with 12.6% or less nitrogen, by dry weight, and 55% or less nitrocellulose | 3 | | UN2059 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Nitrocellulose solution, flammable, with 12.6% or less nitrogen, by dry weight, and 55% or less nitrocellulose | 3 | | UN2059 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A91 |
| Nitrocellulose solution, flammable, with 12.6% or less nitrogen, by dry weight, and 55% or less nitrocellulose | 3 | | UN2059 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Nitroethane | 3 | | UN2842 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Nitrogen, compressed | 2.2 | | UN1066 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Nitronaphthalene | 4.1 | | UN2538 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Nitropropanes | 3 | | UN2608 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Nitrosylsulphuric acid, liquid | 8 | | UN2308 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Nitrosylsulphuric acid, solid | 8 | | UN3456 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | A3 |
| Nonanes | 3 | | UN1920 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 2,5-Norbornadiene, stabilized | 3 | | UN2251 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Octadiene | 3 | | UN2309 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Octafluorobut-2-ene | 2.2 | | UN2422 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Octafluorocyclobutane | 2.2 | | UN1976 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Octafluoropropane | 2.2 | | UN2424 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Octanes | 3 | | UN1262 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Octyl aldehydes | 3 | | UN1191 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Paint, (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | 3 | | UN1263 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Paint, (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | 3 | | UN1263 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | A72 |
| Paint, (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | 3 | | UN1263 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Paint, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | 8 | | UN3066 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | A3 |
| Paint, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | 8 | | UN3066 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | A72 |
| Paint, corrosive, flammable (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | 8 | 3 | UN3470 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Paint, flammable, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | 3 | 8 | UN3469 | I | FLAMMABLE LIQUID, CORROSIVE | | | | 302 | 500 ml | 500 ml | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Paint, flammable, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | 3 | 8 | UN3469 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Paint, flammable, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | 3 | 8 | UN3469 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| Paint related material, (including paint thinning or reducing compounds) | 3 | | UN1263 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Paint related material, (including paint thinning or reducing compounds) | 3 | | UN1263 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | A72 |
| Paint related material, (including paint thinning or reducing compounds) | 3 | | UN1263 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Paint related material, corrosive (including paint thinning or reducing compounds) | 8 | | UN3066 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | A3 |
| Paint related material, corrosive (including paint thinning or reducing compounds) | 8 | | UN3066 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | A72 |
| Paint related material, corrosive, flammable (including paint thinning or reducing compound) | 8 | 3 | UN3470 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Paint related material, flammable, corrosive (including paint thinning or reducing compound) | 3 | 8 | UN3469 | I | FLAMMABLE LIQUID, CORROSIVE | | | | 302 | 500 ml | 500 ml | |
| Paint related material, flammable, corrosive (including paint thinning or reducing compound) | 3 | 8 | UN3469 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Paint related material, flammable, corrosive (including paint thinning or reducing compound) | 3 | 8 | UN3469 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| Paraformaldehyde | 4.1 | | UN2213 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Paraldehyde | 3 | | UN1264 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Pentafluoroethane | 2.2 | | UN3220 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Pentamethylheptane | 3 | | UN2286 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Pentanes, liquid | 3 | | UN1265 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | |
| Pentanes, liquid | 3 | | UN1265 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Pentanol | 3 | | UN1105 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Pentanol | 3 | | UN1105 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 1-Pentene | 3 | | UN1108 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | |
| 1-Pentol | 8 | | UN2705 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Perfumery products, with flammable solvents | 3 | | UN1266 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | A3 |
| Perfumery products, with flammable solvents | 3 | | UN1266 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Petrol | 3 | | UN1203 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A100 |
| Petroleum crude oil | 3 | | UN1267 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Petroleum crude oil | 3 | | UN1267 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Petroleum crude oil | 3 | | UN1267 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Petroleum distillates, n.o.s. | 3 | | UN1268 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Petroleum distillates, n.o.s. | 3 | | UN1268 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Petroleum distillates, n.o.s. | 3 | | UN1268 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Petroleum products, n.o.s. | 3 | | UN1268 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Petroleum products, n.o.s. | 3 | | UN1268 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Petroleum products, n.o.s. | 3 | | UN1268 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Phenolates, liquid | 8 | | UN2904 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Phenolates, solid | 8 | | UN2905 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Phenolsulphonic acid, liquid | 8 | | UN1803 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Phenylacetyl chloride | 8 | | UN2577 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Phosphoric acid, solid | 8 | | UN3453 | III | CORROSIVE | | Y825 | 5 kg | 825 | 5 kg | 25 kg | |
| Phosphoric acid, solution | 8 | | UN1805 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | A3 |
| Phosphorous acid | 8 | | UN2834 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Phosphorus heptasulphide, free from yellow and white phosphorus | 4.1 | | UN1339 | II | FLAMMABLE SOLID | | Y416 | 5 kg | 416 | 2.5 kg | 15 kg | |
| Phosphorus pentoxide | 8 | | UN1807 | II | CORROSIVE | | Y815 | 5 kg | 815 | 2.5 kg | 15 kg | |
| Phosphorus sesquisulphide, free from yellow and white phosphorus | 4.1 | | UN1341 | II | FLAMMABLE SOLID | | Y416 | 5 kg | 416 | 2.5 kg | 15 kg | |
| Phosphorus trioxide | 8 | | UN2578 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Phosphorus trisulphide, free from yellow and white phosphorus | 4.1 | | UN1343 | II | FLAMMABLE SOLID | | Y416 | 5 kg | 416 | 2.5 kg | 15 kg | |
| Phosphorus, amorphous | 4.1 | | UN1338 | III | FLAMMABLE SOLID | | Y422 | 10 kg | 422 | 5 kg | 25 kg | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
|---|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Phthalic anhydride, with more than 0.05% of maleic anhydride | 8 | | UN2214 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | A74 |
| Picolines | 3 | | UN2313 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Pine oil | 3 | | UN1272 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| alpha-Pinene | 3 | | UN2368 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Piperazine | 8 | | UN2579 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Plastics moulding compound, in dough, sheet or extruded rope form evolving flammable vapour | 9 | | UN3314 | III | MISCELLANEOUS | | | | 908 | 6 kg | 30 kg | A38 |
| Polyamines, flammable, corrosive, n.o.s.* | 3 | 8 | UN2733 | I | FLAMMABLE LIQUID, CORROSIVE | | | | 302 | 500 ml | 500 ml | A3 |
| Polyamines, flammable, corrosive, n.o.s.* | 3 | 8 | UN2733 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Polyamines, flammable, corrosive, n.o.s.* | 3 | 8 | UN2733 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| Polyamines, liquid, corrosive, flammable, n.o.s.* | 8 | 3 | UN2734 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Polyamines, liquid, corrosive, n.o.s.* | 8 | | UN2735 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Polyamines, liquid, corrosive, n.o.s.* | 8 | | UN2735 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Polyamines, solid, corrosive, n.o.s.* | 8 | | UN3259 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Polyamines, solid, corrosive, n.o.s.* | 8 | | UN3259 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Polychlorinated biphenyls, liquid | 9 | | UN2315 | II | MISCELLANEOUS | Singapore | | | 907 | 500 ml | 2 L | A11 |
| Polychlorinated biphenyls, solid | 9 | | UN3432 | II | MISCELLANEOUS | Singapore | | | 911 | 1 kg | 30 kg | A11 |
| Polyester resin kit | 3 | | UN3269 | II | FLAMMABLE LIQUID | | Y312 | 1 kg | 312 | 1 kg | 5 kg | A66 |
| Polyester resin kit | 3 | | UN3269 | III | FLAMMABLE LIQUID | | Y312 | 1 kg | 312 | 1 kg | 5 kg | |
| Polymeric beads, expandable, evolving flammable vapour | 9 | | UN2211 | III | MISCELLANEOUS | | | | 908 | 6 kg | 30 kg | A38 |
| Potassium hydrogen sulphate | 8 | | UN2509 | II | CORROSIVE | | Y815 | 5 kg | 815 | 2.5 kg | 15 kg | |
| Potassium hydroxide, solid | 8 | | UN1813 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Potassium hydroxide solution | 8 | | UN1814 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Potassium hydroxide solution | 8 | | UN1814 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |
| Potassium monoxide | 8 | | UN2033 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Potassium sulphide, hydrated, with 30% or more water of crystallization | 8 | | UN1847 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Printing ink, flammable | 3 | | UN1210 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Printing ink, flammable | 3 | | UN1210 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | A72 |
| Printing ink, flammable | 3 | | UN1210 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Printing ink related material, (including printing ink thinning or reducing compound), flammable | 3 | | UN1210 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Printing ink related material, (including printing ink thinning or reducing compound), flammable | 3 | | UN1210 | II | FLAMMABLE LIQUID | | Y305 | 1L | 305 | 5 L | 5 L | A72 |
| Printing ink related material, (including printing ink thinning or reducing compound), flammable | 3 | | UN1210 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Propanethiols | 3 | | UN2402 | II | FLAMMABLE LIQUID | | Y306 | 1 L | 306 | 500 ml | 5 L | |
| n-Propanol | 3 | | UN1274 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| n-Propanol | 3 | | UN1274 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Propionaldehyde | 3 | | UN1275 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Propionic acid with ≥ 10% but < 90% acid by weight | 8 | | UN1848 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Propionic acid with ≥ 90% acid by weight | 8 | 3 | UN3463 | II | CORROSIVE, FLAMMABLE LIQUID | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Propionic anhydride | 8 | | UN2496 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Propionyl chloride | 3 | 8 | UN1815 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| n-Propyl acetate | 3 | | UN1276 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Propyl alcohol, normal | 3 | | UN1274 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Propyl alcohol, normal | 3 | | UN1274 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Propyl formates | 3 | | UN1281 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| n-Propyl nitrate | 3 | | UN1865 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Propylamine | 3 | 8 | UN1277 | II | FLAMMABLE LIQUID, CORROSIVE | | Y306 | 500 ml | 306 | 500 ml | 1 L | |
| n-Propylbenzene | 3 | | UN2364 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Propylene oxide | 3 | | UN1280 | I | FLAMMABLE LIQUID | | | | 306 | 500 ml | 1 L | |
| Propylene tetramer | 3 | | UN2850 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| 1,2-Propylenediamine | 8 | 3 | UN2258 | II | CORROSIVE, FLAMMABLE LIQUID | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Pyridine | 3 | | UN1282 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Pyrrolidine | 3 | 8 | UN1922 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Receptacles, small, containing gas, (non-flammable) without a release device, non-refillable | 2.2 | | UN2037 | | NON-FLAMMABLE GAS | | Y203 | 1 kg | 203 | 1 kg | 1 kg | A98 |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Receptacles, small, containing gas, (flammable) without a release device, non-refillable | 2.1 | | UN2037 | | FLAMMABLE GAS | | Y203 | 1 kg | 203 | 1 kg | 1 kg | |
| Refrigerant gas R 114 | 2.2 | | UN1958 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 115 | 2.2 | | UN1020 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 116, compressed | 2.2 | | UN2193 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 12 | 2.2 | | UN1028 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 1216 | 2.2 | | UN1858 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 124 | 2.2 | | UN1021 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 125 | 2.2 | | UN3220 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 12B1 | 2.2 | | UN1974 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 13 | 2.2 | | UN1022 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 1318 | 2.2 | | UN2422 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 133a | 2.2 | | UN1983 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 134a | 2.2 | | UN3159 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 13B1 | 2.2 | | UN1009 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 14 | 2.2 | | UN1982 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 21 | 2.2 | | UN1029 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 218 | 2.2 | | UN2424 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 22 | 2.2 | | UN1018 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 227 | 2.2 | | UN3296 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 23 | 2.2 | | UN1984 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|-------------------|-------------------------|---------------------------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | | | International Small Pkg Air Shipments | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Refrigerant gas R 404A | 2.2 | | UN3337 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 407A | 2.2 | | UN3338 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 407B | 2.2 | | UN3339 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 407C | 2.2 | | UN3340 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 500 | 2.2 | | UN2602 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 502 | 2.2 | | UN1973 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R 503 | 2.2 | | UN2599 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas R C318 | 2.2 | | UN1976 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Refrigerant gas, n.o.s.* | 2.2 | | UN1078 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Resin solution, flammable | 3 | | UN1866 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | A3 |
| Resin solution, flammable | 3 | | UN1866 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | |
| Resin solution, flammable | 3 | | UN1866 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Rosin oil | 3 | | UN1286 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | A3 |
| Rosin oil | 3 | | UN1286 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Rubber scrap, powdered or granulated, not exceeding 840 microns and rubber content exceeding 45% | 4.1 | | UN1345 | II | FLAMMABLE SOLID | | Y415 | 5 kg | 415 | 2.5 kg | 15 kg | A3 |
| Rubber shoddy, powdered or granulated, not exceeding 840 microns and rubber content exceeding 45% | 4.1 | | UN1345 | II | FLAMMABLE SOLID | | Y415 | 5 kg | 415 | 2.5 kg | 15 kg | A3 |
| Rubber solution | 3 | | UN1287 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | A3 |
| Rubber solution | 3 | | UN1287 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Rubidium hydroxide | 8 | | UN2678 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Rubidium hydroxide solution | 8 | | UN2677 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Rubidium hydroxide solution | 8 | | UN2677 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|---|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Seat-belt pretensioners | 9 | | UN3268 | III | MISCELLANEOUS | Europe | | | 917 | | 25 kg | A32, A115, A119 |
| Self-reactive liquid type C* | 4.1 | | UN3223 | | FLAMMABLE SOLID, KEEP AWAY FROM HEAT | | | | 427 | 25 ml | 5 L | A20 |
| Self-reactive liquid type D* | 4.1 | | UN3225 | | FLAMMABLE SOLID, KEEP AWAY FROM HEAT | | | | 427 | 125 ml | 5 L | A20 |
| Self-reactive liquid type E* | 4.1 | | UN3227 | | FLAMMABLE SOLID, KEEP AWAY FROM HEAT | | | | 427 | 125 ml | 10 L | A20 |
| Self-reactive liquid type F* | 4.1 | | UN3229 | | FLAMMABLE SOLID, KEEP AWAY FROM HEAT | | | | 427 | 125 ml | 10 L | A20 |
| Self-reactive solid type C* | 4.1 | | UN3224 | | FLAMMABLE SOLID, KEEP AWAY FROM HEAT | | | | 429 | 100 g | 5 kg | A20 |
| Self-reactive solid type D* | 4.1 | | UN3226 | | FLAMMABLE SOLID, KEEP AWAY FROM HEAT | | | | 429 | 500 g | 5 kg | A20 |
| Self-reactive solid type E* | 4.1 | | UN3228 | | FLAMMABLE SOLID, KEEP AWAY FROM HEAT | | | | 429 | 500 g | 10 kg | A20 |
| Self-reactive solid type F* | 4.1 | | UN3230 | | FLAMMABLE SOLID, KEEP AWAY FROM HEAT | | | | 429 | 500 g | 10 kg | A20 |
| Shale oil | 3 | | UN1288 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Shale oil | 3 | | UN1288 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Silicon powder, amorphous | 4.1 | | UN1346 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | A54 |
| Silicon tetrachloride | 8 | | UN1818 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Soda lime, with more than 4% sodium hydroxide | 8 | | UN1907 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | A16 |
| Sodium aluminate, solid | 8 | | UN2812 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Sodium aluminate solution | 8 | | UN1819 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | A3 |
| Sodium aluminate solution | 8 | | UN1819 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Sodium borohydride and sodium hydroxide solution, with 12% or less sodium borohydride and 40% or less sodium hydroxide, by mass | 8 | | UN3320 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|---|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Sodium borohydride and sodium hydroxide solution, with 12% or less sodium borohydride and 40% or less sodium hydroxide, by mass | 8 | | UN3320 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |
| Sodium hydrogendifluoride, solid | 8 | | UN2439 | II | CORROSIVE | | Y815 | 5 kg | 815 | 2.5 kg | 15 kg | |
| Sodium hydrogendifluoride, solution | 8 | | UN2439 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Sodium hydrosulphide hydrated, with 25% or more of water of crystallization | 8 | | UN2949 | II | CORROSIVE | | Y815 | 5 kg | 815 | 2.5 kg | 15 kg | |
| Sodium hydroxide, solid | 8 | | UN1823 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Sodium hydroxide solution | 8 | | UN1824 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Sodium hydroxide solution | 8 | | UN1824 | III | CORROSIVE | | Y819 | 1L | 819 | 2.5 L | 5 L | |
| Sodium methylate solution, in alcohol | 3 | 8 | UN1289 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | A3 |
| Sodium methylate solution, in alcohol | 3 | 8 | UN1289 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| Sodium monoxide | 8 | | UN1825 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Sodium sulphide, hydrated, with 30% or more water | 8 | | UN1849 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Solids containing corrosive liquid, n.o.s.* | 8 | | UN3244 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | A77 |
| Solids containing flammable liquid, n.o.s.* | 4.1 | | UN3175 | II | FLAMMABLE SOLID | | Y415 | 5 kg | 415 | 2.5 kg | 15 kg | A46 |
| Stannic chloride pentahydrate | 8 | | UN2440 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Stannic chloride, anhydrous | 8 | | UN1827 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Styrene monomer, stabilized | 3 | | UN2055 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Sulphamic acid | 8 | | UN2967 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Sulphur | 4.1 | | UN1350 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | A105 |
| Sulphur hexafluoride | 2.2 | | UN1080 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Sulphuric acid, with not more than 51% acid | 8 | | UN2796 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Sulphuric acid, with more than 51% acid | 8 | | UN1830 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Sulphurous acid | 8 | | UN1833 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Tars, liquid, including road asphalt and oils, bitumen and cut backs | 3 | | UN1999 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | A3 |
| Tars, liquid, including road asphalt and oils, bitumen and cut backs | 3 | | UN1999 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Terpene hydrocarbons, n.o.s. | 3 | | UN2319 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|---|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Terpinolene | 3 | | UN2541 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Tetraethyl silicate | 3 | | UN1292 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Tetraethylenepentamine | 8 | | UN2320 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| 1,1,1,2-Tetrafluoroethane | 2.2 | | UN3159 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Tetrafluoromethane | 2.2 | | UN1982 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| 1,2,3,6-Tetrahydrobenzaldehyde | 3 | | UN2498 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Tetrahydrofuran | 3 | | UN2056 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Tetrahydrofurfurylamine | 3 | | UN2943 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Tetrahydrophthalic anhydrides, with more than 0.05% of maleic anhydride | 8 | | UN2698 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | A74 |
| 1,2,3,6-Tetrahydropyridine | 3 | | UN2410 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Tetrahydrothiophene | 3 | | UN2412 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Tetramethylammonium hydroxide, solid | 8 | | UN3423 | II | CORROSIVE | | Y814 | 5 kg | 814 | 2.5 kg | 15 kg | |
| Tetramethylammonium hydroxide, solution | 8 | | UN1835 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | A3 |
| Tetramethylammonium hydroxide, solution | 8 | | UN1835 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Tetrapropyl orthotitanate | 3 | | UN2413 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Thioacetic acid | 3 | | UN2436 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Thioglycolic acid | 8 | | UN1940 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | |
| Thiophene | 3 | | UN2414 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Tinctures, medicinal | 3 | | UN1293 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Tinctures, medicinal | 3 | | UN1293 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Titanium hydride | 4.1 | | UN1871 | II | FLAMMABLE SOLID | | Y416 | 5 kg | 416 | 500 g | 15 kg | |
| Titanium powder, wetted, with 25% or more water (a visible excess of water must be present) (a) mechanically produced: particle size less than 53 microns; (b) chemically produced: particle size less than 840 microns | 4.1 | | UN1352 | II | FLAMMABLE SOLID | | Y416 | 5 kg | 416 | 2.5 kg | 15 kg | A35 |
| Titanium sponge granules | 4.1 | | UN2878 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | A3 |
| Titanium sponge powders | 4.1 | | UN2878 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | A3 |
| Titanium trichloride mixture | 8 | | UN2869 | II | CORROSIVE | | Y815 | 5 kg | 815 | 2.5 kg | 15 kg | A3 |
| Titanium trichloride mixture | 8 | | UN2869 | III | CORROSIVE | | Y825 | 5 kg | 825 | 5 kg | 25 kg | |
| Toluene | 3 | | UN1294 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Triallylamine | 3 | 8 | UN2610 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES.

| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
|---|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Trichloroacetic acid | 8 | | UN1839 | II | CORROSIVE | | Y815 | 5 kg | 815 | 2.5 kg | 15 kg | |
| Trichloroacetic acid solution | 8 | | UN2564 | II | CORROSIVE | | Y809 | 500 ml | 809 | 1 L | 1 L | A3 |
| Trichloroacetic acid solution | 8 | | UN2564 | III | CORROSIVE | | Y819 | 1 L | 819 | 2.5 L | 5 L | |
| Triethyl phosphite | 3 | | UN2323 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Triethylamine | 3 | 8 | UN1296 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Triethylenetetramine | 8 | | UN2259 | II | CORROSIVE | | Y808 | 500 ml | 808 | 1 L | 1 L | |
| Trifluoromethane, (R23) | 2.2 | | UN1984 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Triisobutylene | 3 | | UN2324 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Triisopropyl borate | 3 | | UN2616 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Triisopropyl borate | 3 | | UN2616 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Trimethyl borate | 3 | | UN2416 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Trimethyl phosphite | 3 | | UN2329 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Trimethylamine, aqueous solution, 50% or less trimethylamine, by weight | 3 | 8 | UN1297 | I | FLAMMABLE LIQUID, CORROSIVE | | | | 302 | 500 ml | 500 ml | A3 |
| Trimethylamine, aqueous solution, 50% or less trimethylamine, by weight | 3 | 8 | UN1297 | II | FLAMMABLE LIQUID, CORROSIVE | | Y305 | 500 ml | 305 | 1 L | 1 L | |
| Trimethylamine, aqueous solution, 50% or less trimethylamine, by weight | 3 | 8 | UN1297 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| 1,3,5-Trimethylbenzene | 3 | | UN2325 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Trimethylchlorosilane | 3 | 8 | UN1298 | II | FLAMMABLE LIQUID, CORROSIVE | | | | 306 | 500 ml | 1 L | |
| Trimethylcyclohexylamine | 8 | | UN2326 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Trimethylhexamethylenediamines | 8 | | UN2327 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | |
| Tripropylamine | 3 | 8 | UN2260 | III | FLAMMABLE LIQUID, CORROSIVE | | Y309 | 1 L | 309 | 5 L | 5 L | |
| Tripropylene | 3 | | UN2057 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Tripropylene | 3 | | UN2057 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Turpentine | 3 | | UN1299 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Turpentine substitute | 3 | | UN1300 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Turpentine substitute | 3 | | UN1300 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Undecane | 3 | | UN2330 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Valeraldehyde | 3 | | UN2058 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Valeryl chloride | 8 | 3 | UN2502 | II | CORROSIVE, FLAMMABLE LIQUID | | Y809 | 500 ml | 809 | 1 L | 1 L | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|---------------------------------------|-------------------------|-----------------------|------------------------------|---------------|---------------------------------------|----------------------------|---------------------------------|
| Basic Description | | | | | International Small Pkg Air Shipments | | | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Vanadium trichloride | 8 | | UN2475 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Vehicle, flammable liquid powered | 9 | | UN3166 | | MISCELLANEOUS | | | | 900 | | 30 kg | A67, A70, A87, A118, A120, A134 |
| Vinyl acetate, stabilized | 3 | | UN1301 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Vinyl butyrate, stabilized | 3 | | UN2838 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Vinyl ethyl ether, stabilized | 3 | | UN1302 | I | FLAMMABLE LIQUID | | | | 306 | 500 ml | 1 L | |
| Vinyl isobutyl ether, stabilized | 3 | | UN1304 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | |
| Vinylidene chloride, stabilized | 3 | | UN1303 | I | FLAMMABLE LIQUID | | | | 302 | 500 ml | 1 L | |
| Vinyltoluenes, stabilized | 3 | | UN2618 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| White asbestos, (chrysotile, actinolite, anthophyllite, tremolite) | 9 | | UN2590 | III | MISCELLANEOUS | | | | 909 | 6 kg | 30 kg | A61 |
| Wood preservatives, liquid | 3 | | UN1306 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 5 L | 5 L | A3 |
| Wood preservatives, liquid | 3 | | UN1306 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Xenon | 2.2 | | UN2036 | | NON-FLAMMABLE GAS | | | | 200 | 120 ml | 30 kg | |
| Xylenes | 3 | | UN1307 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |
| Xylenes | 3 | | UN1307 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | |
| Zinc chloride solution | 8 | | UN1840 | III | CORROSIVE | | Y818 | 1 L | 818 | 5 L | 5 L | A3 |
| Zinc chloride, anhydrous | 8 | | UN2331 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |
| Zinc dithionite | 9 | | UN1931 | III | MISCELLANEOUS | | | | 906 | 6 kg | 30 kg | A48 |
| Zinc hydrosulphite | 9 | | UN1931 | III | MISCELLANEOUS | | | | 906 | 6 kg | 30 kg | A48 |
| Zinc resinate | 4.1 | | UN2714 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Zirconium, dry, coiled wire, finished metal sheets, strip (thinner than 254 microns but not thinner than 18 microns) | 4.1 | | UN2858 | III | FLAMMABLE SOLID | | Y419 | 10 kg | 419 | 6 kg | 25 kg | |
| Zirconium hydride | 4.1 | | UN1437 | II | FLAMMABLE SOLID | | Y416 | 5 kg | 416 | 2.5 kg | 15 kg | |
| Zirconium powder, wetted, with 25% or more water (a visible excess of water must be present) (a) mechanically produced: particle size less than 53 microns; (b) chemically produced: particle size less than 840 microns | 4.1 | | UN1358 | II | FLAMMABLE SOLID | | Y416 | 5 kg | 416 | 2.5 kg | 15 kg | A35 |
| Zirconium suspended in a flammable liquid | 3 | | UN1308 | II | FLAMMABLE LIQUID | | Y305 | 1 L | 305 | 3 L | 5 L | A3 |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

| SMALL PACKAGE INTERNATIONAL DANGEROUS GOODS ACCEPTED BY UPS -- ONLY FOR APPROVED CUSTOMERS AND ROUTES. | | | | | | | | | | | | |
|--|--------------------------|----------|---------------|-----|------------------|-------------------------|---------------------------------------|------------------------------|---------------|---------------------------------------|----------------------------|-------------------|
| Basic Description | | | | | | | International Small Pkg Air Shipments | | | | | |
| Proper Shipping Name/Description | Hazard Class or Division | Sub Risk | UN/ ID Number | PG | Labels Required | Prohibited Service Area | IATA LTD QTY Pkg Inst | IATA LTD QTY Max Qty per Pkg | IATA Pkg Inst | UPS Max Capacity per inner receptacle | UPS Max Net Qty per Pkg ** | IATA Special Prov |
| Zirconium suspended in a flammable liquid | 3 | | UN1308 | III | FLAMMABLE LIQUID | | Y309 | 10 L | 309 | 5 L | 25 L | A108 |
| Zirconium tetrachloride | 8 | | UN2503 | III | CORROSIVE | | Y822 | 5 kg | 822 | 5 kg | 25 kg | |

* Requires a technical name

** Packages must not exceed 30 kg gross weight

Effective 07/01/08