

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>Accellerene, see p-Nitrosodimethylaniline</i>														
<i>Accumulators, electric, see Batteries, wet etc</i>														
<i>Accumulators, pressurized, pneumatic or hydraulic (containing non-flammable gas), see Articles pressurized, pneumatic or hydraulic (containing non-flammable gas)</i>														
<i>Accumulators, pressurized, pneumatic or hydraulic (containing non-flammable gas), see Articles pressurized, pneumatic or hydraulic (containing non-flammable gas)</i>														
Acetal	3	UN1088	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Acetaldehyde	3	UN1089	I	FLAMMABLE LIQUID			YES		Forbidden				None	201
Acetaldehyde ammonia	9	UN1841	III	May not be regulated when shipped via UPS ground			YES	CLASS 9 *	30 kg	30 kg			155	204
Acetaldehyde oxime	3	UN2332	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Acetic acid, glacial or Acetic acid solution, with more than 80 percent acid, by mass	8 (3)	UN2789	II	CORROSIVE, FLAMMABLE LIQUID *			YES	CORROSIVE, FLAMMABLE LIQUID *	1 L			A3, A6, A7, A10	154	202
Acetic acid solution, not less than 50 percent but not more than 80 percent acid, by mass	8	UN2790	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A6, A7, A10	154	202
Acetic acid solution, with more than 10 percent and less than 50 percent acid, by mass	8	UN2790	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203
Acetic anhydride	8 (3)	UN1715	II	CORROSIVE, FLAMMABLE LIQUID *			YES	CORROSIVE, FLAMMABLE LIQUID *	1 L			A3, A6, A7, A10	154	202
Acetone	3	UN1090	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Acetone cyanohydrin, stabilized	6.1	UN1541	I		Not Accepted				Forbidden					
Acetone oils	3	UN1091	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Acetonitrile	3	UN1648	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>Acetyl acetone peroxide with more than 9 percent by mass active oxygen</i>	Forbidden													
<i>Acetyl benzoyl peroxide, solid, or with more than 40 percent in solution</i>	Forbidden													
Acetyl bromide	8	UN1716	II	CORROSIVE * FLAMMABLE LIQUID,			YES	CORROSIVE * FLAMMABLE LIQUID,	1 L				154	202
Acetyl chloride	3 (8)	UN1717	II	CORROSIVE			YES	CORROSIVE	1 L			A3, A6, A7, N34	None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>Acetyl cyclohexanesulfonyl peroxide, with more than 82 percent wetted with less than 12 percent water</i>	Forbidden													
Acetyl iodide	8	UN1898	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Acetyl methyl carbinol	3	UN2621	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Acetyl peroxide, solid, or with more than 25 percent in solution</i>	Forbidden													
Acetylene, dissolved	2.1	UN1001		FLAMMABLE GAS			YES		Forbidden			N86, N88	None	303
<i>Acetylene (liquefied)</i>	Forbidden													
<i>Acetylene silver nitrate</i>	Forbidden													
Acetylene, solvent free	Forbidden													
<i>Acetylene tetrabromide, see Tetrabromoethane</i>														
<i>Acid butyl phosphate, see Butyl acid phosphate</i>														
Acid, sludge, see Sludge acid														
Acridine	6.1	UN2713	III	POISON PG III * FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13 FLAMMABLE LIQUID *	25 kg		Yes		153	213
Acrolein dimer, stabilized	3	UN2607	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Acrolein, stabilized	6.1	UN1092	I		Not Accepted				Forbidden					
Acrylamide, solid	6.1	UN2074	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Acrylamide solution	6.1	UN3426	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Acrylic acid, stabilized	8 (3)	UN2218	II	CORROSIVE, FLAMMABLE LIQUID *			YES	CORROSIVE, FLAMMABLE LIQUID *	1 L				154	202
Acrylonitrile, stabilized	3 (6.1)	UN1093	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
<i>Actuating cartridge, explosive, see Cartridges, power device</i>														
Adhesives, containing a flammable liquid	3	UN1133	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Adhesives, containing a flammable liquid	3	UN1133	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			149	150	173
Adhesives, containing a flammable liquid	3	UN1133	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	173
Adiponitrile	6.1	UN2205	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203

BASIC DESCRIPTION FOR GROUND AND AIR															
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS			
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "♦" PG = "II" or blank / "◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))															
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)	
Aerosols, corrosive, Packing Group II or III, (each not exceeding 1 L capacity)	2.2 (8)	UN1950		NON-FLAMMABLE GAS, CORROSIVE * FLAMMABLE GAS *				NON-FLAMMABLE GAS, CORROSIVE * FLAMMABLE GAS *				A34	306	None	
Aerosols, flammable, (each not exceeding 1 L capacity)	2.1	UN1950		FLAMMABLE GAS *			YES	FLAMMABLE GAS *	25 kg			N82	306	None	
Aerosols, flammable, n.o.s. (engine starting fluid) (each not exceeding 1 L capacity)	2.1	UN1950		FLAMMABLE GAS *					Forbidden			N82	306	304	
Aerosols, non-flammable, (each not exceeding 1 L capacity)	2.2	UN1950		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	None	
Aerosols, poison, (each not exceeding 1 L capacity)	2.2 (6.1)	UN1950		NON-FLAMMABLE GAS, POISON PG III *					Forbidden				306	None	
Air bag inflators, or Air bag modules, or Seat-belt pretensioners.	1.4G	UN0503	♦		Not Accepted				Forbidden						
Air bag inflators, or Air bag modules, or Seat-belt pretensioners.	9	UN3268	III	CLASS 9		EX number or text "Recycled" required on shipping papers	YES	CLASS 9	25 kg	30 kg	EX number required on shipping paper & HMMS	160	166	166	
Air, compressed	2.2	UN1002		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *				78	306, 307	302	
Air, refrigerated liquid, (cryogenic liquid) non-pressurized	2.2	UN1003			Not Accepted				Forbidden						
Air, refrigerated liquid, (cryogenic liquid) Aircraft engines (including turbines), see Engines, internal combustion Aircraft evacuation slides, see Life saving appliances etc	2.2	UN1003			Not Accepted				Forbidden						
Aircraft hydraulic power unit fuel tank (containing a mixture of anhydrous hydrazine and monomethyl hydrazine) (M86 fuel) Aircraft survival kits, see Life saving appliances etc	3	UN3165	I		Not Accepted				Forbidden						
Alcoholates solution, n.o.s., in alcohol ‡	3 (8)	UN3274	II	FLAMMABLE LIQUID, CORROSIVE See			YES	FLAMMABLE LIQUID, CORROSIVE See	1 L				None	202	
Alcoholic beverages	3	UN3065	II	www.ups.com/wine for requirements and restrictions				www.ups.com/wine for requirements and restrictions							

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Alcoholic beverages	3	UN3065	III	See www.ups.com/wine for requirements and restrictions				See www.ups.com/wine for requirements and restrictions						
Alcohols, n.o.s.	3	UN1987	I	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	1 L			172	None	201
Alcohols, n.o.s.	3	UN1987	I	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	1 L			172	4b	201
Alcohols, n.o.s.	3	UN1987	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			172	150	202
Alcohols, n.o.s.	3	UN1987	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			172	4b, 150	202
Alcohols, n.o.s.	3	UN1987	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L			172	150	203
Alcohols, n.o.s.	3	UN1987	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L			172	4b, 150	203
Alcohols, flammable, toxic, n.o.s. ‡	3 (6.1)	UN1986	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Alcohols, flammable, toxic, n.o.s. ‡	3 (6.1)	UN1986	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Alcohols, flammable, toxic, n.o.s. ‡	3 (6.1)	UN1986	III	FLAMMABLE LIQUID, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		150	203
Aldehydes, n.o.s.	3	UN1989	I	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	1 L				None	201
Aldehydes, n.o.s.	3	UN1989	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Aldehydes, n.o.s.	3	UN1989	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Aldehydes, flammable, toxic, n.o.s. ‡	3 (6.1)	UN1988	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Aldehydes, flammable, toxic, n.o.s. ‡	3 (6.1)	UN1988	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Aldehydes, flammable, toxic, n.o.s. ‡	3 (6.1)	UN1988	III	FLAMMABLE LIQUID, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		150	203
Aldol	6.1	UN2839	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Alkali metal alcoholates, self-heating, corrosive, n.o.s. ‡	4.2	UN3206	II		Not Accepted				Not Accepted					
Alkali metal alcoholates, self-heating, corrosive, n.o.s. ‡	4.2	UN3206	III		Not Accepted				Not Accepted					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Alkali metal alloys, liquid, n.o.s.	4.3	UN1421	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N34	None	201
Alkali metal amalgam, liquid	4.3	UN1389	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N34	None	201
Alkali metal amalgam, solid	4.3	UN3401	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Alkali metal amides	4.3	UN1390	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A6, A7, A8, A19, A20	None	212
Alkali metal dispersions, flammable or Alkaline earth metal dispersions, flammable	4.3 (3)	UN3482	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Alkali metal dispersions, or Alkaline earth metal dispersions	4.3	UN1391	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Alkaline corrosive liquids, n.o.s., see Caustic alkali liquids, n.o.s.														
Alkaline earth metal alcoholates, n.o.s. ‡	4.2	UN3205	II		Not Accepted				Not Accepted					
Alkaline earth metal alcoholates, n.o.s. ‡	4.2	UN3205	III		Not Accepted				Not Accepted					
Alkaline earth metal alloys, n.o.s.	4.3	UN1393	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A19	None	212
Alkaline earth metal amalgams, liquid	4.3	UN1392	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N34, N40	None	201
Alkaline earth metal amalgams, solid	4.3	UN3402	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N34, N40	None	211
Alkaloids, liquid, n.o.s., or Alkaloid salts, liquid, n.o.s. ‡	6.1	UN3140	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	A4	None	201
Alkaloids, liquid, n.o.s., or Alkaloid salts, liquid, n.o.s. ‡	6.1	UN3140	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Alkaloids, liquid, n.o.s., or Alkaloid salts, liquid, n.o.s. ‡	6.1	UN3140	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Alkaloids, solid, n.o.s. or Alkaloid salts, solid, n.o.s. poisonous ‡	6.1	UN1544	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Alkaloids, solid, n.o.s. or Alkaloid salts, solid, n.o.s. poisonous ‡	6.1	UN1544	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Alkaloids, solid, n.o.s. or Alkaloid salts, solid, n.o.s. <i>poisonous ‡</i>	6.1	UN1544	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Alkyl sulfonic acids, liquid or Aryl sulfonic acids, liquid with more than 5 percent free sulfuric acid	8	UN2584	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Alkyl sulfonic acids, liquid or Aryl sulfonic acids, liquid with not more than 5 percent free sulfuric acid	8	UN2586	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Alkyl sulfonic acids, solid or Aryl sulfonic acids, solid, with more than 5 percent free sulfuric acid	8	UN2583	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Alkyl sulfonic acids, solid or Aryl sulfonic acids, solid with not more than 5 percent free sulfuric acid	8	UN2585	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Alkylphenols, liquid, n.o.s. (including C ₂ -C ₁₂ homologues)	8	UN3145	I	CORROSIVE			YES	CORROSIVE	0.5 L			A6	None	201
Alkylphenols, liquid, n.o.s. (including C ₂ -C ₁₂ homologues)	8	UN3145	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Alkylphenols, liquid, n.o.s. (including C ₂ -C ₁₂ homologues)	8	UN3145	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Alkylphenols, solid, n.o.s. (including C ₂ -C ₁₂ homologues)	8	UN2430	I	CORROSIVE			YES	CORROSIVE	1 kg				None	211
Alkylphenols, solid, n.o.s. (including C ₂ -C ₁₂ homologues)	8	UN2430	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Alkylphenols, solid, n.o.s. (including C ₂ -C ₁₂ homologues)	8	UN2430	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Alkylsulfuric acids	8	UN2571	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
<i>Allethrin, see Pesticides, liquid, toxic, n.o.s.</i>														
Allyl acetate	3 (6.1)	UN2333	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Allyl alcohol	6.1	UN1098	I		Not Accepted				Forbidden					
Allyl bromide	3 (6.1)	UN1099	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Allyl chloride	3 (6.1)	UN1100	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
<i>Allyl chlorocarbonate, see Allyl chloroformate</i>														
Allyl chloroformate	6.1	UN1722	I		Not Accepted				Forbidden					
Allyl ethyl ether	3 (6.1)	UN2335	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Allyl formate	3 (6.1)	UN2336	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Allyl glycidyl ether	3	UN2219	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Allyl iodide	3 (8)	UN1723	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L			A3, A6, N34	None	202
Allyl isothiocyanate, stabilized	6.1 (3)	UN1545	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	202
Allylamine	6.1 (3)	UN2334	I		Not Accepted				Forbidden					
Allyltrichlorosilane, stabilized	8 (3)	UN1724	II	CORROSIVE, FLAMMABLE LIQUID			YES		Forbidden			N34	None	206
Aluminum borohydride or Aluminum borohydride in devices	4.2	UN2870	I		Not Accepted				Forbidden					
Aluminum bromide, anhydrous	8	UN1725	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Aluminum bromide, solution	8	UN2580	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203
Aluminum carbide	4.3	UN1394	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A20, N41	None	212
Aluminum chloride, anhydrous	8	UN1726	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Aluminum chloride, solution	8	UN2581	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Aluminum dross, wet or hot	Forbidden													
Aluminum ferrosilicon powder	4.3 (6.1)	UN1395	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A19	None	212
Aluminum ferrosilicon powder	4.3 (6.1)	UN1395	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A19, A20	None	213, 27
Aluminum hydride	4.3	UN2463	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Aluminum, molten	9	NA9260	III		Not Accepted				Forbidden	Forbidden				
Aluminum nitrate	5.1	UN1438	III	OXIDIZER *			YES		Not Accepted				152	213
Aluminum phosphate solution, see Corrosive liquids, etc														
Aluminum phosphide	4.3 (6.1)	UN1397	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Aluminum phosphide pesticides	6.1	UN3048	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	211
Aluminum powder, coated	4.1	UN1309	II	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	15 kg				151	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Aluminum powder, coated	4.1	UN1309	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg				151	213, 27
Aluminum powder, uncoated	4.3	UN1396	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A19, A20	None	212
Aluminum powder, uncoated	4.3	UN1396	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A19, A20	None	213, 27
Aluminum resinate	4.1	UN2715	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg				151	213, 27
Aluminum silicon powder, uncoated	4.3	UN1398	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A1, A19	None	213, 27
Aluminum smelting by-products or Aluminum remelting by-products	4.3	UN3170	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	128	None	212
Aluminum smelting by-products or Aluminum remelting by-products	4.3	UN3170	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	128	None	213, 27
<i>Amatols, see Explosives, blasting, type B</i>														
Amines, flammable, corrosive, n.o.s. or Polyamines, flammable, corrosive, n.o.s. ‡	3 (8)	UN2733	I	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	0.5 L				None	201
Amines, flammable, corrosive, n.o.s. or Polyamines, flammable, corrosive, n.o.s. ‡	3 (8)	UN2733	II	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	1 L				150	202
Amines, flammable, corrosive, n.o.s. or Polyamines, flammable, corrosive, n.o.s. ‡	3 (8)	UN2733	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
Amines, liquid, corrosive, flammable, n.o.s. or Polyamines, liquid, corrosive, flammable, n.o.s. ‡	8 (3)	UN2734	I	CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	0.5 L			A3, A6, N34	None	201
Amines, liquid, corrosive, flammable, n.o.s. or Polyamines, liquid, corrosive, flammable, n.o.s. ‡	8 (3)	UN2734	II	CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	1 L				None	202
Amines, liquid, corrosive, n.o.s., or Polyamines, liquid, corrosive, n.o.s. ‡	8	UN2735	I	CORROSIVE			YES	CORROSIVE	0.5 L			A3, A6, N34	None	201
Amines, liquid, corrosive, n.o.s., or Polyamines, liquid, corrosive, n.o.s. ‡	8	UN2735	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Amines, liquid, corrosive, n.o.s., or Polyamines, liquid, corrosive, n.o.s. ‡	8	UN2735	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Amines, solid, corrosive, n.o.s., or Polyamines, solid, corrosive n.o.s. ‡	8	UN3259	I	CORROSIVE			YES	CORROSIVE	1 kg				None	211
Amines, solid, corrosive, n.o.s., or Polyamines, solid, corrosive n.o.s. ‡	8	UN3259	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Amines, solid, corrosive, n.o.s., or Polyamines, solid, corrosive n.o.s. ‡	8	UN3259	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
2-Amino-4-chlorophenol	6.1	UN2673	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
2-Amino-5-diethylaminopentane	6.1	UN2946	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
2-Amino-4,6-Dinitrophenol, wetted with not less than 20 percent water by mass	4.1	UN3317	I	FLAMMABLE SOLID				FLAMMABLE SOLID	1 kg			23, A8, A19, A20, N41	None	211
2-(2-Aminoethoxy) ethanol	8	UN3055	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
N-Aminoethylpiperazine	8	UN2815	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Aminophenols (o-; m-; p-)	6.1	UN2512	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
<i>Aminopropyl-diethanolamine, see Amines, etc</i>														
<i>n-Aminopropyl-morpholine, see Amines, etc</i>														
Aminopyridines (o-; m-; p-)	6.1	UN2671	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Ammonia, anhydrous	2.2	UN1005			Not Accepted				Forbidden					
Ammonia, anhydrous	2.3 (8)	UN1005			Not Accepted				Forbidden					
Ammonia solution, relative density less than 0.880 at 15 degrees C in water, with more than 50 percent ammonia	2.2	UN3318			Not Accepted				Forbidden					
Ammonia solution, relative density less than 0.880 at 15 degrees C in water, with more than 50 percent ammonia	2.3 (8)	UN3318			Not Accepted				Forbidden					
Ammonia solutions, relative density less than 0.880 at 15 degrees C in water, with more than 35 percent but not more than 50 percent ammonia	2.2	UN2073		NON-FLAMMABLE GAS *			YES		Forbidden				306	304
Ammonia solution, relative density between 0.880 and 0.957 at 15 degrees C in water, with more than 10 percent but not more than 35 percent ammonia	8	UN2672	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Ammonium arsenate	6.1	UN1546	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>Ammonium azide</i>	Forbidden													
<i>Ammonium bifluoride, solid, see Ammonium hydrogen difluoride, solid</i>														
<i>Ammonium bifluoride solution, see Ammonium hydrogen difluoride, solution</i>														
<i>Ammonium bromate</i>	Forbidden													
<i>Ammonium chlorate</i>	Forbidden													

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Ammonium dichromate	5.1	UN1439	II	OXIDIZER *			YES		Not Accepted				152	212
Ammonium dinitro-o-cresolate, solid	6.1	UN1843	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Ammonium dinitro-o-cresolate solution	6.1	UN3424	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Ammonium dinitro-o-cresolate solution	6.1	UN3424	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		None	203
Ammonium fluoride	6.1	UN2505	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Ammonium fluorosilicate	6.1	UN2854	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Ammonium fulminate	Forbidden													
Ammonium hydrogen sulfate	8	UN2506	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Ammonium hydrogendifluoride, solid	8	UN1727	II	CORROSIVE *			YES	CORROSIVE *	15 kg			N34	154	212
Ammonium hydrogendifluoride, solution	8 (6.1)#	UN2817	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	N34	None	202
Ammonium hydrogendifluoride, solution	8 (6.1)#	UN2817	III	CORROSIVE, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	N3	154	203, 27
Ammonium hydrosulfide, solution, see Ammonium sulfide solution														
Ammonium hydroxide, see Ammonia solutions, etc														
Ammonium metavanadate	6.1	UN2859	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Ammonium nitrate based fertilizer	5.1	UN2067	III	OXIDIZER *			YES		Not Accepted			52, 150	152	213
Ammonium nitrate based fertilizer	9	UN2071	III	May not be regulated when shipped via UPS ground			YES	CLASS 9 *	30 kg	30 kg		132	155	213
Ammonium nitrate emulsion or Ammonium nitrate suspension or Ammonium nitrate gel, intermediate for blasting explosives	5.1	UN3375	II	OXIDIZER					Forbidden			147, 163	None	214
Ammonium nitrate-fuel oil mixture containing only prilled ammonium nitrate and fuel oil	1.5D	NA0331	◆		Not Accepted				Forbidden					
Ammonium nitrate, liquid (hot concentrated solution)	5.1	UN2426			Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Ammonium nitrate, with more than 0.2 percent combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	1.1D	UN0222	◆		Not Accepted				Forbidden					
Ammonium nitrate, with not more than 0.2% total combustible material, including any organic substance, calculated as carbon to the exclusion of any other added substance	5.1	UN1942	III	OXIDIZER *			YES		Not Accepted				152	213
<i>Ammonium nitrite</i>	Forbidden													
Ammonium perchlorate	1.1D	UN0402	◆		Not Accepted				Forbidden					
Ammonium perchlorate	5.1	UN1442	II	OXIDIZER *			YES		Not Accepted			107	152	212
<i>Ammonium permanganate</i>	Forbidden													
Ammonium persulfate	5.1	UN1444	III	OXIDIZER *			YES		Not Accepted				152	213
Ammonium picrate, dry or wetted with less than 10 percent water, by mass	1.1D	UN0004	◆		Not Accepted				Forbidden					
Ammonium picrate, wetted with not less than 10 percent water, by mass	4.1	UN1310	I	FLAMMABLE SOLID				FLAMMABLE SOLID	0.5 kg			23, A2, N41	None	211
Ammonium polysulfide, solution	8 (6.1)#	UN2818	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Ammonium polysulfide, solution	8 (6.1)#	UN2818	III	CORROSIVE, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		154	203, 27
Ammonium polyvanadate	6.1	UN2861	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>Ammonium silicofluoride, see Ammonium fluorosilicate</i>														
Ammonium sulfide solution	8 (6.1) (3)	UN2683	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
<i>Ammunition, blank, see Cartridges for weapons, blank</i>														
Ammunition, illuminating with or without burster, expelling charge or propelling charge	1.2G	UN0171	◆		Not Accepted				Forbidden					
Ammunition, illuminating with or without burster, expelling charge or propelling charge	1.3G	UN0254	◆		Not Accepted				Forbidden					
Ammunition, illuminating with or without burster, expelling charge or propelling charge	1.4G	UN0297	◆		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Ammunition, incendiary liquid or gel, with burster, expelling charge or propelling charge	1.3J	UN0247	◆		Not Accepted				Forbidden					
<i>Ammunition, incendiary (water-activated contrivances) with burster, expelling charge or propelling charge, see Contrivances, water-activated, etc.</i>														
Ammunition, incendiary, white phosphorus, with burster, expelling charge or propelling charge	1.2H	UN0243	◆		Not Accepted				Forbidden					
Ammunition, incendiary, white phosphorus, with burster, expelling charge or propelling charge	1.3H	UN0244	◆		Not Accepted				Forbidden					
Ammunition, incendiary with or without burster, expelling charge, or propelling charge	1.2G	UN0009	◆		Not Accepted				Forbidden					
Ammunition, incendiary with or without burster, expelling charge, or propelling charge	1.3G	UN0010	◆		Not Accepted				Forbidden					
Ammunition, incendiary with or without burster, expelling charge or propelling charge	1.4G	UN0300	◆		Not Accepted				Forbidden					
Ammunition, practice	1.4G	UN0362	◆		Not Accepted				Forbidden					
Ammunition, practice	1.3G	UN0488	◆		Not Accepted				Forbidden					
Ammunition, proof	1.4G	UN0363	◆		Not Accepted				Forbidden					
<i>Ammunition, rocket, see Warheads, rocket etc</i>														
<i>Ammunition, SA (small arms), see Cartridges for weapons, etc</i>														
<i>Ammunition, smoke (water-activated contrivances), white phosphorus, with burster, expelling charge or propelling charge, see Contrivances, water-activated, etc. (UN 0248)</i>														
<i>Ammunition, smoke (water-activated contrivances), without white phosphorus or phosphides, with burster, expelling charge or propelling charge, see Contrivances, water-activated, etc. (UN 0249)</i>														
Ammunition smoke, white phosphorus with burster, expelling charge, or propelling charge	1.2H	UN0245	◆		Not Accepted				Forbidden					
Ammunition, smoke, white phosphorus with burster, expelling charge, or propelling charge	1.3H	UN0246	◆		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Ammunition, smoke with or without burster, expelling charge or propelling charge	1.2G	UN0015	◆		Not Accepted				Forbidden					
Ammunition, smoke with or without burster, expelling charge or propelling charge	1.3G	UN0016	◆		Not Accepted				Forbidden					
Ammunition, smoke with or without burster, expelling charge or propelling charge	1.4G	UN0303	◆		Not Accepted				Forbidden					
<i>Ammunition, sporting, see Cartridges for weapons, etc. (UN 0012; UN 0328; UN 0339)</i>														
Ammunition, tear-producing, non-explosive, without burster or expelling charge, non-fuzed	6.1 (8)	UN2017	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	212
Ammunition, tear-producing with burster, expelling charge or propelling charge	1.2G	UN0018	◆		Not Accepted				Forbidden					
Ammunition, tear-producing with burster, expelling charge or propelling charge	1.3G	UN0019	◆		Not Accepted				Forbidden					
Ammunition, tear-producing with burster, expelling charge or propelling charge	1.4G	UN0301	◆		Not Accepted				Forbidden					
Ammunition, toxic, non-explosive, without burster or expelling charge, non-fuzed	6.1	UN2016	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	212
<i>Ammunition, toxic (water-activated contrivances), with burster, expelling charge or propelling charge, see Contrivances, water-activated, etc</i>														
Ammunition, toxic with burster, expelling charge, or propelling charge ‡	1.2K	UN0020	◆		Not Accepted				Forbidden					
Ammunition, toxic with burster, expelling charge, or propelling charge ‡	1.3K	UN0021	◆		Not Accepted				Forbidden					
Amyl acetates	3	UN1104	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Amyl acid phosphate	8	UN2819	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Amylamines	3 (8)	UN1106	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Amylamines	3 (8)	UN1106	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
Amyl butyrates	3	UN2620	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Amyl chlorides	3	UN1107	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Amyl formates	3	UN1109	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Amyl mercaptans	3	UN1111	II	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	5 L			A3, A6	None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
n-Amyl methyl ketone	3	UN1110	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Amyl nitrate	3	UN1112	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Amyl nitrites	3	UN1113	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Amyltrichlorosilane	8	UN1728	II	CORROSIVE			YES		Forbidden			N34	None	206
Anhydrous ammonia, see Ammonia, anhydrous														
Anhydrous hydrofluoric acid, see Hydrogen fluoride, anhydrous														
Aniline	6.1	UN1547	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Aniline hydrochloride	6.1	UN1548	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
<i>Aniline oil, see Aniline</i>														
Anisidines	6.1	UN2431	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Anisole	3	UN2222	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Anisoyl chloride	8	UN1729	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	202
<i>Anti-freeze, liquid, see Flammable liquids, n.o.s.</i>														
<i>Antimonous chloride, see Antimony trichloride</i>														
Antimony compounds, inorganic, liquid, n.o.s.	6.1	UN3141	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes	35	153	203
Antimony compounds, inorganic, solid, n.o.s.	6.1	UN1549	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	35	153	213
Antimony lactate	6.1	UN1550	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Antimony pentachloride, liquid	8	UN1730	II	CORROSIVE			YES	CORROSIVE	1 L				None	202
Antimony pentachloride, solutions	8	UN1731	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Antimony pentachloride, solutions	8	UN1731	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Antimony pentafluoride	8 (6.1)#	UN1732	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N3, N36	None	202
Antimony potassium tartrate	6.1	UN1551	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Antimony powder	6.1	UN2871	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>Antimony sulfide and a chlorate, mixtures of</i>	Forbidden													
<i>Antimony sulfide, solid, see Antimony compounds, inorganic, n.o.s.</i>														
Antimony trichloride, liquid	8	UN1733	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Antimony trichloride, solid	8	UN1733	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
<i>Aqua ammonia, see Ammonia solution, etc</i>														
Argon, compressed	2.2	UN1006		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306, 307	302
Argon, refrigerated liquid (cryogenic liquid)	2.2	UN1951		NON-FLAMMABLE GAS			YES	NON-FLAMMABLE GAS					320	316
Arsenic	6.1	UN1558	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Arsenic acid, liquid	6.1	UN1553	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Arsenic acid, solid	6.1	UN1554	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Arsenic bromide	6.1	UN1555	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>Arsenic chloride, see Arsenic trichloride</i>														
<i>Arsenic compounds, liquid, n.o.s. inorganic, including arsenates, n.o.s.; arsenites, n.o.s.; arsenic sulfides, n.o.s.; and organic compounds of arsenic, n.o.s.</i>	6.1	UN1556	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
<i>Arsenic compounds, liquid, n.o.s. inorganic, including arsenates, n.o.s.; arsenites, n.o.s.; arsenic sulfides, n.o.s.; and organic compounds of arsenic, n.o.s.</i>	6.1	UN1556	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		153	202
<i>Arsenic compounds, liquid, n.o.s. inorganic, including arsenates, n.o.s.; arsenites, n.o.s.; arsenic sulfides, n.o.s.; and organic compounds of arsenic, n.o.s.</i>	6.1	UN1556	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
<i>Arsenic compounds, solid, n.o.s. inorganic, including arsenates, n.o.s.; arsenites, n.o.s.; arsenic sulfides, n.o.s.; and organic compounds of arsenic, n.o.s.</i>	6.1	UN1557	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
<i>Arsenic compounds, solid, n.o.s. inorganic, including arsenates, n.o.s.; arsenites, n.o.s.; arsenic sulfides, n.o.s.; and organic compounds of arsenic, n.o.s.</i>	6.1	UN1557	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>Arsenic compounds, solid, n.o.s. inorganic, including arsenates, n.o.s.; arsenites, n.o.s.; arsenic sulfides, n.o.s.; and organic compounds of arsenic, n.o.s.</i>	6.1	UN1557	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Arsenic pentoxide	6.1	UN1559	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>Arsenic sulfide and a chlorate, mixtures of</i>	Forbidden													
Arsenic trichloride	6.1	UN1560	I		Not Accepted				Forbidden					
Arsenic trioxide	6.1	UN1561	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>Arsenic, white, solid, see Arsenic trioxide</i>														
Arsenical dust	6.1	UN1562	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Arsenical pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2760	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Arsenical pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2760	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Arsenical pesticides, liquid, toxic	6.1	UN2994	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Arsenical pesticides, liquid, toxic	6.1	UN2994	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Arsenical pesticides, liquid, toxic	6.1	UN2994	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Arsenical pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN2993	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Arsenical pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN2993	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Arsenical pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN2993	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Arsenical pesticides, solid, toxic	6.1	UN2759	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Arsenical pesticides, solid, toxic	6.1	UN2759	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Arsenical pesticides, solid, toxic	6.1	UN2759	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
<i>Arsenious acid, solid, see Arsenic trioxide</i>														
<i>Arsenious and mercuric iodide solution, see Arsenic compounds, liquid, n.o.s.</i>														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Arsine	2.3	UN2188			Not Accepted				Forbidden					
Articles, explosive, extremely insensitive or Articles, EEI	1.6N	UN0486	◆	EXPLOSIVE 1.6N		see 172.320			Forbidden				None	62
Articles, explosive, n.o.s. ‡	1.4S	UN0349	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Articles, explosive, n.o.s. ‡	1.4B	UN0350	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.4C	UN0351	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden				None	62
Articles, explosive, n.o.s. ‡	1.4D	UN0352	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden				None	62
Articles, explosive, n.o.s. ‡	1.4G	UN0353	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.1L	UN0354	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.2L	UN0355	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.3L	UN0356	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.1C	UN0462	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.1D	UN0463	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.1E	UN0464	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.1F	UN0465	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.2C	UN0466	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.2D	UN0467	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.2E	UN0468	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.2F	UN0469	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.3C	UN0470	◆		Not Accepted				Forbidden					
Articles, explosive, n.o.s. ‡	1.4E	UN0471	◆	EXPLOSIVE 1.4E		see 172.320			Forbidden				None	62
Articles, explosive, n.o.s. ‡	1.4F	UN0472	◆		Not Accepted				Forbidden					
Articles, pressurized pneumatic or hydraulic containing non-flammable gas	2.2	UN3164		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *	30 kg G				306	302, 304
Articles, pyrophoric	1.2L	UN0380	◆		Not Accepted				Forbidden					
Articles, pyrotechnic for technical purposes	1.1G	UN0428	◆		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	I.D. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Articles, pyrotechnic for technical purposes	1.2G	UN0429	◆		Not Accepted				Forbidden					
Articles, pyrotechnic for technical purposes	1.3G	UN0430	◆		Not Accepted				Forbidden					
Articles, pyrotechnic for technical purposes	1.4G	UN0431	◆		Not Accepted				Forbidden					
Articles, pyrotechnic for technical purposes	1.4S	UN0432	◆	EXPLOSIVE 1.4S		see 172.320	Canada to US only. NEQ must be <= 62.5 g per item.	EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Asbestos	9	NA2212	III	CLASS 9 *				CLASS 9 *	30 kg	30 kg		156	155	216
Ascaridole (organic peroxide)	Forbidden													
Asphalt, at or above its flash point	3	NA1999	III	FLAMMABLE LIQUID *					Forbidden				150	203
Asphalt, cut back, see Tars, liquid, etc														
Automobile, motorcycle, tractor, other self-propelled vehicle, engine, or other mechanical apparatus, see Vehicles or Battery etc														
Aviation regulated liquid, n.o.s. ‡	9	UN3334		May not be regulated when shipped via UPS ground				CLASS 9 *		30 kg		A35	155	204
Aviation regulated solid, n.o.s. ‡	9	UN3335		May not be regulated when shipped via UPS ground				CLASS 9 *		30 kg		A35	155	204
Azaurolic acid (salt of) (dry)	Forbidden													
Azido guanidine picrate (dry)	Forbidden													
5-Azido-1-hydroxy tetrazole	Forbidden													
Azido hydroxy tetrazole (mercury and silver salts)	Forbidden													
3-Azido-1,2-Propylene glycol dinitrate	Forbidden													
Azidodithiocarbonic acid	Forbidden													
Azidoethyl nitrate	Forbidden													
1-Aziridinylphosphine oxide-(tris), see Tris-(1-aziridinyl) phosphine oxide, solution														
Azodicarbonamide	4.1	UN3242	II		Not Accepted				Forbidden					
Azotetrazole (dry)	Forbidden													
Barium	4.3	UN1400	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A19	None	212
Barium alloys, pyrophoric	4.2	UN1854	I		Not Accepted				Forbidden					
Barium azide, dry or wetted with less than 50 percent water, by mass	1.1A	UN0224	◆		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Barium azide, wetted with not less than 50 percent water, by mass	4.1 (6.1)	UN1571	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			162	None	182
Barium bromate	5.1 (6.1)	UN2719	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	212
Barium chlorate, solid	5.1 (6.1)	UN1445	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted			N34	None	212
Barium chlorate, solution	5.1 (6.1)	UN3405	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted			N34	None	202
Barium chlorate, solution	5.1 (6.1)	UN3405	III	OXIDIZER, POISON PG III *					Not Accepted				152	203
Barium compounds, n.o.s.	6.1	UN1564	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Barium compounds, n.o.s.	6.1	UN1564	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Barium cyanide	6.1	UN1565	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes	N74, N75	None	211
Barium hypochlorite with more than 22 percent available chlorine	5.1 (6.1)	UN2741	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted			N34	None	212
Barium nitrate	5.1 (6.1)	UN1446	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	212
Barium oxide	6.1	UN1884	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Barium perchlorate, solid	5.1 (6.1)	UN1447	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	212
Barium perchlorate, solution	5.1 (6.1)	UN3406	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	202
Barium perchlorate, solution	5.1 (6.1)	UN3406	III	OXIDIZER, POISON PG III *					Not Accepted				152	203
Barium permanganate	5.1 (6.1)	UN1448	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	212
Barium peroxide	5.1 (6.1)	UN1449	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	212
Barium selenate, see Selenates or Selenites														
Barium selenite, see Selenates or Selenites														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Batteries, containing sodium	4.3	UN3292	II		Not Accepted				Forbidden					
Batteries, dry, containing potassium hydroxide solid, electric, storage	8	UN3028	◆◆	CORROSIVE			YES	CORROSIVE	25 kg G			237	None	213, 27
Batteries, dry, sealed, n.o.s.												130		
Batteries, nickel-metal hydride see Batteries, dry, sealed, n.o.s. for nickel-metal hydride batteries transported by modes other than vessel	9	UN3496		MISCELLANEOUS								340		
Batteries, wet, filled with acid, electric storage	8	UN2794	◆◆		Not Accepted				Not Accepted					
Batteries, wet, filled with alkali, electric storage	8	UN2795	◆◆		Not Accepted				Not Accepted					
Batteries, wet, non-spillable, electric storage	8	UN2800	◆◆	CORROSIVE			YES	CORROSIVE	25 kg G				159a	159
Battery fluid, acid	8	UN2796	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A7, N6, N34	154	202
Battery fluid, alkali	8	UN2797	II	CORROSIVE *			YES	CORROSIVE *	1 L			N6	154	202
Battery lithium type, see Lithium batteries etc														
Battery-powered vehicle or Battery-powered equipment	9	UN3171			Not Accepted				Not Accepted	Not Accepted				
Battery, wet, filled with acid or alkali with vehicle or mechanical equipment containing an internal combustion engine, see Vehicle, etc. or Engines, internal combustion, etc														
Benzaldehyde	9	UN1990	III	CLASS 9 *			YES	CLASS 9 *	30 L	30 L			155	203
Benzene	3	UN1114	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Benzene diazonium chloride (dry)	Forbidden													
Benzene diazonium nitrate (dry)	Forbidden													
Benzene phosphorus dichloride, see Phenyl phosphorus dichloride														
Benzene phosphorus thiodichloride, see Phenyl phosphorus thiodichloride														
Benzene sulfonyl chloride	8	UN2225	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Benzene triozone	Forbidden													
Benzenethiol, see Phenyl mercaptan														
Benzidine	6.1	UN1885	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Benzol, see Benzene														
Benzonitrile	6.1	UN2224	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Benzoquinone	6.1	UN2587	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Benzotrichloride	8	UN2226	II	CORROSIVE * FLAMMABLE LIQUID *			YES	CORROSIVE * FLAMMABLE LIQUID *	1 L				154	202
Benzotrifluoride	3	UN2338	II				YES		5 L				150	202
<i>Benzoxadiazoles (dry)</i>	Forbidden													
<i>Benzoyl azide</i>	Forbidden													
Benzoyl chloride	8	UN1736	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Benzyl bromide	6.1 (8)	UN1737	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	A3, A7, N33, N34	None	202
Benzyl chloride	6.1 (8)	UN1738	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	A3, A7, N33, N42	None	202
Benzyl chloride <i>unstabilized</i>	6.1 (8)	UN1738	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	A3, A7, N33, N34, N43	None	202
Benzyl chloroformate	8	UN1739	I	CORROSIVE			YES		Forbidden			N41	None	201
Benzyl iodide	6.1	UN2653	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Benzylidimethylamine	8 (3)	UN2619	II	CORROSIVE, FLAMMABLE LIQUID *			YES	CORROSIVE, FLAMMABLE LIQUID *	1 L				154	202
Benzylidene chloride	6.1	UN1886	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Beryllium compounds, n.o.s.	6.1	UN1566	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Beryllium compounds, n.o.s.	6.1	UN1566	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Beryllium nitrate	5.1 (6.1)	UN2464	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	212
Beryllium, powder	6.1 (4.1)	UN1567	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Bicyclo [2,2,1] hepta-2,5-diene, stabilized or 2,5-Norbornadiene, stabilized	3	UN2251	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Biological substance, Category B	6.2	UN3373					YES		4 L or 4 kg			A82	134	199
Biological substance, Category B	6.2	UN3373					YES		4 L or 4 kg			A82	134	199
<i>Biphenyl triozoneide</i>	Forbidden													
Bipyridilium pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2782	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Bipyridilium pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2782	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Bipyridilium pesticides, liquid, toxic	6.1	UN3016	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Bipyridilium pesticides, liquid, toxic	6.1	UN3016	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Bipyridilium pesticides, liquid, toxic	6.1	UN3016	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Bipyridilium pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3015	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Bipyridilium pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3015	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Bipyridilium pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3015	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Bipyridilium pesticides, solid, toxic	6.1	UN2781	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Bipyridilium pesticides, solid, toxic	6.1	UN2781	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Bipyridilium pesticides, solid, toxic	6.1	UN2781	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
<i>Bis (Aminopropyl) piperazine, see Corrosive liquid, n.o.s.</i>														
Bisulfate, aqueous solution	8	UN2837	II	CORROSIVE *			YES	CORROSIVE *	1 L			A7, N34	154	202
Bisulfate, aqueous solution	8	UN2837	III	CORROSIVE *			YES	CORROSIVE *	5 L			A7, N34	154	203, 27
Bisulfites, aqueous solutions, n.o.s.	8	UN2693	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Black powder, compressed or Gunpowder, compressed or Black powder, in pellets or Gunpowder, in pellets	1.1D	UN0028	◆		Not Accepted				Forbidden					
Black powder or Gunpowder, granular or as a meal	1.1D	UN0027	◆		Not Accepted				Forbidden					
Black powder for small arms	4.1	NA0027	I	FLAMMABLE SOLID					Forbidden			70	None	170
<i>Blasting agent, n.o.s., see Explosives, blasting etc</i>														
<i>Blasting cap assemblies, see Detonator assemblies, non-electric, for blasting</i>														
<i>Blasting caps, electric, see Detonators, electric for blasting</i>														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>Blasting caps, non-electric, see Detonators, non-electric, for blasting</i>														
<i>Bleaching powder, see Calcium hypochlorite mixtures, etc</i>														
Blue asbestos (Crocidolite) or Brown asbestos (amosite, mysorite)	9	UN2212	II	May not be regulated when shipped via UPS ground			YES		Forbidden	Forbidden		156	155	216
Bombs, photo-flash	1.1F	UN0037	◆		Not Accepted				Forbidden					
Bombs, photo-flash	1.1D	UN0038	◆		Not Accepted				Forbidden					
Bombs, photo-flash	1.2G	UN0039	◆		Not Accepted				Forbidden					
Bombs, photo-flash	1.3G	UN0299	◆		Not Accepted				Forbidden					
Bombs, smoke, non-explosive, with corrosive liquid, without initiating device	8	UN2028	II	CORROSIVE			YES		Forbidden				None	160
Bombs, with bursting charge	1.1F	UN0033	◆		Not Accepted				Forbidden					
Bombs, with bursting charge	1.1D	UN0034	◆		Not Accepted				Forbidden					
Bombs, with bursting charge	1.2D	UN0035	◆		Not Accepted				Forbidden					
Bombs, with bursting charge	1.2F	UN0291	◆		Not Accepted				Forbidden					
Bombs with flammable liquid, with bursting charge	1.1J	UN0399	◆		Not Accepted				Forbidden					
Bombs with flammable liquid, with bursting charge	1.2J	UN0400	◆		Not Accepted				Forbidden					
Boosters with detonator	1.1B	UN0225	◆		Not Accepted				Forbidden					
Boosters with detonator	1.2B	UN0268	◆		Not Accepted				Forbidden					
Boosters, without detonator	1.1D	UN0042	◆		Not Accepted				Forbidden					
Boosters, without detonator	1.2D	UN0283	◆		Not Accepted				Forbidden					
Borate and chlorate mixtures, see Chlorate and borate mixtures														
Borneol	4.1	UN1312	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg			A1	None	213, 27
Boron tribromide	8	UN2692	I		Not Accepted				Forbidden					
Boron trichloride	2.3	UN1741			Not Accepted				Forbidden					
Boron trifluoride	2.3 (8)	UN1008			Not Accepted				Forbidden					
Boron trifluoride acetic acid complex, liquid	8	UN1742	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Boron trifluoride acetic acid complex, solid	8	UN3419	II	CORROSIVE *				CORROSIVE *	15 kg				154	212
Boron trifluoride diethyl etherate	8 (3)	UN2604	I	CORROSIVE, CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	0.5 L			A3, A19	None	201
Boron trifluoride dihydrate	8	UN2851	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Boron trifluoride dimethyl etherate	4.3	UN2965	I		Not Accepted				Forbidden					
Boron trifluoride propionic acid complex, liquid	8	UN1743	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Boron trifluoride propionic acid complex, solid	8	UN3420	II	CORROSIVE *				CORROSIVE *	15 kg				154	212
<i>Box toe gum, see Nitrocellulose etc</i>														
Bromates, inorganic, aqueous solution, n.o.s.	5.1	UN3213	II	OXIDIZER *			YES		Not Accepted				152	202
Bromates, inorganic, aqueous solution, n.o.s.	5.1	UN3213	II	OXIDIZER *			YES		Not Accepted			350	152	202
Bromates, inorganic, aqueous solution, n.o.s.	5.1	UN3213	III	OXIDIZER *			YES		Not Accepted				152	203
Bromates, inorganic, aqueous solution, n.o.s.	5.1	UN3213	III	OXIDIZER *			YES		Not Accepted			350	152	203
Bromates, inorganic, n.o.s.	5.1	UN1450	II	OXIDIZER *			YES		Not Accepted				152	212
Bromates, inorganic, n.o.s.	5.1	UN1450	II	OXIDIZER *			YES		Not Accepted			350	152	212
<i>Bromine azide</i>	Forbidden													
Bromine	8	UN1744	I		Not Accepted				Forbidden					
Bromine chloride	2.3	UN2901			Not Accepted				Forbidden					
Bromine pentafluoride	5.1	UN1745	I		Not Accepted				Forbidden					
Bromine solutions	8	UN1744	I		Not Accepted				Forbidden					
Bromine trifluoride	5.1	UN1746	I		Not Accepted				Forbidden					
<i>4-Bromo-1,2-dinitrobenzene</i>	Forbidden													
<i>4-Bromo-1,2-dinitrobenzene (unstable at 59 degrees C)</i>	Forbidden													
1-Bromo-3-chloropropane	6.1	UN2688	III	POISON PG III * FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13 FLAMMABLE LIQUID *	25 L		Yes		153	203
1-Bromo-3-methylbutane	3	UN2341	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>1-Bromo-3-nitrobenzene (unstable at 56 degrees C)</i>	Forbidden													
2-Bromo-2-nitropropane-1,3-diol	4.1	UN3241	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	2 kg			46	151	213, 27
Bromoacetic acid, solid	8	UN3425	II	CORROSIVE *			YES	CORROSIVE *	15 kg			A7, N34	154	212
Bromoacetic acid solution	8	UN1938	II	CORROSIVE *			YES	CORROSIVE *	1 L			A7	154	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Bromoacetic acid solution	8	UN1938	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203
Bromoacetone	6.1	UN1569	II		Not Accepted				Forbidden					
Bromoacetyl bromide	8	UN2513	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Bromobenzene	3	UN2514	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Bromobenzyl cyanides, liquid	6.1	UN1694	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Bromobenzyl cyanides, solid	6.1	UN3449	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
1-Bromobutane	3	UN1126	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
2-Bromobutane	3	UN2339	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Bromochloromethane	6.1	UN1887	III	POISON PG III * FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
2-Bromoethyl ethyl ether	3	UN2340	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Bromoform	6.1	UN2515	III	POISON PG III * FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Bromomethylpropanes	3	UN2342	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
2-Bromopentane	3	UN2343	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Bromopropanes	3	UN2344	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Bromopropanes	3	UN2344	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
3-Bromopropyne	3	UN2345	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Bromosilane	Forbidden													
Bromotoluene-alpha, see Benzyl bromide														
Bromotrifluoroethylene	2.1	UN2419		FLAMMABLE GAS			YES		Forbidden				None	304
Bromotrifluoromethane or Refrigerant gas, R 13B1.	2.2	UN1009		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Brucine	6.1	UN1570	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Bursters, explosive	1.1D	UN0043	◆		Not Accepted				Forbidden					
Butadienes, stabilized or Butadienes and Hydrocarbon mixture, stabilized containing more than 40% butadienes	2.1	UN1010		FLAMMABLE GAS *			YES		Forbidden				306	304
Butane see also Petroleum gases, liquefied	2.1	UN1011		FLAMMABLE GAS *			YES		Forbidden			19	306	304

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>Butane, butane mixtures and mixtures having similar properties in cartridges each not exceeding 500 grams, see Receptacles, etc</i>														
Butanedione	3	UN2346	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>1,2,4-Butanetriol trinitrate</i>	Forbidden													
Butanols	3	UN1120	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Butanols	3	UN1120	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>tert-Butoxycarbonyl azide</i>	Forbidden													
Butyl acetates	3	UN1123	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Butyl acetates	3	UN1123	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Butyl acid phosphate	8	UN1718	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Butyl acrylates, stabilized	3	UN2348	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Butyl alcohols, see Butanols</i>														
Butyl benzenes	3	UN2709	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>n-Butyl bromide, see 1-Bromobutane</i>														
<i>n-Butyl chloride, see Chlorobutanes</i>														
sec-Butyl chloroformate	6.1	NA2742	I		Not Accepted				Forbidden					
n-Butyl chloroformate	6.1	UN2743	I		Not Accepted				Forbidden					
<i>Butyl ethers, see Dibutyl ethers</i>														
<i>Butyl ethyl ether, see Ethyl butyl ether</i>														
n-Butyl formate	3	UN1128	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>tert-Butyl hydroperoxide, with more than 90 percent with water</i>	Forbidden													
tert-Butyl hypochlorite	4.2	UN3255	I		Not Accepted				Forbidden					
N-n-Butyl imidazole	6.1	UN2690	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
tert-Butyl isocyanate	6.1	UN2484	I		Not Accepted				Forbidden					
n-Butyl isocyanate	6.1	UN2485	I		Not Accepted				Forbidden					
Butyl mercaptans	3	UN2347	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			A3, A6	None	202
n-Butyl methacrylate, stabilized	3	UN2227	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Butyl methyl ether	3	UN2350	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Butyl nitrites	3	UN2351	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Butyl nitrites	3	UN2351	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Butyl nitrites	3	UN2351	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>tert</i> -Butyl peroxyacetate, with more than 76 percent in solution	Forbidden													
<i>n</i> -Butyl peroxydicarbonate, with more than 52 percent in solution	Forbidden													
<i>tert</i> -Butyl peroxyisobutyrate, with more than 77 percent in solution	Forbidden													
Butyl phosphoric acid, see Butyl acid phosphate														
Butyl propionates	3	UN1914	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
5- <i>tert</i> -Butyl-2,4,6-trinitro- <i>m</i> -xylene or Musk xylene	4.1	UN2956	III	FLAMMABLE SOLID					Forbidden			159	None	223
Butyl vinyl ether, stabilized	3	UN2352	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>n</i> -Butylamine	3 (8)	UN1125	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
<i>N</i> -Butylaniline	6.1	UN2738	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
<i>tert</i> -Butylcyclohexylchloroformate	6.1	UN2747	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Butylene <i>see also</i> Petroleum gases, liquefied	2.1	UN1012		FLAMMABLE GAS			YES		Forbidden			19	None	304
1,2-Butylene oxide, stabilized	3	UN3022	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Butyltoluenes	6.1	UN2667	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Butyltrichlorosilane	8 (3)	UN1747	II	CORROSIVE, FLAMMABLE LIQUID			YES		Forbidden			N34	None	206
1,4-Butynediol	6.1	UN2716	III	POISON PG III				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A1	None	213
Butyraldehyde	3	UN1129	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Butyraldoxime	3	UN2840	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Butyric acid	8	UN2820	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Butyric anhydride	8	UN2739	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Butyronitrile	3 (6.1)	UN2411	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Butyryl chloride	3 (8)	UN2353	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Cacodylic acid	6.1	UN1572	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Cadmium compounds	6.1	UN2570	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Cadmium compounds	6.1	UN2570	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Cadmium compounds	6.1	UN2570	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Caesium hydroxide	8	UN2682	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Caesium hydroxide solution	8	UN2681	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Caesium hydroxide solution	8	UN2681	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Calcium	4.3	UN1401	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Calcium arsenate	6.1	UN1573	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Calcium arsenate and calcium arsenite, mixtures, solid	6.1	UN1574	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Calcium bisulfite solution, see Bisulfites, aqueous solutions, n.o.s.														
Calcium carbide	4.3	UN1402	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N34	None	211
Calcium carbide	4.3	UN1402	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A1, A8, N34	None	212
Calcium chlorate	5.1	UN1452	II	OXIDIZER *			YES		Not Accepted			N34	152	212
Calcium chlorate aqueous solution	5.1	UN2429	II	OXIDIZER *			YES		Not Accepted			N41	152	202
Calcium chlorate aqueous solution	5.1	UN2429	III	OXIDIZER *			YES		Not Accepted			N41	152	203
Calcium chlorite	5.1	UN1453	II	OXIDIZER *			YES		Not Accepted			N34	152	212
Calcium cyanamide with more than 0.1 percent of calcium carbide	4.3	UN1403	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A1, A19	None	213, 27

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Calcium cyanide	6.1	UN1575	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes	N79, N80	None	211
Calcium dithionite or Calcium hydrosulfite	4.2	UN1923	II		Not Accepted				Not Accepted					
Calcium hydride	4.3	UN1404	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Calcium hydrosulfite, see Calcium dithionite														
Calcium hypochlorite, dry, corrosive or Calcium hypochlorite mixtures, dry, corrosive with more than 39% available chlorine (8.8% available oxygen)	5.1 (8)	UN3485	II	OXIDIZER, CORROSIVE *					Not Accepted			165, 166, N34	152	212
Calcium hypochlorite, dry or Calcium hypochlorite mixtures dry with more than 39 percent available chlorine (8.8 percent available oxygen)	5.1	UN1748	II	OXIDIZER *			YES		Not Accepted			165, 166, N34	152	212
Calcium hypochlorite, dry or Calcium hypochlorite mixtures dry with more than 39 percent available chlorine (8.8 percent available oxygen)	5.1	UN1748	III	OXIDIZER *			YES		Not Accepted			165, 171, N34	152	213
Calcium hypochlorite, hydrated, corrosive or Calcium hypochlorite, hydrated mixture, corrosive with not less than 5.5% but not more than 16% water	5.1 (8)	UN3487	II	OXIDIZER, CORROSIVE *					Not Accepted			165	152	212
Calcium hypochlorite, hydrated, corrosive or Calcium hypochlorite, hydrated mixture, corrosive with not less than 5.5% but not more than 16% water	5.1 (8)	UN3487	III	OXIDIZER, CORROSIVE *					Not Accepted			165	152	213
Calcium hypochlorite, hydrated or Calcium hypochlorite, hydrated mixtures, with not less than 5.5 percent but not more than 16 percent water	5.1	UN2880	II	OXIDIZER *			YES		Not Accepted			165	152	212
Calcium hypochlorite, hydrated or Calcium hypochlorite, hydrated mixtures, with not less than 5.5 percent but not more than 16 percent water	5.1	UN2880	III	OXIDIZER *			YES		Not Accepted			165, 171	152	213
Calcium hypochlorite mixture, dry, corrosive with more than 10% but not more than 39% available chlorine	5.1 (8)	UN3486	III	OXIDIZER, CORROSIVE *					Not Accepted			165, N34	152	213
Calcium hypochlorite mixtures, dry, with more than 10 percent but not more than 39 percent available chlorine	5.1	UN2208	III	OXIDIZER *			YES		Not Accepted			N34	152	213
Calcium manganese silicon	4.3	UN2844	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A1, A19		213, 27
Calcium nitrate	5.1	UN1454	III	OXIDIZER *			YES		Not Accepted			34	152	213

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Calcium oxide	8	UN1910	III	May not be regulated when shipped via UPS ground			YES	CORROSIVE *	25 kg				154	213, 27
Calcium perchlorate	5.1	UN1455	II	OXIDIZER *			YES		Not Accepted				152	212
Calcium permanganate	5.1	UN1456	II	OXIDIZER *			YES		Not Accepted				152	212
Calcium peroxide	5.1	UN1457	II	OXIDIZER *			YES		Not Accepted				152	212
Calcium phosphide	4.3 (6.1)	UN1360	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Calcium, pyrophoric or Calcium alloys, pyrophoric	4.2	UN1855	I		Not Accepted				Forbidden					
Calcium resinate	4.1	UN1313	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg			A1, A19	None	213, 27
Calcium resinate, fused	4.1	UN1314	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg			A1, A19	None	213, 27
<i>Calcium selenate, see Selenates or Selenites</i>														
Calcium silicide	4.3	UN1405	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A19	None	212
Calcium silicide	4.3	UN1405	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A1, A19	None	213
Camphor oil	3	UN1130	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Camphor, synthetic	4.1	UN2717	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg			A1	None	213, 27
<i>Cannon primers, see Primers, tubular</i>														
Caproic acid	8	UN2829	III	CORROSIVE			YES	CORROSIVE	5 L				154	203, 27
<i>Caps, blasting, see Detonators, etc</i>														
Carbamate pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2758	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Carbamate pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2758	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Carbamate pesticides, liquid, toxic	6.1	UN2992	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Carbamate pesticides, liquid, toxic	6.1	UN2992	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Carbamate pesticides, liquid, toxic	6.1	UN2992	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Carbamate pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN2991	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Carbamate pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN2991	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Carbamate pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN2991	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Carbamate pesticides, solid, toxic	6.1	UN2757	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Carbamate pesticides, solid, toxic	6.1	UN2757	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Carbamate pesticides, solid, toxic	6.1	UN2757	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Carbolic acid, see Phenol, solid or Phenol, molten														
Carbolic acid solutions, see Phenol solutions														
Carbon, activated	4.2	UN1362	III		Not Accepted				Not Accepted					
Carbon, animal or vegetable origin	4.2	UN1361	II		Not Accepted				Forbidden					
Carbon, animal or vegetable origin	4.2	UN1361	III		Not Accepted				Forbidden					
Carbon bisulfide, see Carbon disulfide														
Carbon dioxide	2.2	UN1013		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	302, 304
Carbon dioxide, refrigerated liquid	2.2	UN2187		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Carbon dioxide, solid or Dry ice	9	UN1845		May not be regulated when shipped via UPS ground			YES	None *		68 kg G			217	217
Carbon dioxide, solid or Dry ice	9	UN1845	III	May not be regulated when shipped via UPS ground			YES	None *		68 kg G			217	217
Carbon disulfide	3	UN1131	I		Not Accepted				Forbidden					
Carbon monoxide, compressed	2.3	UN1016			Not Accepted				Forbidden					
Carbon monoxide, refrigerated liquid (cryogenic liquid)	2.3	NA9202			Not Accepted				Forbidden					
Carbon tetrabromide	6.1	UN2516	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Carbon tetrachloride	6.1	UN1846	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	N36	None	202
<i>Carbonyl chloride, see Phosgene</i>														
Carbonyl fluoride	2.3	UN2417			Not Accepted				Forbidden					
Carbonyl sulfide	2.3	UN2204			Not Accepted				Forbidden					
<i>Cartridge cases, empty primed, see Cases, cartridge, empty, with primer</i>														
<i>Cartridges, actuating, for aircraft ejector seat catapult, fire extinguisher, canopy removal or apparatus, see Cartridges, power device</i>														
<i>Cartridges, explosive, see Charges, demolition</i>														
Cartridges, flash	1.1G	UN0049	◆		Not Accepted				Forbidden					
Cartridges, flash	1.3G	UN0050	◆		Not Accepted				Forbidden					
Cartridges for weapons, blank	1.1C	UN0326	◆		Not Accepted				Forbidden					
Cartridges for weapons, blank	1.2C	UN0413	◆		Not Accepted				Forbidden					
Cartridges for weapons, blank or Cartridges, small arms, blank	1.4S	UN0014	◆	None		see 172.320		None	25 kg		see 172.320		63	62
Cartridges for weapons, blank or Cartridges, small arms, blank	1.3C	UN0327	◆		Not Accepted				Forbidden					
Cartridges for weapons, blank or Cartridges, small arms, blank	1.4C	UN0338	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden				None	62
Cartridges for weapons, inert projectile	1.2C	UN0328	◆		Not Accepted				Forbidden					
Cartridges for weapons, inert projectile or Cartridges, small arms	1.4S	UN0012	◆	None		see 172.320		None	25 kg		see 172.320		63	62
Cartridges for weapons, inert projectile or Cartridges, small arms	1.4C	UN0339	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden				None	62
Cartridges for weapons, inert projectile or Cartridges, small arms	1.3C	UN0417	◆		Not Accepted				Forbidden					
Cartridges for weapons, with bursting charge	1.1F	UN0005	◆		Not Accepted				Forbidden					
Cartridges for weapons, with bursting charge	1.1E	UN0006	◆		Not Accepted				Forbidden					
Cartridges for weapons, with bursting charge	1.2F	UN0007	◆		Not Accepted				Forbidden					
Cartridges for weapons, with bursting charge	1.2E	UN0321	◆		Not Accepted				Forbidden					
Cartridges for weapons, with bursting charge	1.4F	UN0348	◆		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Cartridges for weapons, with bursting charge	1.4E	UN0412	◆	EXPLOSIVE 1.4E		see 172.320			Forbidden				None	62
Cartridges, oil well	1.3C	UN0277	◆		Not Accepted				Forbidden					
Cartridges, oil well	1.4C	UN0278	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden				None	62
Cartridges, power device	1.3C	UN0275	◆		Not Accepted				Forbidden					
Cartridges, power device	1.4C	UN0276	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden			110	None	62
Cartridges, power device	1.4S	UN0323	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320	110	63	62
Cartridges, power device	1.4S	UN0323	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320	110, 347	63	62
Cartridges, power device	1.2C	UN0381	◆		Not Accepted				Forbidden					
Cartridges power device (used to project fastening devices)	ORM-D	None		Package must bear ORM-D marking				Package must bear ORM-D-AIR marking	30 kg G			347	63	None
Cartridges power device (used to project fastening devices)	ORM-D			Package must bear ORM-D marking				Package must bear ORM-D-AIR marking	30 kg G				63	None
Cartridges, safety, blank, see Cartridges for weapons, blank (UN 0014)														
Cartridges, safety, see Cartridges for weapons, inert projectile or Cartridges, small arms, or Cartridges, power device (UN 0323)														
Cartridges, signal	1.3G	UN0054	◆		Not Accepted				Forbidden					
Cartridges, signal	1.4G	UN0312	◆		Not Accepted				Forbidden					
Cartridges, signal	1.4S	UN0405	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Cartridges, small arms	ORM-D			Package must bear ORM-D marking				Package must bear ORM-D-AIR marking	30 kg G				63	None
Cartridges, sporting, see Cartridges for weapons, inert projectile, or Cartridges, small arms														
Cartridges, starter, jet engine, see Cartridges, power device														
Cases, cartridge, empty with primer	1.4S	UN0055	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320	50	None	62
Cases, cartridges, empty with primer	1.4C	UN0379	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden			50	None	62
Cases, combustible, empty, without primer	1.4C	UN0446	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden				None	62

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Cases, combustible, empty, without primer	1.3C	UN0447	◆		Not Accepted				Forbidden					
Casinghead gasoline see Gasoline														
Castor beans or Castor meal or Castor pomace or Castor flake	9	UN2969	II	May not be regulated when shipped via UPS ground			YES	None *		30 kg			155	204
Caustic alkali liquids, n.o.s. ‡	8	UN1719	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Caustic alkali liquids, n.o.s. ‡	8	UN1719	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Caustic potash, see Potassium hydroxide etc														
Caustic soda, (etc.) see Sodium hydroxide etc														
Cells, containing sodium	4.3	UN3292	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg G		Yes		None	189
Celluloid, in block, rods, rolls, sheets, tubes, etc., except scrap	4.1	UN2000	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg				None	213, 27
Celluloid, scrap	4.2	UN2002	III		Not Accepted				Forbidden					
Cement, see Adhesives containing flammable liquid														
Cerium, slabs, ingots, or rods	4.1	UN1333	II	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	15 kg			N34	None	212
Cerium, turnings or gritty powder	4.3	UN3078	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A1	None	212
Cesium or Caesium	4.3	UN1407	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N34, N40	None	211
Cesium nitrate or Caesium nitrate	5.1	UN1451	III	OXIDIZER *			YES		Not Accepted				152	213
Charcoal briquettes, shell, screenings, wood, etc.	4.2	NA1361	III		Not Accepted				Not Accepted					
Charges, bursting, plastics bonded	1.1D	UN0457	◆		Not Accepted				Forbidden					
Charges, bursting, plastics bonded	1.2D	UN0458	◆		Not Accepted				Forbidden					
Charges, bursting, plastics bonded	1.4D	UN0459	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden				None	62
Charges, bursting, plastics bonded	1.4S	UN0460	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Charges, bursting, plastics bonded	1.4S	UN0460	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320	347	None	62
Charges, demolition	1.1D	UN0048	◆		Not Accepted				Forbidden					
Charges, depth	1.1D	UN0056	◆		Not Accepted				Forbidden					
Charges, expelling, explosive, for fire extinguishers, see Cartridges, power device														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Charges, explosive, commercial without detonator	1.1D	UN0442	◆		Not Accepted				Forbidden					
Charges, explosive, commercial without detonator	1.2D	UN0443	◆		Not Accepted				Forbidden					
Charges, explosive, commercial without detonator	1.4D	UN0444	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden				None	62
Charges, explosive, commercial without detonator	1.4S	UN0445	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Charges, explosive, commercial without detonator	1.4S	UN0445	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320	347	None	62
Charges, propelling	1.1C	UN0271	◆		Not Accepted				Forbidden					
Charges, propelling	1.3C	UN0272	◆		Not Accepted				Forbidden					
Charges, propelling	1.2C	UN0415	◆		Not Accepted				Forbidden					
Charges, propelling	1.4C	UN0491	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden				None	62
Charges, propelling, for cannon	1.3C	UN0242	◆		Not Accepted				Forbidden					
Charges, propelling, for cannon	1.1C	UN0279	◆		Not Accepted				Forbidden					
Charges, propelling, for cannon	1.2C	UN0414	◆		Not Accepted				Forbidden					
Charges, shaped, flexible, linear	1.4D	UN0237	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden				None	62
Charges, shaped, flexible, linear	1.1D	UN0288	◆		Not Accepted				Forbidden					
Charges, shaped, without detonator	1.1D	UN0059	◆		Not Accepted				Forbidden					
Charges, shaped, without detonator	1.2D	UN0439	◆		Not Accepted				Forbidden					
Charges, shaped, without detonator	1.4D	UN0440	◆		Not Accepted				Forbidden					
Charges, shaped, without detonator	1.4S	UN0441	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Charges, shaped, without detonator	1.4S	UN0441	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320	347	None	62
Charges, supplementary explosive	1.1D	UN0060	◆		Not Accepted				Forbidden					
Chemical kit	8	NA1760	II	None *				CORROSIVE *	1 L				154	161
Chemical kits	9	UN3316		None *			YES	CLASS 9 *	10 kg	10 kg		15	161	161
Chemical kits	9	UN3316	I	None *			YES	CLASS 9 *	10 kg	10 kg		15	161	161
Chemical kits	9	UN3316	II	None *			YES	CLASS 9 *	10 kg	10 kg		15	161	161
Chemical kits	9	UN3316	III	None *			YES	CLASS 9 *	10 kg	10 kg		15	161	161
Chloral, anhydrous, stabilized	6.1	UN2075	II	Refer to Applicable Exemption or Special Permit or 173.13			Yes	Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Chlorate and borate mixtures	5.1	UN1458	II	OXIDIZER *			YES		Not Accepted			N34	152	212
Chlorate and borate mixtures	5.1	UN1458	III	OXIDIZER *			YES		Not Accepted			N34	152	213
Chlorate and magnesium chloride mixture solid	5.1	UN1459	II	OXIDIZER *			YES		Not Accepted			N34	152	212
Chlorate and magnesium chloride mixture solid	5.1	UN1459	III	OXIDIZER *			YES		Not Accepted			N34	152	213
Chlorate and magnesium chloride mixture solution	5.1	UN3407	II	OXIDIZER *			YES		Not Accepted			N34	152	202
Chlorate and magnesium chloride mixture solution	5.1	UN3407	III	OXIDIZER *			YES		Not Accepted			N34	152	203
Chlorate of potash, see Potassium chlorate														
Chlorate of soda, see Sodium chlorate														
Chlorates, inorganic, aqueous solution, n.o.s.	5.1	UN3210	II	OXIDIZER *			YES		Not Accepted				152	202
Chlorates, inorganic, aqueous solution, n.o.s.	5.1	UN3210	II	OXIDIZER *			YES		Not Accepted			351	152	202
Chlorates, inorganic, aqueous solution, n.o.s.	5.1	UN3210	III	OXIDIZER *			YES		Not Accepted				152	203
Chlorates, inorganic, aqueous solution, n.o.s.	5.1	UN3210	III	OXIDIZER *			YES		Not Accepted			351	152	203
Chlorates, inorganic, n.o.s.	5.1	UN1461	II	OXIDIZER *			YES		Not Accepted			N34	152	212
Chlorates, inorganic, n.o.s.	5.1	UN1461	II	OXIDIZER *			YES		Not Accepted			351, N34	152	212
Chloric acid aqueous solution, with not more than 10 percent chloric acid	5.1	UN2626	II		Not Accepted				Forbidden					
Chloride of phosphorus, see Phosphorus trichloride														
Chloride of sulfur, see Sulfur chloride														
Chlorinated lime, see Calcium hypochlorite mixtures, etc														
Chlorine	2.3 (5.1) (8)	UN1017			Not Accepted				Forbidden					
Chlorine azide	Forbidden													
Chlorine dioxide, hydrate, frozen	5.1	NA9191	II		Not Accepted				Forbidden					
Chlorine dioxide (not hydrate)	Forbidden													
Chlorine pentafluoride	2.3	UN2548			Not Accepted				Forbidden					
Chlorine trifluoride	2.3	UN1749			Not Accepted				Forbidden					
Chlorite solution	8	UN1908	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A6, A7, N34	154	202
Chlorite solution	8	UN1908	III	CORROSIVE *			YES	CORROSIVE *	5 L			A3, A6, A7, N34	154	203, 27
Chlorites, inorganic, n.o.s.	5.1	UN1462	II	OXIDIZER *			YES		Not Accepted			N34	152	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Chlorites, inorganic, n.o.s.	5.1	UN1462	II	OXIDIZER *			YES		Not Accepted			352, N34	152	212
3-Chloro-4-methylphenyl isocyanate, liquid	6.1	UN2236	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
3-Chloro-4-methylphenyl isocyanate, solid	6.1	UN3428	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
4-Chloro-o-toluidine hydrochloride, solid	6.1	UN1579	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
4-Chloro-o-toluidine hydrochloride, solution	6.1	UN3410	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
1-Chloro-2,2,2-trifluoroethane or Refrigerant gas R 133a	2.2	UN1983		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
1-Chloro-1,1-difluoroethane or Refrigerant gas R 142b	2.1	UN2517		FLAMMABLE GAS *			YES		Forbidden				306	304
1-Chloro-1,2,2,2-tetrafluoroethane or Refrigerant gas R 124	2.2	UN1021		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Chloroacetic acid, molten	6.1	UN3250	II		Not Accepted				Forbidden					
Chloroacetic acid, solid	6.1 (8)	UN1751	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A3, A7, N34	None	212
Chloroacetic acid, solution	6.1 (8)	UN1750	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	A7, N34	None	202
Chloroacetone, stabilized	6.1	UN1695	I		Not Accepted				Forbidden					
Chloroacetone (unstabilized)	Forbidden													
Chloroacetonitrile	6.1	UN2668	I		Not Accepted				Forbidden					
Chloroacetonitrile	6.1	UN2668	II		Not Accepted				Forbidden					
Chloroacetophenone, liquid, (CN)	6.1	UN3416	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N12, N32, N33	None	202
Chloroacetophenone, solid, (CN)	6.1	UN1697	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N12, N32, N33, N34	None	212
Chloroacetyl chloride	6.1	UN1752	I		Not Accepted				Forbidden					
Chloroanilines, liquid	6.1	UN2019	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Chloroanilines, solid	6.1	UN2018	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Chloroanisidines	6.1	UN2233	III	POISON PG III * FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13 FLAMMABLE LIQUID *	25 kg		Yes		153	213
Chlorobenzene	3	UN1134	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Chlorobenzol, see Chlorobenzene</i>														
Chlorobenzotrifluorides	3	UN2234	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Chlorobenzyl chlorides, liquid	6.1	UN2235	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Chlorobenzyl chlorides, solid	6.1	UN3427	III	POISON PG III * FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13 FLAMMABLE LIQUID *	25 kg		Yes		153	213
Chlorobutanes	3	UN1127	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Chlorocresols solution	6.1	UN2669	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Chlorocresols solution	6.1	UN2669	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Chlorocresols, solid	6.1	UN3437	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Chlorodifluorobromomethane or Refrigerant gas R 12B1	2.2	UN1974		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Chlorodifluoromethane and chloropentafluoroethane mixture or Refrigerant gas R 502 with fixed boiling point, with approximately 49 percent chlorodifluoromethane	2.2	UN1973		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Chlorodifluoromethane or Refrigerant gas R 22	2.2	UN1018		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Chlorodinitrobenzenes, liquid.	6.1	UN1577	II		Not Accepted				Not Accepted					
Chlorodinitrobenzenes, solid	6.1	UN3441	II		Not Accepted				Not Accepted					
2-Chloroethanal	6.1	UN2232	I		Not Accepted				Forbidden					
Chloroform	6.1	UN1888	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes	N36	153	203
Chloroformates, toxic, corrosive, flammable, n.o.s. ‡	6.1 (8) (3)	UN2742	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	5	None	202
Chloroformates, toxic, corrosive, n.o.s. ‡	6.1 (8)	UN3277	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Chloromethyl chloroformate	6.1 (8)	UN2745	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Chloromethyl ethyl ether	3 (6.1)	UN2354	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Chloronitroanilines	6.1	UN2237	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Chloronitrobenzene, liquid	6.1	UN3409	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Chloronitrobenzenes, solid	6.1	UN1578	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Chloronitrotoluenes, liquid	6.1	UN2433	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Chloronitrotoluenes, solid	6.1	UN3457	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Chloropentafluoroethane or Refrigerant gas R 115	2.2	UN1020		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Chlorophenolates, liquid or Phenolates, liquid	8	UN2904	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Chlorophenolates, solid or Phenolates, solid	8	UN2905	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Chlorophenols, liquid	6.1	UN2021	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Chlorophenols, solid	6.1	UN2020	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Chlorophenyltrichlorosilane	8	UN1753	II	CORROSIVE			YES		Forbidden			N34	None	206
Chloropicrin	6.1	UN1580	I		Not Accepted				Forbidden					
Chloropicrin and methyl bromide mixtures	2.3	UN1581			Not Accepted				Forbidden					
Chloropicrin and methyl chloride mixtures <i>Chloropicrin mixture, flammable (pressure not exceeding 14.7 psia at 115 degrees F flash point below 100 degrees F) see Toxic liquids, flammable, etc</i>	2.3	UN1582			Not Accepted				Forbidden					
Chloropicrin mixtures, n.o.s.	6.1	UN1583	I		Not Accepted				Forbidden					
Chloropicrin mixtures, n.o.s.	6.1	UN1583	II		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Chloropicrin mixtures, n.o.s.	6.1	UN1583	III		Not Accepted				Forbidden					
Chloropivaloyl chloride	6.1	NA9263	I		Not Accepted				Forbidden					
Chloroplatinic acid, solid	8	UN2507	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Chloroprene, stabilized	3 (6.1)	UN1991	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Chloroprene, uninhibited	Forbidden													
1-Chloropropane	3	UN1278	II	FLAMMABLE LIQUID			YES		Forbidden			N34	None	202
2-Chloropropane	3	UN2356	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L			N36	150	201
3-Chloropropanol-1	6.1	UN2849	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
2-Chloropropene	3	UN2456	I	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	1 L			A3, N36	None	201
2-Chloropropionic acid	8	UN2511	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
2-Chloropyridine	6.1	UN2822	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Chlorosilanes, corrosive, flammable, n.o.s.	8 (3)	UN2986	II	CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	1 L				None	206
Chlorosilanes, corrosive, flammable, n.o.s.	8 (3)	UN2986	II	CORROSIVE, FLAMMABLE LIQUID			YES		Forbidden				None	206
Chlorosilanes, corrosive, n.o.s.	8	UN2987	II	CORROSIVE			YES	CORROSIVE	1 L				None	206
Chlorosilanes, corrosive, n.o.s.	8	UN2987	II	CORROSIVE			YES		Forbidden				None	206
Chlorosilanes, flammable, corrosive, n.o.s.	3 (8)	UN2985	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	206
Chlorosilanes, toxic, corrosive, n.o.s.	6.1 (8)	UN3361	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	206
Chlorosilanes, toxic, corrosive, flammable, n.o.s.	6.1 (3) (8)	UN3362	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	206
Chlorosilanes, water-reactive, flammable, corrosive, n.o.s.	4.3	UN2988	I		Not Accepted				Forbidden					
Chlorosulfonic acid (with or without sulfur trioxide)	8	UN1754	I		Not Accepted				Forbidden					
Chlorotoluenes	3	UN2238	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Chlorotoluidines, liquid	6.1	UN3429	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Chlorotoluidines, solid	6.1	UN2239	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Chlorotrifluoromethane and trifluoromethane azeotropic mixture or Refrigerant gas R 503 with approximately 60 percent chlorotrifluoromethane	2.2	UN2599		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Chlorotrifluoromethane or Refrigerant gas R 13	2.2	UN1022		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Chromic acid solution	8	UN1755	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Chromic acid solution	8	UN1755	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
<i>Chromic anhydride, see Chromium trioxide, anhydrous</i>														
Chromic fluoride, solid	8	UN1756	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Chromic fluoride, solution	8	UN1757	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Chromic fluoride, solution	8	UN1757	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Chromium nitrate	5.1	UN2720	III	OXIDIZER *			YES		Not Accepted				152	213
Chromium oxychloride	8	UN1758	I	CORROSIVE			YES	CORROSIVE	0.5 L			A3, A6, A7, N34	None	201
Chromium trioxide, anhydrous	5.1 (6.1) (8)	UN1463	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	212
Chromosulfuric acid	8	UN2240	I	CORROSIVE			YES	CORROSIVE	0.5 L			A3, A6, A7, N34	None	201
<i>Chromyl chloride, see Chromium oxychloride</i>														
<i>Cigar and cigarette lighters, charged with fuel, see Lighters or Lighter refills containing flammable gas.</i>														
<i>Coal briquettes, hot</i>	Forbidden													
Coal gas, compressed	2.3	UN1023				Not Accepted			Forbidden					
Coal tar distillates, flammable	3	UN1136	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Coal tar distillates, flammable	3	UN1136	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Coal tar dye, corrosive, liquid, n.o.s., see Dyes, liquid or solid, n.o.s. or Dye intermediates, liquid or solid, corrosive, n.o.s.</i>														
Coating solution (includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining)	3	UN1139	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Coating solution (includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining)	3	UN1139	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			149	150	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Coating solution (includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining)	3	UN1139	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Cobalt naphthenates, powder	4.1	UN2001	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A19	151	213, 27
Cobalt resinate, precipitated	4.1	UN1318	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1, A19	151	213, 27
Coke, hot	Forbidden													
Collodion, see Nitrocellulose etc														
Combustible liquid, n.o.s. ‡	Combustible	NA1993	III	May not be regulated when shipped via UPS ground					Not Accepted				150	203
Components, explosive train, n.o.s. ‡	1.2B	UN0382	◆		Not Accepted				Forbidden					
Components, explosive train, n.o.s. ‡	1.4B	UN0383	◆		Not Accepted				Forbidden					
Components, explosive train, n.o.s. ‡	1.4S	UN0384	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Components, explosive train, n.o.s. ‡	1.1B	UN0461	◆		Not Accepted				Forbidden					
Composition B, see Hexolite, etc														
Compounds, cleaning liquid ‡	8	NA1760	I	CORROSIVE				CORROSIVE	0.5 L			A7	None	201
Compounds, cleaning liquid ‡	8	NA1760	II	CORROSIVE *				CORROSIVE *	1 L			N37	154	202
Compounds, cleaning liquid ‡	8	NA1760	III	CORROSIVE *				CORROSIVE *	5 L			N37	154	203, 27
Compounds, cleaning liquid ‡	3	NA1993	I	FLAMMABLE LIQUID *				FLAMMABLE LIQUID	1 L				150	201
Compounds, cleaning liquid ‡	3	NA1993	II	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	5 L				150	202
Compounds, cleaning liquid ‡	3	NA1993	III	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	25 L				150	203
Compounds, tree killing, liquid or Compounds, weed killing, liquid ‡	8	NA1760	I	CORROSIVE				CORROSIVE	0.5 L			A7	None	201
Compounds, tree killing, liquid or Compounds, weed killing, liquid ‡	8	NA1760	II	CORROSIVE *				CORROSIVE *	1 L			N37	154	202
Compounds, tree killing, liquid or Compounds, weed killing, liquid ‡	8	NA1760	III	CORROSIVE *				CORROSIVE *	5 L			N37	154	203, 27
Compounds, tree killing, liquid or Compounds, weed killing, liquid ‡	3	NA1993	I	FLAMMABLE LIQUID *				FLAMMABLE LIQUID	1 L				150	201
Compounds, tree killing, liquid or Compounds, weed killing, liquid ‡	3	NA1993	II	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	5 L				150	202
Compounds, tree killing, liquid or Compounds, weed killing, liquid ‡	3	NA1993	III	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	25 L				150	203
Compounds, tree killing, liquid or Compounds, weed killing, liquid ‡	6.1	NA2810	I	Refer to Applicable Exemption or Special Permit or 173.13			Yes	Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Compounds, tree killing, liquid or Compounds, weed killing, liquid ‡	6.1	NA2810	II	Refer to Applicable Exemption or Special Permit or 173.13			Yes	Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Compounds, tree killing, liquid or Compounds, weed killing, liquid ‡	6.1	NA2810	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Compressed gas, flammable, n.o.s. ‡	2.1	UN1954		FLAMMABLE GAS *			YES		Forbidden				306	302, 305
Compressed gas, n.o.s. ‡	2.2	UN1956		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *				77	306, 307	302, 305
Compressed gas, n.o.s. ‡	2.2	UN1956		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306, 307	302, 305
Compressed gas, oxidizing, n.o.s. ‡	2.2 (5.1)	UN3156		NON-FLAMMABLE GAS, OXIDIZER *			YES		Not Accepted				306	302
Compressed gas, toxic, corrosive, n.o.s. Inhalation Hazard Zone A ‡	2.3	UN3304			Not Accepted				Forbidden					
Compressed gas, toxic, corrosive, n.o.s. Inhalation Hazard Zone B ‡	2.3	UN3304			Not Accepted				Forbidden					
Compressed gas, toxic, corrosive, n.o.s. Inhalation Hazard Zone C ‡	2.3	UN3304			Not Accepted				Forbidden					
Compressed gas, toxic, corrosive, n.o.s. Inhalation Hazard Zone D ‡	2.3	UN3304			Not Accepted				Forbidden					
Compressed gas, toxic, flammable, corrosive, n.o.s. Inhalation Hazard Zone A ‡	2.3	UN3305			Not Accepted				Forbidden					
Compressed gas, toxic, flammable, corrosive, n.o.s. Inhalation Hazard Zone B ‡	2.3	UN3305			Not Accepted				Forbidden					
Compressed gas, toxic, flammable, corrosive, n.o.s. Inhalation Hazard Zone C ‡	2.3	UN3305			Not Accepted				Forbidden					
Compressed gas, toxic, flammable, corrosive, n.o.s. Inhalation Hazard Zone D ‡	2.3	UN3305			Not Accepted				Forbidden					
Compressed gas, toxic, flammable, n.o.s. Inhalation hazard Zone A ‡	2.3	UN1953			Not Accepted				Forbidden					
Compressed gas, toxic, flammable, n.o.s. Inhalation hazard Zone B ‡	2.3	UN1953			Not Accepted				Forbidden					
Compressed gas, toxic, flammable, n.o.s. Inhalation Hazard Zone C ‡	2.3	UN1953			Not Accepted				Forbidden					
Compressed gas, toxic, flammable, n.o.s. Inhalation Hazard Zone D ‡	2.3	UN1953			Not Accepted				Forbidden					
Compressed gas, toxic, n.o.s. Inhalation Hazard Zone A ‡	2.3	UN1955			Not Accepted				Forbidden					
Compressed gas, toxic, n.o.s. Inhalation Hazard Zone B ‡	2.3	UN1955			Not Accepted				Forbidden					
Compressed gas, toxic, n.o.s. Inhalation Hazard Zone C ‡	2.3	UN1955			Not Accepted				Forbidden					
Compressed gas, toxic, n.o.s. Inhalation Hazard Zone D ‡	2.3	UN1955			Not Accepted				Forbidden					
Compressed gas, toxic, oxidizing, corrosive, n.o.s. Inhalation Hazard Zone A ‡	2.3	UN3306			Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Compressed gas, toxic, oxidizing, corrosive, n.o.s. Inhalation Hazard Zone A ‡	2.3	UN3306			Not Accepted				Forbidden					
Compressed gas, toxic, oxidizing, corrosive, n.o.s. Inhalation Hazard Zone B ‡	2.3	UN3306			Not Accepted				Forbidden					
Compressed gas, toxic, oxidizing, corrosive, n.o.s. Inhalation Hazard Zone C ‡	2.3	UN3306			Not Accepted				Forbidden					
Compressed gas, toxic, oxidizing, corrosive, n.o.s. Inhalation Hazard Zone D ‡	2.3	UN3306			Not Accepted				Forbidden					
Compressed gas, toxic, oxidizing, n.o.s. Inhalation Hazard Zone A ‡	2.3	UN3303			Not Accepted				Forbidden					
Compressed gas, toxic, oxidizing, n.o.s. Inhalation Hazard Zone B ‡	2.3	UN3303			Not Accepted				Forbidden					
Compressed gas, toxic, oxidizing, n.o.s. Inhalation Hazard Zone C ‡	2.3	UN3303			Not Accepted				Forbidden					
Compressed gas, toxic, oxidizing, n.o.s. Inhalation Hazard Zone D ‡	2.3	UN3303			Not Accepted				Forbidden					
Consumer commodity	9	ID8000		MISCELLANEOUS			YES	MISCELLANEOUS	30 kg G				167	167
Consumer commodity	ORM-D			Package must bear ORM-D marking			YES	Package must bear ORM-D-AIR marking	30 kg G				156, 306	156, 306
Contrivances, water-activated, with burster, expelling charge or propelling charge ‡	1.2L	UN0248	◆		Not Accepted				Forbidden					
Contrivances, water-activated, with burster, expelling charge or propelling charge ‡	1.3L	UN0249	◆		Not Accepted				Forbidden					
Copper acetoarsenite	6.1	UN1585	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Copper acetylide	Forbidden													
Copper amine azide	Forbidden													
Copper arsenite	6.1	UN1586	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Copper based pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2776	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Copper based pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2776	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Copper based pesticides, liquid, toxic	6.1	UN3010	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Copper based pesticides, liquid, toxic	6.1	UN3010	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Copper based pesticides, liquid, toxic	6.1	UN3010	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Copper based pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3009	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Copper based pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3009	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Copper based pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3009	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Copper based pesticides, solid, toxic	6.1	UN2775	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Copper based pesticides, solid, toxic	6.1	UN2775	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Copper based pesticides, solid, toxic	6.1	UN2775	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Copper chlorate	5.1	UN2721	II	OXIDIZER *			YES		Not Accepted				152	212
Copper chloride	8	UN2802	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Copper cyanide	6.1	UN1587	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	204
<i>Copper selenate, see Selenates or Selenites</i>														
<i>Copper selenite, see Selenates or Selenites</i>														
<i>Copper tetramine nitrate</i>	Forbidden													
Copra	4.2	UN1363	III		Not Accepted				Forbidden					
Cord, detonating, flexible	1.1D	UN0065	◆		Not Accepted				Forbidden					
Cord, detonating, flexible	1.4D	UN0289	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden				None	62
Cord detonating or Fuse detonating metal clad	1.2D	UN0102	◆		Not Accepted				Forbidden					
Cord, detonating or Fuse, detonating metal clad	1.1D	UN0290	◆		Not Accepted				Forbidden					
Cord, detonating, mild effect or Fuse, detonating, mild effect metal clad	1.4D	UN0104	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden				None	62
Cord, igniter	1.4G	UN0066	◆		Not Accepted				Forbidden					
<i>Cordeau detonant fuse, see Cord, detonating, etc; Cord, detonating, flexible</i>														
<i>Cordite, see Powder, smokeless</i>														
Corrosive liquid, acidic, inorganic, n.o.s. ‡	8	UN3264	I	CORROSIVE			YES	CORROSIVE	0.5 L			A6	None	201
Corrosive liquid, acidic, inorganic, n.o.s. ‡	8	UN3264	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Corrosive liquid, acidic, inorganic, n.o.s. ‡	8	UN3264	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Corrosive liquid, acidic, organic, n.o.s. ‡	8	UN3265	I	CORROSIVE			YES	CORROSIVE	0.5 L			A6	None	201
Corrosive liquid, acidic, organic, n.o.s. ‡	8	UN3265	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Corrosive liquid, acidic, organic, n.o.s. ‡	8	UN3265	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Corrosive liquid, basic, inorganic, n.o.s. ‡	8	UN3266	I	CORROSIVE			YES	CORROSIVE	0.5 L			A6	None	201
Corrosive liquid, basic, inorganic, n.o.s. ‡	8	UN3266	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Corrosive liquid, basic, inorganic, n.o.s. ‡	8	UN3266	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Corrosive liquid, basic, organic, n.o.s. ‡	8	UN3267	I	CORROSIVE			YES	CORROSIVE	0.5 L			A6	None	201
Corrosive liquid, basic, organic, n.o.s. ‡	8	UN3267	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Corrosive liquid, basic, organic, n.o.s. ‡	8	UN3267	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Corrosive liquid, self-heating, n.o.s. ‡	8 (4.2)	UN3301	I		Not Accepted				Not Accepted					
Corrosive liquid, self-heating, n.o.s. ‡	8 (4.2)	UN3301	II		Not Accepted				Not Accepted					
Corrosive liquids, flammable, n.o.s. ‡	8 (3)	UN2920	I	CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	0.5 L			A6	None	201
Corrosive liquids, flammable, n.o.s. ‡	8 (3)	UN2920	II	CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	1 L				None	202
Corrosive liquids, n.o.s. ‡	8	UN1760	I	CORROSIVE			YES	CORROSIVE	0.5 L			A6, A7	None	201
Corrosive liquids, n.o.s. ‡	8	UN1760	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Corrosive liquids, n.o.s. ‡	8	UN1760	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Corrosive liquids, oxidizing, n.o.s. ‡	8 (5.1)	UN3093	I		Not Accepted				Forbidden					
Corrosive liquids, oxidizing, n.o.s. ‡	8 (5.1)	UN3093	II	CORROSIVE, OXIDIZER			YES		Not Accepted				None	202
Corrosive liquids, toxic, n.o.s. ‡	8 (6.1)#	UN2922	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	0.5 L		Yes	A6, A7	None	201
Corrosive liquids, toxic, n.o.s. ‡	8 (6.1)#	UN2922	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Corrosive liquids, toxic, n.o.s. ‡	8 (6.1)#	UN2922	III	CORROSIVE, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		154	203, 27
Corrosive liquids, water-reactive, n.o.s. ‡	8 (4.3)	UN3094	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Corrosive liquids, water-reactive, n.o.s. ‡	8 (4.3)	UN3094	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	A6, A7	None	202
Corrosive solid, acidic, inorganic, n.o.s. ‡	8	UN3260	I	CORROSIVE			YES	CORROSIVE	1 kg				None	211
Corrosive solid, acidic, inorganic, n.o.s. ‡	8	UN3260	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Corrosive solid, acidic, inorganic, n.o.s. ‡	8	UN3260	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Corrosive solid, acidic, organic, n.o.s. ‡	8	UN3261	I	CORROSIVE			YES	CORROSIVE	1 kg				None	211
Corrosive solid, acidic, organic, n.o.s. ‡	8	UN3261	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Corrosive solid, acidic, organic, n.o.s. ‡	8	UN3261	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Corrosive solid, basic, inorganic, n.o.s. ‡	8	UN3262	I	CORROSIVE			YES	CORROSIVE	1 kg				None	211
Corrosive solid, basic, inorganic, n.o.s. ‡	8	UN3262	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Corrosive solid, basic, inorganic, n.o.s. ‡	8	UN3262	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Corrosive solid, basic, organic, n.o.s. ‡	8	UN3263	I	CORROSIVE			YES	CORROSIVE	1 kg				None	211
Corrosive solid, basic, organic, n.o.s. ‡	8	UN3263	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Corrosive solid, basic, organic, n.o.s. ‡	8	UN3263	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Corrosive solids, flammable, n.o.s. ‡	8 (4.1)	UN2921	I	CORROSIVE, FLAMMABLE SOLID			YES	CORROSIVE, FLAMMABLE SOLID	1 kg				None	211
Corrosive solids, flammable, n.o.s. ‡	8 (4.1)	UN2921	II	CORROSIVE, FLAMMABLE SOLID			YES	CORROSIVE, FLAMMABLE SOLID	15 kg				None	212
Corrosive solids, n.o.s. ‡	8	UN1759	I	CORROSIVE			YES	CORROSIVE	1 kg				None	211
Corrosive solids, n.o.s. ‡	8	UN1759	II	CORROSIVE *			YES	CORROSIVE *	15 kg			128	154	212
Corrosive solids, n.o.s. ‡	8	UN1759	III	CORROSIVE *			YES	CORROSIVE *	25 kg			128	154	213, 27
Corrosive solids, oxidizing, n.o.s. ‡	8 (5.1)	UN3084	I	CORROSIVE, OXIDIZER			YES		Not Accepted				None	211
Corrosive solids, oxidizing, n.o.s. ‡	8 (5.1)	UN3084	II	CORROSIVE, OXIDIZER			YES		Not Accepted				None	212
Corrosive solids, self-heating, n.o.s. ‡	8	UN3095	I		Not Accepted				Not Accepted					
Corrosive solids, self-heating, n.o.s. ‡	8	UN3095	II		Not Accepted				Not Accepted					
Corrosive solids, toxic, n.o.s. ‡	8 (6.1)#	UN2923	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 kg		Yes		None	211
Corrosive solids, toxic, n.o.s. ‡	8 (6.1)#	UN2923	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Corrosive solids, toxic, n.o.s. ‡	8 (6.1)#	UN2923	III	CORROSIVE, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		154	213, 27
Corrosive solids, water-reactive, n.o.s. ‡	8 (4.3)	UN3096	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 kg		Yes		None	211
Corrosive solids, water-reactive, n.o.s. ‡	8 (4.3)	UN3096	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Cotton	9	NA1365		May not be regulated when shipped via UPS				May not be regulated when shipped via UPS		30 kg		137	None	None
Cotton waste, oily	4.2	UN1364	III		Not Accepted				Forbidden					
Cotton, wet	4.2	UN1365	III		Not Accepted				Forbidden					
Coumarin derivative pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN3024	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Coumarin derivative pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN3024	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Coumarin derivative pesticides, liquid, toxic	6.1	UN3026	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Coumarin derivative pesticides, liquid, toxic	6.1	UN3026	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Coumarin derivative pesticides, liquid, toxic	6.1	UN3026	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Coumarin derivative pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3025	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Coumarin derivative pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3025	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Coumarin derivative pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3025	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Coumarin derivative pesticides, solid, toxic	6.1	UN3027	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Coumarin derivative pesticides, solid, toxic	6.1	UN3027	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Coumarin derivative pesticides, solid, toxic	6.1	UN3027	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Cresols, liquid	6.1 (8)	UN2076	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Cresols, solid	6.1 (8)	UN3455	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Cresylic acid	6.1 (8)	UN2022	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Crotonaldehyde or Crotonaldehyde, stabilized	6.1 (3)	UN1143	I		Not Accepted				Forbidden					
Crotonic acid, liquid	8	UN3472	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203
Crotonic acid, solid	8	UN2823	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213
Crotonylene	3	UN1144	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	1 L				150	201
Cupriethylenediamine solution	8 (6.1)#	UN1761	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Cupriethylenediamine solution	8 (6.1)#	UN1761	III	CORROSIVE, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		154	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Cutters, cable, explosive	1.4S	UN0070	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
<i>Cyanide or cyanide mixtures, dry, see Cyanides, inorganic, solid, n.o.s.</i>														
Cyanide solutions, n.o.s.	6.1	UN1935	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Cyanide solutions, n.o.s.	6.1	UN1935	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Cyanide solutions, n.o.s.	6.1	UN1935	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Cyanides, inorganic, solid, n.o.s.	6.1	UN1588	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes	N74, N75	None	211
Cyanides, inorganic, solid, n.o.s.	6.1	UN1588	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	N74, N75	None	212
Cyanides, inorganic, solid, n.o.s.	6.1	UN1588	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	N74, N75	153	213
Cyanogen	2.3	UN1026			Not Accepted				Forbidden					
Cyanogen bromide	6.1	UN1889	I		Not Accepted				Not Accepted					
Cyanogen chloride, stabilized	2.3	UN1589			Not Accepted				Forbidden					
Cyanuric chloride	8	UN2670	II	CORROSIVE			YES	CORROSIVE	15 kg				None	212
<i>Cyanuric triazide</i>	Forbidden													
Cyclobutane	2.1	UN2601		FLAMMABLE GAS *			YES		Forbidden				306	304
Cyclobutyl chloroformate	6.1 (8) (3)	UN2744	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
1,5,9-Cyclododecatriene	6.1	UN2518	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Cycloheptane	3	UN2241	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Cycloheptatriene	3 (6.1)	UN2603	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Cycloheptene	3	UN2242	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Cyclohexane	3	UN1145	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Cyclohexanone	3	UN1915	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Cyclohexene	3	UN2256	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Cyclohexenyltrichlorosilane	8	UN1762	II	CORROSIVE			YES		Forbidden			N34	None	206
Cyclohexyl acetate	3	UN2243	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Cyclohexyl isocyanate	6.1	UN2488	I		Not Accepted				Forbidden					
Cyclohexyl mercaptan	3	UN3054	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	1 L				150	203
Cyclohexylamine	8 (3)	UN2357	II	CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	1 L				None	202
Cyclohexyltrichlorosilane	8	UN1763	II	CORROSIVE			YES		Forbidden			N34	None	206
Cyclonite and cyclotetramethylenetetranitramine mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc														
Cyclonite and HMX mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc														
Cyclonite and octogen mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc														
Cyclonite, see Cyclotrimethylenetrinitramine, etc														
Cyclooctadiene phosphines, see 9-Phosphabicyclononanes														
Cyclooctadienes	3	UN2520	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Cyclooctatetraene	3	UN2358	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Cyclopentane	3	UN1146	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Cyclopentane, methyl, see Methylcyclopentane														
Cyclopentanol	3	UN2244	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Cyclopentanone	3	UN2245	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Cyclopentene	3	UN2246	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Cyclopropane	2.1	UN1027		FLAMMABLE GAS *			YES		Forbidden				306	304
Cyclotetramethylene tetranitramine (dry or unphlegmatized) (HMX)	Forbidden													
Cyclotetramethylenetetranitramine, desensitized or Octogen, desensitized or HMX, desensitized	1.1D	UN0484	◆		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Cyclotetramethylenetetranitramine, wetted or HMX, wetted or Octogen, wetted with not less than 15 percent water, by mass	1.1D	UN0226	◆		Not Accepted				Forbidden					
Cyclotrimethylenitramine and octogen, mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc														
Cyclotrimethylenetrinitramine and cyclotetramethylenetetranitramine mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc														
Cyclotrimethylenetrinitramine and HMX mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc														
Cyclotrimethylenetrinitramine, desensitized or Cyclonite, desensitized or Hexogen, desensitized or RDX, desensitized	1.1D	UN0483	◆		Not Accepted				Forbidden					
Cyclotrimethylenetrinitramine, wetted or Cyclonite, wetted or Hexogen, wetted or RDX, wetted with not less than 15 percent water by mass	1.1D	UN0072	◆		Not Accepted				Forbidden					
Cymenes	3	UN2046	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Dangerous Goods in Machinery or Dangerous Goods in Apparatus	9	UN3363		See Special Provision 136				See Special Provision 136	See A105	30 kg		136, A105	None	222
Decaborane	4.1	UN1868	II		Not Accepted				Forbidden					
Decahydronaphthalene	3	UN1147	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
n-Decane	3	UN2247	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Deflagrating metal salts of aromatic nitroderivatives, n.o.s.	1.3C	UN0132	◆		Not Accepted				Forbidden					
Delay electric igniter, see Igniters														
Denatured alcohol	3	NA1987	II	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	5 L			172	150	202
Denatured alcohol	3	NA1987	III	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	25 L			172	150	203
Depth charges, see Charges, depth														
Desensitized explosive, liquid, n.o.s. ‡	3	UN3379	I		Not Accepted				Forbidden					
Desensitized explosive, solid, n.o.s. ‡	4.1	UN3380	I		Not Accepted				Forbidden					
Detonating relays, see Detonators, etc														
Detonator assemblies, non-electric for blasting	1.1B	UN0360	◆		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Detonator assemblies, non-electric, for blasting	1.4B	UN0361	◆		Not Accepted				Forbidden					
Detonator, assemblies, non-electric, for blasting	1.4S	UN0500	◆	EXPLOSIVE 1.4S				EXPLOSIVE 1.4S	25 kg				63(f), 63(g)	62
Detonator assemblies, non-electric, for blasting	1.4S	UN0500	◆	EXPLOSIVE 1.4S				EXPLOSIVE 1.4S	25 kg			347	63(f), 63(g)	62
Detonators, electric, for blasting	1.1B	UN0030	◆		Not Accepted				Forbidden					
Detonators, electric, for blasting	1.4B	UN0255	◆		Not Accepted				Forbidden					
Detonators, electric for blasting	1.4S	UN0456	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		63(f), 63(g)	62
Detonators, electric for blasting	1.4S	UN0456	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320	347	63(f), 63(g)	62
Detonators for ammunition	1.1B	UN0073	◆		Not Accepted				Forbidden					
Detonators for ammunition	1.2B	UN0364	◆		Not Accepted				Forbidden					
Detonators for ammunition	1.4B	UN0365	◆		Not Accepted				Forbidden					
Detonators for ammunition	1.4S	UN0366	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Detonators for ammunition	1.4S	UN0366	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320	347	None	62
Detonators, non-electric, for blasting	1.1B	UN0029	◆		Not Accepted				Forbidden					
Detonators, non-electric, for blasting	1.4B	UN0267	◆		Not Accepted				Forbidden					
Detonators, non-electric, for blasting	1.4S	UN0455	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320	104	63(f), 63(g)	62
Detonators, non-electric, for blasting	1.4S	UN0455	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320	347	63(f), 63(g)	62
Deuterium, compressed	2.1	UN1957		FLAMMABLE GAS *			YES		Forbidden			N89	306	302
Devices, small, hydrocarbon gas powered or Hydrocarbon gas refills for small devices with release device	2.1	UN3150		FLAMMABLE GAS *			YES		1 kg				306	304
Di-n-amylamine	3 (6.1)	UN2841	III	FLAMMABLE LIQUID, POISON PG III *			YES	Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		150	203
Di-n-butyl peroxydicarbonate, with more than 52 percent in solution	Forbidden													
Di-n-butylamine	8 (3)	UN2248	II	CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	1 L				None	202
2,2-Di-(tert-butylperoxy) butane, with more than 55 percent in solution	Forbidden													
Di-(tert-butylperoxy) phthalate, with more than 55 percent in solution	Forbidden													

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
2,2-Di-(4,4-di-tert-butylperoxycyclohexyl) propane, with more than 42 percent with inert solid	Forbidden													
Di-2,4-dichlorobenzoyl peroxide, with more than 75 percent with water	Forbidden													
1,2-Di-(dimethylamino)ethane	3	UN2372	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Di-2-ethylhexyl phosphoric acid, see Diisooctyl acid phosphate														
Di-(1-hydroxytetrazole) (dry)	Forbidden													
Di-(1-naphthoyl) peroxide	Forbidden													
a,a'-Di-(nitroxy) methylether	Forbidden													
Di-(beta-nitroxyethyl) ammonium nitrate	Forbidden													
Diacetone alcohol	3	UN1148	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Diacetone alcohol	3	UN1148	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Diacetone alcohol peroxides, with more than 5/ percent in solution with more than 9 percent hydrogen peroxide, less than 26 percent diacetone alcohol and less than 9 percent water; total active oxygen content more than 9 percent by mass	Forbidden													
Diacetyl, see Butanedione														
Diacetyl peroxide, solid, or with more than 25 percent in solution	Forbidden													
Diallylamine	3 (6.1) (8)	UN2359	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Diallylether	3 (6.1)	UN2360	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	N12	None	202
4,4'-Diaminodiphenyl methane	6.1	UN2651	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
p-Diazidobenzene	Forbidden													
1,2-Diazoethane	Forbidden													
1,1'-Diazoaminonaphthalene	Forbidden													
Diazoaminotetrazole (dry)	Forbidden													
Diazodinitrophenol (dry)	Forbidden													
Diazodinitrophenol, wetted with not less than 40 percent water or mixture of alcohol and water, by mass	1.1A	UN0074	◆			Not Accepted			Forbidden					
Diazodiphenylmethane	Forbidden													
Diazonium nitrates (dry)	Forbidden													
Diazonium perchlorates (dry)	Forbidden													
1,3-Diazopropane	Forbidden													
Dibenzyl peroxydicarbonate, with more than 87 percent with water	Forbidden													

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Dibenzylchlorosilane	8	UN2434	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	206
Dibenzylchlorosilane	8	UN2434	II	CORROSIVE *			YES		Forbidden				154	206
Diborane	2.3	UN1911			Not Accepted				Forbidden					
Diborane mixtures	2.1	NA1911			Not Accepted				Forbidden					
Dibromoacetylene	Forbidden													
1,2-Dibromobutan-3-one	6.1	UN2648	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Dibromochloropropane	6.1	UN2872	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Dibromochloropropane	6.1	UN2872	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Dibromodifluoromethane, R12B2	9	UN1941	III	May not be regulated when shipped via UPS ground			YES	None *	25 L	30 L			155	203
1,2-Dibromoethane, see Ethylene dibromide														
Dibromomethane	6.1	UN2664	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Dibutyl ethers	3	UN1149	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Dibutylaminoethanol	6.1	UN2873	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
N,N'-Dichlorazodicarbonamide (salts of) (dry)	Forbidden													
1,1-Dichloro-1-nitroethane	6.1	UN2650	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
3,5-Dichloro-2,4,6-trifluoropyridine	6.1	NA9264	I		Not Accepted				Forbidden					
Dichloroacetic acid	8	UN1764	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A6, A7, N34	154	202
1,3-Dichloroacetone	6.1	UN2649	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Dichloroacetyl chloride	8	UN1765	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A6, A7, N34	154	202
Dichloroacetylene	Forbidden													
Dichloroanilines, liquid	6.1	UN1590	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Dichloroanilines, solid	6.1	UN3442	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
o-Dichlorobenzene	6.1	UN1591	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
2,2'-Dichlorodiethyl ether	6.1 (3)	UN1916	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	N33, N34	None	202
Dichlorodifluoromethane and difluoroethane azeotropic mixture or Refrigerant gas R 500 with approximately 74 percent dichlorodifluoromethane	2.2	UN2602		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Dichlorodifluoromethane or Refrigerant gas R 12	2.2	UN1028		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Dichlorodimethyl ether, symmetrical	6.1 (3)	UN2249	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
1,1-Dichloroethane	3	UN2362	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
1,2-Dichloroethane, see Ethylene dichloride														
Dichloroethyl sulfide	Forbidden													
1,2-Dichloroethylene	3	UN1150	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Dichlorofluoromethane or Refrigerant gas R21	2.2	UN1029		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Dichloroisocyanuric acid, dry or									Not Accepted					
Dichloroisocyanuric acid salts	5.1	UN2465	II	OXIDIZER *			YES					28	152	212
Dichloroisopropyl ether	6.1	UN2490	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Dichloromethane	6.1	UN1593	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes	N36	153	203
Dichloropentanes	3	UN1152	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Dichlorophenyl isocyanates	6.1	UN2250	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Dichlorophenyltrichlorosilane	8	UN1766	II	CORROSIVE			YES		Forbidden			N34	None	206
1,2-Dichloropropane	3	UN1279	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			N36	150	202
1,3-Dichloropropanol-2	6.1	UN2750	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Dichloropropene and propylene dichloride mixture, see 1,2-Dichloropropane														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Dichloropropenes	3	UN2047	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Dichloropropenes	3	UN2047	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Dichlorosilane	2.3	UN2189			Not Accepted				Forbidden					
1,2-Dichloro-1,1,2,2- tetrafluoroethane or Refrigerant gas R 114	2.2	UN1958		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Dichlorovinylchloroarsine	Forbidden													
Dicycloheptadiene, see Bicyclo [2,2,1] hepta-2,5-diene, stabilized														
Dicyclohexylamine	8	UN2565	III	CORROSIVE * FLAMMABLE SOLID *			YES	CORROSIVE * FLAMMABLE SOLID *	5 L				154	203, 27
Dicyclohexylammonium nitrite	4.1	UN2687	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg				151	213, 27
Dicyclopentadiene	3	UN2048	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Didymium nitrate	5.1	UN1465	III	OXIDIZER *			YES		Not Accepted				152	213
Diesel fuel	3	NA1993	III	None *				None *	25 L			144	150	203
Diesel fuel	3	UN1202	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L			144	150	203
Diethanol nitrosamine dinitrate (dry)	Forbidden													
Diethoxymethane	3	UN2373	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
3,3-Diethoxypropene	3	UN2374	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
3-Diethylamino-propylamine.	3 (8)	UN2684	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
Diethyl carbonate	3	UN2366	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Diethyl cellosolve, see Ethylene glycol diethyl ether														
Diethyl ether or Ethyl ether	3	UN1155	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Diethyl ketone	3	UN1156	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Diethyl peroxydicarbonate, with more than 27 percent in solution	Forbidden													
Diethyl sulfate	6.1	UN1594	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Diethyl sulfide	3	UN2375	II	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	5 L				None	202
Diethylamine	3 (8)	UN1154	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L			A3, N34	None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
2-Diethylaminoethanol	8 (3)	UN2686	II	CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	1 L				None	202
3-Diethylamino-propylamine.	3 (8)	UN2684	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
Diethylbenzene	3	UN2049	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Diethyldichlorosilane	8 (3)	UN1767	II	CORROSIVE, FLAMMABLE LIQUID			YES		Forbidden			N34	None	206
Diethylene glycol dinitrate	Forbidden													
Diethyleneglycol dinitrate, desensitized with not less than 25 percent non-volatile water-insoluble phlegmatizer, by mass	1.1D	UN0075	◆		Not Accepted				Forbidden					
Diethylenetriamine	8	UN2079	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
N,N-Diethylethylenediamine	8 (3)	UN2685	II	CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	1 L				None	202
Diethylgold bromide	Forbidden													
Diethylthiophosphoryl chloride	8	UN2751	II	CORROSIVE			YES	CORROSIVE	15 kg				None	212
Difluorochloroethanes, see 1-Chloro-1,1-difluoroethanes														
1,1-Difluoroethane or Refrigerant gas R 152a	2.1	UN1030		FLAMMABLE GAS *			YES		Forbidden				306	304
1,1-Difluoroethylene or Refrigerant gas R 1132a	2.1	UN1959		FLAMMABLE GAS *			YES		Forbidden				306	304
Difluoromethane or Refrigerant gas R 32	2.1	UN3252		FLAMMABLE GAS *			YES		Forbidden				306	302
Difluorophosphoric acid, anhydrous	8	UN1768	II	CORROSIVE FLAMMABLE LIQUID *			YES	CORROSIVE FLAMMABLE LIQUID *	1 L			A6, A7, N5, N34	None	202
2,3-Dihydropyran	3	UN2376	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
1,8-Dihydroxy-2,4,5,7-tetranitroanthraquinone (chrysammic acid)	Forbidden													
Diiodoacetylene	Forbidden													
Diisobutyl ketone	3	UN1157	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Diisobutylamine	3 (8)	UN2361	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
Diisobutylene, isomeric compounds	3	UN2050	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Diisooctyl acid phosphate	8	UN1902	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Diisopropyl ether	3	UN1159	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Diisopropylamine	3 (8)	UN1158	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				150	202
<i>Diisopropylbenzene hydroperoxide, with more than 72 percent in solution</i>	Forbidden													
Diketene, stabilized	6.1	UN2521	I		Not Accepted				Forbidden					
1,2-Dimethoxyethane	3	UN2252	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
1,1-Dimethoxyethane	3	UN2377	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Dimethyl carbonate	3	UN1161	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>Dimethyl chlorothiophosphate, see Dimethyl thiophosphoryl chloride</i>														
<i>2,5-Dimethyl-2,5-dihydroperoxy hexane, with more than 82 percent with water</i>	Forbidden													
Dimethyl disulfide	3	UN2381	II	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	5 L				None	202
Dimethyl ether	2.1	UN1033		FLAMMABLE GAS *			YES		Forbidden				306	304
Dimethyl-N-propylamine	3 (8)	UN2266	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Dimethyl sulfate	6.1	UN1595	I		Not Accepted				Forbidden					
Dimethyl sulfide	3	UN1164	II	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	1 L				None	202
Dimethyl thiophosphoryl chloride	6.1 (8)	UN2267	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Dimethylamine, anhydrous	2.1	UN1032		FLAMMABLE GAS			YES		Forbidden			N87	None	304
Dimethylamine solution	3 (8)	UN1160	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
2-Dimethylaminoacetonitrile	3 (6.1)	UN2378	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
2-Dimethylaminoethanol	8 (3)	UN2051	II	CORROSIVE, FLAMMABLE LIQUID *			YES	CORROSIVE, FLAMMABLE LIQUID *	1 L				154	202
2-Dimethylaminoethyl acrylate	6.1	UN3302	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
2-Dimethylaminoethyl methacrylate	6.1	UN2522	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
N,N-Dimethylaniline	6.1	UN2253	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
2,3-Dimethylbutane	3	UN2457	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
1,3-Dimethylbutylamine	3 (8)	UN2379	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Dimethylcarbamoyl chloride	8	UN2262	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Dimethylcyclohexanes	3	UN2263	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
N,N-Dimethylcyclohexylamine	8 (3)	UN2264	II	CORROSIVE, FLAMMABLE LIQUID *			YES	CORROSIVE, FLAMMABLE LIQUID *	1 L				154	202
Dimethyldichlorosilane	3 (8)	UN1162	II	FLAMMABLE LIQUID, CORROSIVE			YES		Forbidden				None	206
Dimethyldiethoxysilane	3	UN2380	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Dimethyldioxanes	3	UN2707	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Dimethyldioxanes	3	UN2707	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
N,N-Dimethylformamide	3	UN2265	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Dimethylhexane dihydroperoxide (dry)</i>	Forbidden													
Dimethylhydrazine, symmetrical	6.1	UN2382	I			Not Accepted			Forbidden					
Dimethylhydrazine, unsymmetrical	6.1	UN1163	I			Not Accepted			Forbidden					
2,2-Dimethylpropane	2.1	UN2044		FLAMMABLE GAS *			YES		Forbidden				306	304
Dinitro-o-cresol	6.1	UN1598	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>1,3-Dinitro-5,5-dimethyl hydantoin</i>	Forbidden													
<i>Dinitro-7,8-dimethylglycoluril (dry)</i>	Forbidden													
<i>1,3-Dinitro-4,5-dinitrosobenzene</i>	Forbidden													
<i>1,4-Dinitro-1,1,4,4-tetramethylolbutanetetranitrate (dry)</i>	Forbidden													
<i>2,4-Dinitro-1,3,5-trimethylbenzene</i>	Forbidden													
Dinitroanilines	6.1	UN1596	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Dinitrobenzenes, liquid	6.1	UN1597	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	11	None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Dinitrobenzenes, liquid	6.1	UN1597	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes	11	153	203
Dinitrobenzenes, solid	6.1	UN3443	II		Not Accepted				Not Accepted					
Dinitrochlorobenzene, see Chlorodinitrobenzene														
1,2-Dinitroethane	Forbidden													
1,1-Dinitroethane (dry)	Forbidden													
Dinitrogen tetroxide	2.3	UN1067			Not Accepted				Forbidden					
Dinitroglycoluril or Dingu	1.1D	UN0489	◆		Not Accepted				Forbidden					
Dinitromethane	Forbidden													
Dinitrophenol, dry or wetted with less than 15 percent water, by mass	1.1D	UN0076	◆		Not Accepted				Forbidden					
Dinitrophenol solutions	6.1	UN1599	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Dinitrophenol solutions	6.1	UN1599	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Dinitrophenol, wetted with not less than 15 percent water, by mass	4.1 (6.1)	UN1320	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 kg		Yes	23, A8, A19, A20, N41	None	211
Dinitrophenolates alkali metals, dry or wetted with less than 15 percent water, by mass	1.3C	UN0077	◆		Not Accepted				Forbidden					
Dinitrophenolates, wetted with not less than 15 percent water, by mass	4.1 (6.1)	UN1321	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 kg		Yes	23, A8, A19, A20, N41	None	211
Dinitropropylene glycol	Forbidden													
Dinitroresorcinol, dry or wetted with less than 15 percent water, by mass	1.1D	UN0078	◆		Not Accepted				Forbidden					
2,4-Dinitroresorcinol (heavy metal salts of) (dry)	Forbidden													
4,6-Dinitroresorcinol (heavy metal salts of) (dry)	Forbidden													
Dinitroresorcinol, wetted with not less than 15 percent water, by mass	4.1	UN1322	I	FLAMMABLE SOLID				FLAMMABLE SOLID	1 kg			23, A8, A19, A20, N41	None	211
3,5-Dinitrosalicylic acid (lead salt) (dry)	Forbidden													
Dinitrosobenzene	1.3C	UN0406	◆		Not Accepted				Forbidden					
Dinitrosobenzylamide and salts of (dry)	Forbidden													
2,2-Dinitrostilbene	Forbidden													
Dinitrotoluenes, liquid	6.1	UN2038	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Dinitrotoluenes, molten	6.1	UN1600	II		Not Accepted				Forbidden					
Dinitrotoluenes, solid	6.1	UN3454	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
1,9-Dinitroxy pentamethylene-2,4, 6,8-tetramine (dry)	Forbidden													
Dioxane	3	UN1165	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Dioxolane	3	UN1166	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Dipentene	3	UN2052	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Diphenylamine chloroarsine	6.1	UN1698	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Diphenylchloroarsine, liquid	6.1	UN1699	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N33, N34	None	201
Diphenylchloroarsine, solid	6.1	UN3450	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	211
Diphenyldichlorosilane	8	UN1769	II	CORROSIVE			YES		Forbidden			N34	None	206
Diphenylmethyl bromide	8	UN1770	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Dipicryl sulfide, dry or wetted with less than 10 percent water, by mass	1.1D	UN0401	◆		Not Accepted				Forbidden					
Dipicryl sulfide, wetted with not less than 10 percent water, by mass	4.1	UN2852	I	FLAMMABLE SOLID					Forbidden			162, N41, N84	None	211
Dipicrylamine, see Hexanitrodiphenylamine														
Dipropionyl peroxide, with more than 28 percent in solution	Forbidden													
Di-n-propyl ether	3	UN2384	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Dipropyl ketone	3	UN2710	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Dipropylamine	3 (8)	UN2383	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Disinfectant, liquid, corrosive, n.o.s. ‡	8	UN1903	I	CORROSIVE			YES	CORROSIVE	0.5 L			A6, A7	None	201
Disinfectants, liquid, corrosive n.o.s. ‡	8	UN1903	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Disinfectants, liquid, corrosive n.o.s. ‡	8	UN1903	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203
Disinfectants, liquid, toxic, n.o.s. ‡	6.1	UN3142	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	A4	None	201
Disinfectants, liquid, toxic, n.o.s. ‡	6.1	UN3142	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Disinfectants, liquid, toxic, n.o.s. ‡	6.1	UN3142	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Disinfectants, solid, toxic, n.o.s. ‡	6.1	UN1601	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Disinfectants, solid, toxic, n.o.s. ‡	6.1	UN1601	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Disinfectants, solid, toxic, n.o.s. ‡	6.1	UN1601	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Disodium trioxosilicate	8	UN3253	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Dispersant gases, n.o.s. see Refrigerant gases, n.o.s. ‡														
Divinyl ether, stabilized	3	UN1167	I	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	1 L			A7	None	201
Dodecyltrichlorosilane	8	UN1771	II	CORROSIVE			YES		Forbidden			N34	None	206
Dry ice, see Carbon dioxide, solid														
Dyes, liquid, corrosive, n.o.s. or Dye intermediates, liquid, corrosive, n.o.s. ‡	8	UN2801	I	CORROSIVE			YES	CORROSIVE	0.5 L			11, A6	None	201
Dyes, liquid, corrosive, n.o.s. or Dye intermediates, liquid, corrosive, n.o.s. ‡	8	UN2801	II	CORROSIVE *			YES	CORROSIVE *	1 L			11	154	202
Dyes, liquid, corrosive, n.o.s. or Dye intermediates, liquid, corrosive, n.o.s. ‡	8	UN2801	III	CORROSIVE *			YES	CORROSIVE *	5 L			11	154	203, 27
Dyes, liquid, toxic, n.o.s. or Dye intermediates, liquid, toxic, n.o.s. ‡	6.1	UN1602	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Dyes, liquid, toxic, n.o.s. or Dye intermediates, liquid, toxic, n.o.s. ‡	6.1	UN1602	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Dyes, liquid, toxic, n.o.s. or Dye intermediates, liquid, toxic, n.o.s. ‡	6.1	UN1602	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Dyes, solid, corrosive, n.o.s. or Dye intermediates, solid, corrosive, n.o.s. ‡	8	UN3147	I	CORROSIVE			YES	CORROSIVE	1 kg				None	211
Dyes, solid, corrosive, n.o.s. or Dye intermediates, solid, corrosive, n.o.s. ‡	8	UN3147	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Dyes, solid, corrosive, n.o.s. or Dye intermediates, solid, corrosive, n.o.s. ‡	8	UN3147	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Dyes, solid, toxic, n.o.s. or Dye intermediates, solid, toxic, n.o.s. ‡	6.1	UN3143	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes	A5	None	211
Dyes, solid, toxic, n.o.s. or Dye intermediates, solid, toxic, n.o.s. ‡	6.1	UN3143	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Dyes, solid, toxic, n.o.s. or Dye intermediates, solid, toxic, n.o.s. ‡	6.1	UN3143	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>Dynamite, see Explosive, blasting, type A</i>														
<i>Electrolyte (acid or alkali) for batteries, see Battery fluid, acid or Battery fluid, alkali</i>														
<i>Elevated temperature liquid, flammable, n.o.s., with flash point above 37.8 C, at or above its flash point</i>	3	UN3256	III		Not Accepted				Forbidden					
<i>Elevated temperature liquid, n.o.s., at or above 100 C and below its flash point (including molten metals, molten salts, etc.)</i>	9	UN3257	III		Not Accepted				Forbidden	Forbidden				
<i>Elevated temperature solid, n.o.s., at or above 240 C, see §173.247(h)(4)</i>	9	UN3258	III		Not Accepted				Forbidden	Forbidden				
<i>Engines, internal combustion, flammable gas powered</i>	9	UN3166		May not be regulated when shipped via UPS ground			YES		Forbidden	Forbidden		135	220	220
<i>Engines, internal combustion, flammable liquid powered</i>	9	UN3166		May not be regulated when shipped via UPS ground			YES	None	30 kg G	30 kg G		135	220	220
<i>Engines, internal combustion, or Engines, fuel cell, flammable gas powered</i>	9	UN3166		May not be regulated when shipped via UPS ground			YES		Forbidden	Forbidden		135	220	220
<i>Engines, internal combustion, or Engines, fuel cell, flammable liquid powered</i>	9	UN3166		May not be regulated when shipped via UPS ground			YES	None	30 kg G	30 kg G		135	220	220
<i>Environmentally hazardous substance, liquid, n.o.s. ‡</i>	9	UN3082	III	CLASS 9 *			YES	CLASS 9 *		30 kg		8, 146, 173, 335	155	203
<i>Environmentally hazardous substances, solid, n.o.s. ‡</i>	9	UN3077	III	CLASS 9 *			YES	CLASS 9 *		30 kg		8, 146, 335, N20	155	213
<i>Environmentally hazardous substances, solid, n.o.s. ‡</i>	9	UN3077	III	CLASS 9 *			YES	CLASS 9 *		30 kg		8, 146, 335, A112, N20	155	213
<i>Epibromohydrin</i>	6.1 (3)	UN2558	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
<i>Epichlorohydrin</i>	6.1 (3)	UN2023	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
<i>1,2-Epoxy-3-ethoxypropane</i>	3	UN2752	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Esters, n.o.s.</i>	3	UN3272	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>Esters, n.o.s.</i>	3	UN3272	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Etching acid, liquid, n.o.s., see Hydrofluoric acid, etc</i>														
<i>Ethane</i>	2.1	UN1035		FLAMMABLE GAS *			YES		Forbidden				306	304

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Ethane-Propane mixture, refrigerated liquid	2.1	NA1961			Not Accepted				Forbidden					
Ethane, refrigerated liquid	2.1	UN1961			Not Accepted				Forbidden					
Ethanol amine dinitrate	Forbidden													
Ethanolamine or Ethanolamine solutions	8	UN2491	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Ethanol and gasoline mixture or Ethanol and motor spirit mixture or Ethanol and petrol mixture, with more than 10% ethanol	3	UN3475	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			144, 177	150	202
Ethanol or Ethyl alcohol or Ethanol solutions or Ethyl alcohol solutions	3	UN1170	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			24	150	202
Ethanol or Ethyl alcohol or Ethanol solutions or Ethyl alcohol solutions	3	UN1170	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			24	4b, 150	202
Ethanol or Ethyl alcohol or Ethanol solutions or Ethyl alcohol solutions	3	UN1170	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L			24	150	203
Ethanol or Ethyl alcohol or Ethanol solutions or Ethyl alcohol solutions	3	UN1170	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L			24	4b, 150	203
Ether, see Diethyl ether														
Ethers, n.o.s.	3	UN3271	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethers, n.o.s.	3	UN3271	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Ethyl acetate	3	UN1173	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethyl acrylate, stabilized	3	UN1917	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethyl alcohol, see Ethanol														
Ethyl aldehyde, see Acetaldehyde														
Ethyl amyl ketone	3	UN2271	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
N-Ethyl-N-benzylaniline	6.1	UN2274	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
N-Ethylbenzyltoluidines, solid	6.1	UN3460	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Ethyl borate	3	UN1176	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethyl bromide	6.1	UN1891	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Ethyl bromoacetate	6.1 (3)	UN1603	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	202
Ethyl butyl ether	3	UN1179	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethyl butyrate	3	UN1180	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Ethyl chloride	2.1	UN1037		FLAMMABLE GAS			YES		Forbidden			N86	None	322
Ethyl chloroacetate	6.1 (3)	UN1181	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Ethyl chloroformate	6.1	UN1182	I		Not Accepted				Forbidden					
Ethyl 2-chloropropionate	3	UN2935	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Ethyl chlorothioformate	8	UN2826	II		Not Accepted				Forbidden					
Ethyl crotonate	3	UN1862	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethyl ether, see Diethyl ether														
Ethyl fluoride or Refrigerant gas R161	2.1	UN2453		FLAMMABLE GAS *			YES		Forbidden				306	304
Ethyl formate	3	UN1190	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethyl hydroperoxide	Forbidden													
Ethyl isobutyrate	3	UN2385	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethyl lactate	3	UN1192	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Ethyl mercaptan	3	UN2363	I	FLAMMABLE LIQUID *			YES		Forbidden				None	201
Ethyl methacrylate, stabilized	3	UN2277	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethyl methyl ether	2.1	UN1039		FLAMMABLE GAS			YES		Forbidden				None	201
Ethyl methyl ketone or Methyl ethyl ketone	3	UN1193	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethyl nitrite solutions	3	UN1194	I		Not Accepted				Forbidden					
Ethyl orthoformate	3	UN2524	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Ethyl oxalate	6.1	UN2525	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Ethyl perchlorate	Forbidden													
Ethyl phosphonothioic dichloride, anhydrous	6.1	NA2927	I		Not Accepted				Forbidden					
Ethyl phosphonous dichloride, anhydrous pyrophoric liquid	6.1	NA2845	I		Not Accepted				Forbidden					
Ethyl phosphorodichloridate	6.1	NA2927	I		Not Accepted				Forbidden					
Ethyl propionate	3	UN1195	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethyl propyl ether	3	UN2615	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethyl silicate, see Tetraethyl silicate														
Ethylacetylene, stabilized	2.1	UN2452		FLAMMABLE GAS			YES		Forbidden			N88	None	304

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Ethylamine	2.1	UN1036		FLAMMABLE GAS			YES		Forbidden			N87	None	321
Ethylamine, aqueous solution with not less than 50 percent but not more than 70 percent ethylamine	3 (8)	UN2270	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
N-Ethylaniline	6.1	UN2272	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
2-Ethylaniline	6.1	UN2273	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Ethylbenzene	3	UN1175	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
N-Ethylbenzyltoluidines liquid	6.1	UN2753	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
2-Ethylbutanol	3	UN2275	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
2-Ethylbutyl acetate	3	UN1177	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
2-Ethylbutyraldehyde	3	UN1178	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ethylchloroarsine	6.1	UN1892	I		Not Accepted				Forbidden					
Ethylchlorosilane	4.3	UN1183	I		Not Accepted				Forbidden					
Ethylene, acetylene and propylene in mixture, refrigerated liquid with at least 71.5 percent ethylene with not more than 22.5 percent acetylene and not more than 6 percent propylene	2.1	UN3138			Not Accepted				Forbidden					
Ethylene chlorohydrin	6.1	UN1135	I		Not Accepted				Forbidden					
Ethylene	2.1	UN1962		FLAMMABLE GAS *			YES		Forbidden				306	304
<i>Ethylene diamine diperchlorate</i>	Forbidden													
Ethylene dibromide	6.1	UN1605	I		Not Accepted				Forbidden					
<i>Ethylene dibromide and methyl bromide liquid mixtures, see Methyl bromide and ethylene dibromide, liquid mixtures</i>														
Ethylene dichloride	3 (6.1)	UN1184	II	Refer to Applicable Exemption or Special Permit or 173.13			Yes	Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Ethylene glycol diethyl ether	3	UN1153	II	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	5 L				150	202
Ethylene glycol diethyl ether	3	UN1153	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Ethylene glycol dinitrate</i>	Forbidden													

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Ethylene glycol monoethyl ether	3	UN1171	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Ethylene glycol monoethyl ether acetate	3	UN1172	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Ethylene glycol monomethyl ether	3	UN1188	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Ethylene glycol monomethyl ether acetate	3	UN1189	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Ethylene oxide and carbon dioxide mixture with more than 87 percent ethylene oxide	2.3	UN3300			Not Accepted				Forbidden					
Ethylene oxide and carbon dioxide mixtures with more than 9 percent but not more than 87 percent ethylene oxide	2.1	UN1041			Not Accepted				Forbidden					
Ethylene oxide and carbon dioxide mixtures with not more than 9 percent ethylene oxide	2.2	UN1952		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *	25 kg				306	304
Ethylene oxide and chlorotetrafluoroethane mixture with not more than 8.8 percent ethylene oxide	2.2	UN3297		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *	25 kg				306	304
Ethylene oxide and dichlorodifluoromethane mixture, with not more than 12.5 percent ethylene oxide	2.2	UN3070			Not Accepted				Not Accepted					
Ethylene oxide and pentafluoroethane mixture with not more than 7.9 percent ethylene oxide	2.2	UN3298		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *	25 kg				306	304
Ethylene oxide and propylene oxide mixtures, with not more than 30 percent ethylene oxide	3 (6.1)	UN2983	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			5, N4, N34	None	201
Ethylene oxide and tetrafluoroethane mixture with not more than 5.6 percent ethylene oxide	2.2	UN3299		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *	25 kg				306	304
Ethylene oxide or Ethylene oxide with nitrogen up to a total pressure of 1MPa (10 bar) at 50 degrees C	2.3	UN1040			Not Accepted				Forbidden					
Ethylene, refrigerated liquid (cryogenic liquid)	2.1	UN1038			Not Accepted				Forbidden					
Ethylenediamine	8 (3)	UN1604	II	CORROSIVE, FLAMMABLE LIQUID *			YES	CORROSIVE, FLAMMABLE LIQUID *	1 L				154	202
Ethyleimine, stabilized	6.1	UN1185	I		Not Accepted				Forbidden					
Ethylhexaldehyde, see Octyl aldehydes etc														
2-Ethylhexyl chloroformate	6.1 (8)	UN2748	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
2-Ethylhexylamine	3 (8)	UN2276	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Ethyl isocyanate	3	UN2481	I		Not Accepted				Forbidden					
Ethyl isocyanate	6.1 (3)	UN2481	I		Not Accepted				Forbidden					
Ethylphenyldichlorosilane	8	UN2435	II	CORROSIVE			YES		Forbidden			N34	None	206
1-Ethylpiperidine	3 (8)	UN2386	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
N-Ethyltoluidines	6.1	UN2754	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Ethyltrichlorosilane	3 (8)	UN1196	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L			A7, N34	None	206
<i>Etiologic agent, see Infectious substances, etc</i>														
<i>Explosive articles, see Articles, explosive, n.o.s. etc</i>														
Explosive, blasting, type A	1.1D	UN0081	◆		Not Accepted				Forbidden					
Explosive, blasting, type B	1.1D	UN0082	◆		Not Accepted				Forbidden					
Explosive, blasting, type B or Agent blasting, Type B	1.5D	UN0331	◆		Not Accepted				Forbidden					
Explosive, blasting, type C	1.1D	UN0083	◆		Not Accepted				Forbidden					
Explosive, blasting, type D	1.1D	UN0084	◆		Not Accepted				Forbidden					
Explosive, blasting, type E	1.1D	UN0241	◆		Not Accepted				Forbidden					
Explosive, blasting, type E or Agent blasting, Type E	1.5D	UN0332	◆		Not Accepted				Forbidden					
<i>Explosive, forbidden. See §173.54</i>	Forbidden													
<i>Explosive substances, see Substances, explosive, n.o.s. etc</i>														
<i>Explosives, slurry, see Explosive, blasting, type E</i>														
<i>Explosives, water gels, see Explosive, blasting, type E</i>														
Extracts, aromatic, liquid	3	UN1169	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			149	150	202
Extracts, aromatic, liquid	3	UN1169	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Extracts, flavoring, liquid	3	UN1197	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			149	150	202
Extracts, flavoring, liquid	3	UN1197	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Fabric with animal or vegetable oil, see Fibers or fabrics, etc</i>														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	LD. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Ferric arsenate	6.1	UN1606	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Ferric arsenite	6.1	UN1607	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Ferric chloride, anhydrous	8	UN1773	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Ferric chloride, solution	8	UN2582	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Ferric nitrate	5.1	UN1466	III	OXIDIZER *			YES		Not Accepted				152	213
Ferrocium	4.1	UN1323	II	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	15 kg			59, A19	151	212
Ferrosilicon with 30 percent or more but less than 90 percent silicon	4.3 (6.1)	UN1408	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A1, A19	None	213, 27
Ferrous arsenate	6.1	UN1608	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Ferrous chloride, solid	8	NA1759	II	CORROSIVE *				CORROSIVE *	15 kg				154	212
Ferrous chloride, solution	8	NA1760	II	CORROSIVE *				CORROSIVE *	1 L				154	202
Ferrous metal borings or Ferrous metal shavings or Ferrous metal turnings or Ferrous metal cuttings in a form liable to self-heating	4.2	UN2793	III		Not Accepted				Not Accepted					
Fertilizer ammoniating solution with free ammonia	2.2	UN1043		NON-FLAMMABLE GAS *			YES		Forbidden			N87	306	304
Fibers, animal or Fibers, vegetable burnt, wet or damp	4.2	UN1372	III	May not be regulated when shipped via UPS ground					Forbidden					
Fibers, vegetable, dry	4.1	UN3360	III	May not be regulated when shipped via UPS ground				FLAMMABLE SOLID				137	151	213
Fibers or Fabrics, animal or vegetable or Synthetic, n.o.s. with animal or vegetable oil	4.2	UN1373	III	May not be regulated when shipped via UPS ground					Forbidden					
Fibers or Fabrics impregnated with weakly nitrated nitrocellulose, n.o.s.	4.1	UN1353	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg			A1	None	213, 27
Films, nitrocellulose base, from which gelatine has been removed; film scrap, see Celluloid scrap														
Films, nitrocellulose base, gelatine coated (except scrap)	4.1	UN1324	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg				None	183, 27
Fire extinguisher charges, corrosive liquid	8	UN1774	II	CORROSIVE *			YES	CORROSIVE *	1 L			N41	154	202
Fire extinguisher charges, expelling, explosive, see Cartridges, power device														
Fire extinguishers containing compressed or liquefied gas	2.2	UN1044		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *				18, 110	309	309

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "****" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Firelighters, solid with flammable liquid	4.1	UN2623	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg			A1, A19	None	213
Fireworks	1.1G	UN0333	◆		Not Accepted				Forbidden					
Fireworks	1.2G	UN0334	◆		Not Accepted				Forbidden					
Fireworks	1.3G	UN0335	◆		Not Accepted				Forbidden					
Fireworks	1.4G	UN0336	◆		Not Accepted				Forbidden					
Fireworks	1.4S	UN0337	◆		Not Accepted				Not Accepted					
First aid kits	9	UN3316		None *			YES	CLASS 9 *	10 kg	10 kg		15	161	161
First aid kits	9	UN3316	I	None			YES	CLASS 9	10 kg	10 kg		15		161
First aid kits	9	UN3316	II	None *			YES	CLASS 9 *	10 kg	10 kg		15	161	161
First aid kits	9	UN3316	III	None *			YES	CLASS 9 *	10 kg	10 kg		15	161	161
Fish meal, stabilized or Fish scrap, stabilized	9	UN2216	III	May not be regulated when shipped via UPS			YES	May not be regulated when shipped via UPS	30 kg G	30 kg G		155	155	218
Fish meal, unstabilized or Fish scrap, unstabilized	4.2	UN1374	II		Not Accepted				Not Accepted					
Fish meal, unstabilized or Fish scrap, unstabilized	4.2	UN1374	II		Not Accepted				Not Accepted					
Flammable compressed gas, see Compressed or Liquefied gas, flammable, etc														
Flammable compressed gas (small receptacles not fitted with a dispersion device, not refillable), see Receptacles, etc														
Flammable gas in lighters, see Lighters or lighter refills, cigarettes, containing flammable gas														
Flammable liquid, toxic, corrosive, n.o.s. ‡	3 (6.1) (8)	UN3286	I		Not Accepted				Forbidden					
Flammable liquid, toxic, corrosive, n.o.s. ‡	3 (6.1) (8)	UN3286	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Flammable liquids, corrosive, n.o.s. ‡	3 (8)	UN2924	I	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	0.5 L				None	201
Flammable liquids, corrosive, n.o.s. ‡	3 (8)	UN2924	II	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	1 L				150	202
Flammable liquids, corrosive, n.o.s. ‡	3 (8)	UN2924	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
Flammable liquids, n.o.s. ‡	3	UN1993	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Flammable liquids, n.o.s. ‡	3	UN1993	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Flammable liquids, n.o.s. ‡	3	UN1993	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Flammable liquids, toxic, n.o.s. ‡	3 (6.1)	UN1992	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Flammable liquids, toxic, n.o.s. ‡	3 (6.1)	UN1992	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Flammable liquids, toxic, n.o.s. ‡	3 (6.1)	UN1992	III	FLAMMABLE LIQUID, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		150	203
Flammable solid, corrosive, inorganic, n.o.s. ‡	4.1 (8)	UN3180	II	FLAMMABLE SOLID, CORROSIVE *			YES	FLAMMABLE SOLID, CORROSIVE *	15 kg			A1	151	212
Flammable solid, corrosive, inorganic, n.o.s. ‡	4.1 (8)	UN3180	III	FLAMMABLE SOLID, CORROSIVE *			YES	FLAMMABLE SOLID, CORROSIVE *	25 kg			A1	151	213
Flammable solid, inorganic, n.o.s. ‡	4.1	UN3178	II	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	15 kg			A1	151	212
Flammable solid, inorganic, n.o.s. ‡	4.1	UN3178	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27
Flammable solid, organic, molten, n.o.s. ‡	4.1	UN3176	II		Not Accepted				Forbidden					
Flammable solid, organic, molten, n.o.s. ‡	4.1	UN3176	III		Not Accepted				Forbidden					
Flammable solid, oxidizing, n.o.s. ‡	4.1	UN3097	II		Not Accepted				Forbidden					
Flammable solid, oxidizing, n.o.s. ‡	4.1	UN3097	III		Not Accepted				Forbidden					
Flammable solid, toxic, inorganic, n.o.s. ‡	4.1 (6.1)	UN3179	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A1	None	212
Flammable solid, toxic, inorganic, n.o.s. ‡	4.1 (6.1)	UN3179	III	FLAMMABLE SOLID, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A1	151	213, 27
Flammable solids, corrosive, organic, n.o.s. ‡	4.1 (8)	UN2925	II	FLAMMABLE SOLID, CORROSIVE			YES	FLAMMABLE SOLID, CORROSIVE	15 kg			A1	None	212
Flammable solids, corrosive, organic, n.o.s. ‡	4.1 (8)	UN2925	III	FLAMMABLE SOLID, CORROSIVE *			YES	FLAMMABLE SOLID, CORROSIVE *	25 kg			A1	151	213, 27
Flammable solids, organic, n.o.s. ‡	4.1	UN1325	II	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	15 kg			A1	151	212
Flammable solids, organic, n.o.s. ‡	4.1	UN1325	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Flammable solids, toxic, organic, n.o.s. ‡	4.1 (6.1)	UN2926	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A1	None	212
Flammable solids, toxic, organic, n.o.s. ‡	4.1 (6.1)	UN2926	III	FLAMMABLE SOLID, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A1	151	213
Flares, aerial	1.3G	UN0093	◆		Not Accepted				Forbidden					
Flares, aerial	1.4G	UN0403	◆		Not Accepted				Forbidden					
Flares, aerial	1.4S	UN0404	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Flares, aerial	1.1G	UN0420	◆		Not Accepted				Forbidden					
Flares, aerial	1.2G	UN0421	◆		Not Accepted				Forbidden					
<i>Flares, airplane, see Flares, aerial</i>														
<i>Flares, signal, see Cartridges, signal</i>														
Flares, surface	1.3G	UN0092	◆		Not Accepted				Forbidden					
Flares, surface	1.1G	UN0418	◆		Not Accepted				Forbidden					
Flares, surface	1.2G	UN0419	◆		Not Accepted				Forbidden					
<i>Flares, water-activated, see Contrivances, water-activated, etc</i>														
Flash powder	1.1G	UN0094	◆		Not Accepted				Forbidden					
Flash powder	1.3G	UN0305	◆		Not Accepted				Forbidden					
<i>Flue dusts, poisonous, see Arsenical dust</i>														
<i>Fluoric acid, see Hydrofluoric acid, etc</i>														
Fluorine, compressed	2.3	UN1045			Not Accepted				Forbidden					
Fluoroacetic acid	6.1	UN2642	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 kg		Yes		None	211
Fluoroanilines	6.1	UN2941	III	POISON PG III * FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Fluorobenzene	3	UN2387	II	CORROSIVE *			YES	FLAMMABLE LIQUID *	5 L				150	202
Fluoroboric acid	8	UN1775	II	CORROSIVE *			YES	CORROSIVE *	1 L			A6, A7, N3, N34	154	202
Fluorophosphoric acid anhydrous	8	UN1776	II	CORROSIVE			YES	CORROSIVE	1 L			A6, A7, N3, N34	None	202
Fluorosilicates, n.o.s.	6.1	UN2856	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Fluorosilicic acid	8	UN1778	II	CORROSIVE			YES	CORROSIVE	1 L			A6, A7, N3, N34	None	202
Fluorosulfonic acid	8	UN1777	I	CORROSIVE			YES	CORROSIVE	0.5 L			A3, A6, A7, A10, N3, N36	None	201
Fluorotoluenes	3	UN2388	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>Forbidden materials. See §173.21</i>	Forbidden													
<i>Formaldehyde solutions (with not less than 10% and less than 25% formaldehyde), see Aviation regulated liquid, n.o.s. or Other regulated substances, liquid, n.o.s.</i>														
<i>Formaldehyde solutions, with not less than 25 percent formaldehyde</i>	8	UN2209	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
<i>Formaldehyde solutions, with not less than 25 percent formaldehyde</i>	8	UN2209	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Formaldehyde solutions, flammable	3 (8)	UN1198	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L			176	150	203
Formaldehyde solutions, flammable	3 (8)	UN1198	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L			176	4b, 150	203
<i>Formalin, see Formaldehyde, solutions</i>														
<i>Formic acid with not less than 10% but not more than 85% acid by mass</i>	8	UN3412	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
<i>Formic acid with not less than 5% but less than 10% acid by mass</i>	8	UN3412	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203
<i>Formic acid with more than 85% acid by mass</i>	8 (3)	UN1779	II	CORROSIVE, FLAMMABLE LIQUID *			YES	CORROSIVE, FLAMMABLE LIQUID *	1 L				154	202
Fracturing devices, explosive, without detonators for oil wells	1.1D	UN0099	◆			Not Accepted			Forbidden					
Fuel, aviation, turbine engine	3	UN1863	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L			144	150	201
Fuel, aviation, turbine engine	3	UN1863	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			144	150	202
Fuel, aviation, turbine engine	3	UN1863	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L			144	150	203
Fuel cell cartridges or Fuel cell cartridges contained in equipment or Fuel cell cartridges packed with equipment, containing flammable liquids	3	UN3473		FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 kg				230	230
Fuel cell cartridges or Fuel cell cartridges contained in equipment or Fuel cell cartridges packed with equipment, containing corrosive substances	8	UN3477		CORROSIVE			YES	CORROSIVE	5 kg				230	230

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Fuel cell cartridges or Fuel cell cartridges contained in equipment or Fuel cell cartridges packed with equipment, containing hydrogen in metal hydride	2.1	UN3479		FLAMMABLE GAS			YES	FLAMMABLE GAS	1 kg				230	230
Fuel cell cartridges or Fuel cell cartridges contained in equipment or Fuel cell cartridges packed with equipment, containing liquefied flammable gas	2.1	UN3478		FLAMMABLE GAS			YES	FLAMMABLE GAS	1 kg				230	230
Fuel cell cartridges or Fuel cell cartridges contained in equipment or Fuel cell cartridges packed with equipment, containing water-reactive substances	4.3	UN3476		Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	230
Fuel oil (No. 1, 2, 4, 5, or 6)	3	NA1993	III	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	25 L			144	150	203
Fuel system components (including fuel control units (FCU), carburetors, fuel lines, fuel pumps) see Dangerous Goods in Apparatus or Dangerous Goods in Machinery														
Fulminate of mercury (dry)	Forbidden													
Fulminate of mercury, wet, see Mercury fulminate, etc														
Fulminating gold	Forbidden													
Fulminating mercury	Forbidden													
Fulminating platinum	Forbidden													
Fulminating silver	Forbidden													
Fulminic acid	Forbidden													
Fumaryl chloride	8	UN1780	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Fumigated lading, see §§172.302(g), 173.9 and 176.76(h)														
Fumigated transport vehicle or freight container see §173.9														
Furaldehydes	6.1 (3)	UN1199	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Furan	3	UN2389	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Furfuryl alcohol	6.1	UN2874	III	POISON PG III * FLAMMABLE LIQUID, CORROSIVE *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Furfurylamine	3 (8)	UN2526	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
Fuse, detonating, metal clad, see Cord, detonating, metal clad														
Fuse, detonating, mild effect, metal clad, see Cord, detonating, mild effect, metal clad														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Fuse, igniter <i>tubular metal clad</i>	1.4G	UN0103	◆		Not Accepted				Forbidden					
Fuse, non-detonating <i>instantaneous or quickmatch</i>	1.3G	UN0101	◆		Not Accepted				Forbidden					
Fuse, safety	1.4S	UN0105	◆	EXPLOSIVE 1.4S FLAMMABLE		see 172.320		EXPLOSIVE 1.4S FLAMMABLE	25 kg		see 172.320		None	62
Fusee (<i>railway or highway</i>)	4.1	NA1325	II	SOLID				SOLID	15 kg				None	184
Fusel oil	3	UN1201	II	LIQUID *			YES	LIQUID *	5 L				150	202
Fusel oil	3	UN1201	III	LIQUID *			YES	LIQUID *	25 L				150	203
Fuses, tracer, see Tracers for ammunition														
Fuses, combination, percussion and time, see Fuzes, detonating (UN0257, UN0367); Fuzes, igniting (UN0317, UN0368)														
Fuzes, detonating	1.1B	UN0106	◆		Not Accepted				Forbidden					
Fuzes, detonating	1.2B	UN0107	◆		Not Accepted				Forbidden					
Fuzes, detonating	1.4B	UN0257	◆		Not Accepted				Forbidden					
Fuzes, detonating	1.4S	UN0367	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320	116	None	62
Fuzes, detonating, with protective features	1.1D	UN0408	◆		Not Accepted				Forbidden					
Fuzes, detonating, with protective features	1.2D	UN0409	◆		Not Accepted				Forbidden					
Fuzes, detonating, with protective features	1.4D	UN0410	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden			116	None	62
Fuzes, igniting	1.3G	UN0316	◆		Not Accepted				Forbidden					
Fuzes, igniting	1.4G	UN0317	◆		Not Accepted				Forbidden					
Fuzes, igniting	1.4S	UN0368	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Galactsan trinitrate	Forbidden													
Gallium	8	UN2803	III	CORROSIVE			YES	CORROSIVE	20 kg				None	162, 27
Gas cartridges, (flammable) without a release device, non-refillable	2.1	UN2037		FLAMMABLE GAS *			YES	FLAMMABLE GAS *	1 kg				306	304
Gas identification set	2.3	NA9035			Not Accepted				Forbidden					
Gas oil	3	UN1202	III	LIQUID *			YES	LIQUID *	25 L			144	150	203
Gas, refrigerated liquid, flammable, n.o.s. (cryogenic liquid) ‡	2.1	UN3312			Not Accepted				Forbidden					
Gas, refrigerated liquid, n.o.s. (cryogenic liquid) ‡	2.2	UN3158		NON-FLAMMABLE GAS			YES	NON-FLAMMABLE GAS	25 kg				320	316

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Gas, refrigerated liquid, oxidizing, n.o.s. (cryogenic liquid) ‡	2.2	UN3311			Not Accepted				Forbidden					
Gas sample, non-pressurized, flammable, n.o.s., not refrigerated liquid	2.1	UN3167		FLAMMABLE GAS *			YES	FLAMMABLE GAS *	1 L				306	302, 304
Gas sample, non-pressurized, toxic, flammable, n.o.s., not refrigerated liquid	2.3	UN3168			Not Accepted				Forbidden					
Gas sample, non-pressurized, toxic, n.o.s., not refrigerated liquid	2.3	UN3169			Not Accepted				Forbidden					
Gasohol gasoline mixed with ethyl alcohol, with not more than 10% alcohol	3	NA1203	II	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	5 L			144, 177	150	202
<i>Gasoline, casinghead, see Gasoline</i>														
Gasoline includes gasoline mixed with ethyl alcohol, with not more than 10% alcohol	3	UN1203	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			144, 177	150	202
<i>Gelatine, blasting, see Explosive, blasting, type A</i>														
<i>Gelatine dynamites, see Explosive, blasting, type A</i>														
Germane	2.3	UN2192			Not Accepted				Forbidden					
<i>Glycerol-1,3-dinitrate</i>	Forbidden													
<i>Glycerol gluconate trinitrate</i>	Forbidden													
<i>Glycerol lactate trinitrate</i>	Forbidden													
Glycerol alpha-monochlorohydrin	6.1	UN2689	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
<i>Glyceryl trinitrate, see Nitroglycerin, etc</i>														
Glycidaldehyde	3 (6.1)	UN2622	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Grenades, hand or rifle, with bursting charge	1.1D	UN0284	◆		Not Accepted				Forbidden					
Grenades, hand or rifle, with bursting charge	1.2D	UN0285	◆		Not Accepted				Forbidden					
Grenades, hand or rifle, with bursting charge	1.1F	UN0292	◆		Not Accepted				Forbidden					
Grenades, hand or rifle, with bursting charge	1.2F	UN0293	◆		Not Accepted				Forbidden					
<i>Grenades, illuminating, see Ammunition, illuminating, etc</i>														
Grenades, practice, hand or rifle	1.4S	UN0110	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320			62
Grenades, practice, hand or rifle	1.3G	UN0318	◆		Not Accepted				Forbidden					
Grenades, practice, hand or rifle	1.2G	UN0372	◆		Not Accepted				Forbidden					
Grenades practice Hand or rifle	1.4G	UN0452	◆		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	I.D. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>Grenades, smoke, see Ammunition, smoke, etc</i>														
Guanidine nitrate	5.1	UN1467	III	OXIDIZER *			YES		Not Accepted				152	213
<i>Guanyl nitrosaminoguanylidene hydrazine (dry)</i>	Forbidden													
Guanyl nitrosaminoguanylidene hydrazine, wetted with not less than 30 percent water, by mass	1.1A	UN0113	◆		Not Accepted				Forbidden					
<i>Guanyl nitrosaminoguanyltetrazene (dry)</i>	Forbidden													
Guanyl nitrosaminoguanyltetrazene, wetted or Tetrazene, wetted with not less than 30 percent water or mixture of alcohol and water, by mass	1.1A	UN0114	◆		Not Accepted				Forbidden					
Gunpowder, compressed or Gunpowder in pellets, see Black powder (UN 0028)														
Gunpowder, granular or as a meal, see Black powder (UN 0027)														
Hafnium powder, dry	4.2	UN2545	I		Not Accepted				Forbidden					
Hafnium powder, dry	4.2	UN2545	II		Not Accepted				Not Accepted					
Hafnium powder, dry	4.2	UN2545	III		Not Accepted				Not Accepted					
Hafnium powder, wetted with not less than 25 percent water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns	4.1	UN1326	II	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	15 kg			A6, A19, A20, N34	None	212
<i>Hand signal device, see Signal devices, hand</i>														
<i>Hazardous substances, liquid or solid, n.o.s., see Environmentally hazardous substances, etc</i>														
Hazardous waste, liquid, n.o.s. ‡	9	NA3082	III		Not Accepted				Not Accepted	Not Accepted				
Hazardous waste, solid, n.o.s. ‡	9	NA3077	III		Not Accepted				Not Accepted	Not Accepted				
Heating oil, light	3	UN1202	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Helium, compressed	2.2	UN1046		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306, 307	302
Helium, refrigerated liquid (cryogenic liquid)	2.2	UN1963		NON-FLAMMABLE GAS			YES	NON-FLAMMABLE GAS					320	316
Heptafluoropropane or Refrigerant gas R 227	2.2	UN3296		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
n-Heptaldehyde	3	UN3056	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Heptanes	3	UN1206	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
n-Heptene	3	UN2278	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Hexachloroacetone	6.1	UN2661	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Hexachlorobenzene	6.1	UN2729	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Hexachlorobutadiene	6.1	UN2279	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Hexachlorocyclopentadiene	6.1	UN2646	I		Not Accepted				Forbidden					
Hexachlorophene	6.1	UN2875	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Hexadecyltrichlorosilane	8	UN1781	II	CORROSIVE FLAMMABLE LIQUID			YES		Forbidden			N34	None	206
Hexadienes	3	UN2458	II				YES	FLAMMABLE LIQUID	5 L				None	202
Hexaethyl tetraphosphate and compressed gas mixtures	2.3	UN1612			Not Accepted				Forbidden					
Hexaethyl tetraphosphate, liquid	6.1	UN1611	II	Refer to Applicable Exemption or Special Permit or 173.13			Yes	Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	N76	None	202
Hexaethyl tetraphosphate, solid	6.1	UN1611	II	Refer to Applicable Exemption or Special Permit or 173.13			Yes	Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	N76	None	212
Hexafluoroacetone	2.3	UN2420			Not Accepted				Forbidden					
Hexafluoroacetone hydrate, liquid	6.1	UN2552	II	Refer to Applicable Exemption or Special Permit or 173.13			Yes	Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Hexafluoroacetone hydrate, solid	6.1	UN3436	II	Refer to Applicable Exemption or Special Permit or 173.13			Yes	Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Hexafluoroethane, or Refrigerant gas R 116	2.2	UN2193		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Hexafluorophosphoric acid	8	UN1782	II	CORROSIVE			YES	CORROSIVE	1 L			A6, A7, N3, N34	None	202
Hexafluoropropylene compressed or Refrigerant gas R 1216	2.2	UN1858		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Hexaldehyde	3	UN1207	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Hexamethylene diisocyanate	6.1	UN2281	II	Refer to Applicable Exemption or Special Permit or 173.13			Yes	Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Hexamethylene triperoxide diamine (dry)	Forbidden													

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Hexamethylenediamine, solid	8	UN2280	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Hexamethylenediamine solution	8	UN1783	II	CORROSIVE			YES	CORROSIVE	1 L				None	202
Hexamethylenediamine solution	8	UN1783	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Hexamethyleneimine	3 (8)	UN2493	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Hexamethylenetetramine	4.1	UN1328	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27
Hexamethylol benzene hexanitrate	Forbidden													
Hexanes	3	UN1208	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
2,2',4,4',6,6'-Hexanitro-3,3'-dihydroxyazobenzene (dry)	Forbidden													
Hexanitroazoxy benzene	Forbidden													
N,N'-(hexanitrodiphenyl) ethylene dinitramine (dry)	Forbidden													
Hexanitrodiphenyl urea	Forbidden													
2,2',3',4,4',6-Hexanitrodiphenylamine	Forbidden													
Hexanitrodiphenylamine or Dipicrylamine or Hexyl	1.1D	UN0079	◆		Not Accepted				Forbidden					
2,3',4,4',6,6'-Hexanitrodiphenylether	Forbidden													
Hexanitroethane	Forbidden													
Hexanitrooxanilide	Forbidden													
Hexanitrostilbene	1.1D	UN0392	◆		Not Accepted				Forbidden					
Hexanoic acid, see Corrosive liquids, n.o.s.														
Hexanols	3	UN2282	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
1-Hexene	3	UN2370	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Hexogen and cyclotetramethylenetetranitramine mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc														
Hexogen and HMX mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc														
Hexogen and octogen mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc														
Hexogen, see Cyclotrimethylenetrinitramine, etc														
Hexolite, or Hexotol dry or wetted with less than 15 percent water, by mass	1.1D	UN0118	◆		Not Accepted				Forbidden					
Hexotonal	1.1D	UN0393	◆		Not Accepted				Forbidden					
Hexyl, see Hexanitrodiphenylamine														
Hexyltrichlorosilane	8	UN1784	II	CORROSIVE			YES		Forbidden			N34	None	206

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>High explosives, see individual explosives' entries</i>														
<i>HMX, see Cyclotetramethylenete trinitramine, etc</i>														
Hydrazine, anhydrous	8	UN2029	I		Not Accepted				Forbidden					
Hydrazine, aqueous solution with not more than 37 percent hydrazine, by mass	6.1	UN3293	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Hydrazine aqueous solution, flammable with more than 37% hydrazine, by mass	8 (3) (6.1)	UN3484	I	Refer to Applicable Exemption or Special Permit or 173.13					Forbidden				201	243
<i>Hydrazine azide</i>	Forbidden													
<i>Hydrazine chlorate</i>	Forbidden													
<i>Hydrazine dicarbonic acid diazide</i>	Forbidden													
Hydrazine aqueous solution, with more than 37% hydrazine, by mass	8 (6.1)#	UN2030	I		Not Accepted				Forbidden					
Hydrazine aqueous solution, with more than 37% hydrazine, by mass	8 (6.1)#	UN2030	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	202
Hydrazine aqueous solution, with more than 37% hydrazine, by mass	8 (6.1)#	UN2030	III	CORROSIVE, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		154	203
<i>Hydrazine perchlorate</i>	Forbidden													
<i>Hydrazine selenate</i>	Forbidden													
<i>Hydriodic acid, anhydrous, see Hydrogen iodide, anhydrous</i>														
Hydriodic acid	8	UN1787	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A6, N41	154	202
Hydriodic acid	8	UN1787	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203
<i>Hydrobromic acid, anhydrous, see Hydrogen bromide, anhydrous</i>														
Hydrobromic acid, with more than 49 percent hydrobromic acid	8	UN1788	II	CORROSIVE *			YES		Forbidden			N41	154	202
Hydrobromic acid, with more than 49 percent hydrobromic acid	8	UN1788	III	CORROSIVE *			YES		Forbidden				154	203, 27
Hydrobromic acid, with not more than 49 percent hydrobromic acid	8	UN1788	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A6, N41	154	202
Hydrobromic acid, with not more than 49 percent hydrobromic acid	8	UN1788	III	CORROSIVE *			YES	CORROSIVE *	5 L			A3	154	203, 27
Hydrocarbon gas mixture, compressed, n.o.s.	2.1	UN1964		FLAMMABLE GAS *			YES		Forbidden				306	302
Hydrocarbon gas mixture, liquefied, n.o.s.	2.1	UN1965			Not Accepted				Forbidden				306	304
Hydrocarbons, liquid, n.o.s.	3	UN3295	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L			144	150	201
Hydrocarbons, liquid, n.o.s.	3	UN3295	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			144	150	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Hydrocarbons, liquid, n.o.s.	3	UN3295	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L			144	150	203
<i>Hydrochloric acid, anhydrous, see Hydrogen chloride, anhydrous</i>														
Hydrochloric acid	8	UN1789	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A6, N41	154	202
Hydrochloric acid	8	UN1789	III	CORROSIVE *			YES	CORROSIVE *	5 L			A3	154	203, 27
<i>Hydrocyanic acid, anhydrous, see Hydrogen cyanide etc</i>														
Hydrocyanic acid, aqueous solutions or Hydrogen cyanide, aqueous solutions with not more than 20 percent hydrogen cyanide	6.1	UN1613	I		Not Accepted				Forbidden					
Hydrocyanic acid, aqueous solutions with less than 5 percent hydrogen cyanide	6.1	NA1613	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	195
<i>Hydrocyanic acid, liquefied, see Hydrogen cyanide, etc</i>														
<i>Hydrocyanic acid (prussic), unstabilized</i>	Forbidden													
Hydrofluoric acid and Sulfuric acid mixtures	8 (6.1)#	UN1786	I		Not Accepted				Forbidden					
<i>Hydrofluoric acid, anhydrous, see Hydrogen fluoride, anhydrous</i>														
Hydrofluoric acid, with more than 60 percent strength	8 (6.1)#	UN1790	I		Not Accepted				Not Accepted					
Hydrofluoric acid, with not more than 60 percent strength	8 (6.1)#	UN1790	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	A6, A7, N5, N34	None	202
<i>Hydrofluoroboric acid, see Fluoroboric acid</i>														
<i>Hydrofluorosilicic acid, see Fluorosilicic acid</i>														
Hydrogen and Methane mixtures, compressed	2.1	UN2034		FLAMMABLE GAS *			YES		Forbidden			N89	306	302
Hydrogen bromide, anhydrous	2.3 (8)	UN1048			Not Accepted				Forbidden					
Hydrogen chloride, anhydrous	2.3 (8)	UN1050			Not Accepted				Forbidden					
Hydrogen chloride, refrigerated liquid	2.3	UN2186			Not Accepted				Forbidden					
Hydrogen, compressed	2.1	UN1049		FLAMMABLE GAS *			YES		Forbidden			N89	306	302
Hydrogen cyanide, solution in alcohol with not more than 45 percent hydrogen cyanide	6.1	UN3294	I		Not Accepted				Forbidden					
Hydrogen cyanide, stabilized with less than 3 percent water	6.1	UN1051	I		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Hydrogen cyanide, stabilized, with less than 3 percent water and absorbed in a porous inert material	6.1	UN1614	I		Not Accepted				Forbidden					
Hydrogen fluoride, anhydrous	8	UN1052	I		Not Accepted				Forbidden					
Hydrogen in a metal hydride storage system or Hydrogen in a metal hydride storage system contained in equipment or Hydrogen in a metal hydride storage system packed with equipment	2.1	UN3468		FLAMMABLE GAS					Forbidden			167	None	214
Hydrogen in a metal hydride storage system or Hydrogen in a metal hydride storage system contained in equipment or Hydrogen in a metal hydride storage system packed with equipment	2.1	UN3468		FLAMMABLE GAS					Forbidden			167	None	311
Hydrogen iodide, anhydrous	2.3 (8)	UN2197			Not Accepted				Forbidden					
Hydrogen iodide solution, see Hydriodic acid														
Hydrogen peroxide and peroxyacetic acid mixtures, stabilized with acids, water and not more than 5 percent peroxyacetic acid	5.1 (8)	UN3149	II	OXIDIZER, CORROSIVE			YES		Not Accepted			145	None	202
Hydrogen peroxide, aqueous solutions with more than 40 percent but not more than 60 percent hydrogen peroxide (stabilized as necessary)	5.1 (8)	UN2014	II		Not Accepted				Forbidden					
Hydrogen peroxide, aqueous solutions with not less than 20 percent but not more than 40 percent hydrogen peroxide (stabilized as necessary)	5.1 (8)	UN2014	II	OXIDIZER, CORROSIVE			YES		Not Accepted				None	202
Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent hydrogen peroxide (stabilized as necessary)	5.1	UN2984	III	OXIDIZER *			YES		Not Accepted				152	203
Hydrogen peroxide, stabilized or Hydrogen peroxide aqueous solutions, stabilized with more than 60 percent hydrogen peroxide	5.1 (8)	UN2015	I		Not Accepted				Forbidden					
Hydrogen, refrigerated liquid (cryogenic liquid)	2.1	UN1966			Not Accepted				Forbidden					
Hydrogen selenide, anhydrous	2.3 (2.1)	UN2202			Not Accepted				Forbidden					
Hydrogen sulfate, see Sulfuric acid														
Hydrogen sulfide	2.3 (2.1)	UN1053			Not Accepted				Forbidden					
Hydrogendifluoride, solid, n.o.s.	8	UN1740	II	CORROSIVE			YES	CORROSIVE	15 kg			N3, N34	None	212
Hydrogendifluoride, solid, n.o.s.	8	UN1740	III	CORROSIVE *			YES	CORROSIVE *	25 kg			N3, N34	154	213
Hydrogendifluorides, solution, n.o.s.	8 (6.1)#	UN3471	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Hydrogen difluorides, solution, n.o.s.	8 (6.1)#	UN3471	III	CORROSIVE, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		154	203
<i>Hydroxilicofluoric acid, see Fluorosilicic acid</i>														
1-Hydroxybenzotriazole, anhydrous, dry or wetted with less than 20 percent water, by mass	1.3C	UN0508	◆		Not Accepted				Forbidden					
1-Hydroxybenzotriazole, anhydrous, wetted with not less than 20 percent water, by mass	4.1	UN3474	I	FLAMMABLE SOLID				FLAMMABLE SOLID	0.5 kg			162, N90	None	211
1-Hydroxybenzotriazole, monohydrate	4.1	UN3474	I	FLAMMABLE SOLID				FLAMMABLE SOLID	0.5 kg			N90	None	211
<i>Hydroxyl amine iodide</i>	Forbidden													
Hydroxylamine sulfate	8	UN2865	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213
Hypochlorite solutions	8	UN1791	II	CORROSIVE *			YES	CORROSIVE *	1 L			A7, N34	154	202
Hypochlorite solutions	8	UN1791	III	CORROSIVE *			YES	CORROSIVE *	5 L			N34	154	203
Hypochlorites, inorganic, n.o.s.	5.1	UN3212	II	OXIDIZER *			YES		Not Accepted				152	212
Hypochlorites, inorganic, n.o.s.	5.1	UN3212	II	OXIDIZER *			YES		Not Accepted			349	152	212
<i>Hyponitrous acid</i>	Forbidden													
<i>Igniter fuse, metal clad, see Fuse, igniter, tubular, metal clad</i>														
Igniters	1.1G	UN0121	◆		Not Accepted				Forbidden					
Igniters	1.2G	UN0314	◆		Not Accepted				Forbidden					
Igniters	1.3G	UN0315	◆		Not Accepted				Forbidden					
Igniters	1.4G	UN0325	◆		Not Accepted				Forbidden					
Igniters	1.4S	UN0454	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
3,3'-Iminodipropylamine	8	UN2269	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Infectious substances, affecting animals only ‡	6.2	UN2900			Not Accepted				Not Accepted					
Infectious substances, affecting humans ‡	6.2	UN2814			Not Accepted				Not Accepted					
<i>Inflammable, see Flammable</i>														
<i>Initiating explosives (dry)</i>	Forbidden													
<i>Inositol hexanitrate (dry)</i>	Forbidden													
Insecticide gases, n.o.s. ‡	2.2	UN1968		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Insecticide gases, flammable, n.o.s. ‡	2.1	UN3354		FLAMMABLE GAS *			YES		Forbidden				306	304
Insecticide gases, toxic, flammable, n.o.s. Inhalation hazard Zone A ‡	2.3	UN3355			Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Insecticide gases, toxic, flammable, n.o.s. <i>Inhalation hazard Zone B ‡</i>	2.3	UN3355			Not Accepted				Forbidden					
Insecticide gases, toxic, flammable, n.o.s. <i>Inhalation hazard Zone C ‡</i>	2.3	UN3355			Not Accepted				Forbidden					
Insecticide gases, toxic, flammable, n.o.s. <i>Inhalation hazard Zone D ‡</i>	2.3	UN3355			Not Accepted				Forbidden					
Insecticide gases, toxic, n.o.s. ‡ <i>Inulin trinitrate (dry)</i>	2.3	UN1967			Not Accepted				Forbidden					
Iodine	8 (6.1)	UN3495	III	CORROSIVE, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg				154	213
<i>Iodine acide (dry)</i>	Forbidden													
Iodine monochloride	8	UN1792	II	CORROSIVE			YES		Forbidden			N41	None	212
Iodine pentafluoride	5.1	UN2495	I		Not Accepted				Forbidden					
2-Iodobutane	3	UN2390	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Iodomethylpropanes	3	UN2391	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Iodopropanes	3	UN2392	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Iodoxy compounds (dry)</i>	Forbidden													
<i>Iridium nitratopentamine iridium nitrate</i>	Forbidden													
<i>Iron chloride, see Ferric chloride</i>														
Iron oxide, spent, or Iron sponge, spent obtained from coal gas purification	4.2	UN1376	III		Not Accepted				Forbidden					
Iron pentacarbonyl	6.1	UN1994	I		Not Accepted				Forbidden					
<i>Iron sesquichloride, see Ferric chloride</i>														
<i>Irritating material, see Tear gas substances, etc</i>														
Isobutane see also Petroleum gases, liquefied	2.1	UN1969		FLAMMABLE GAS *			YES		Forbidden			19	306	304
Isobutanol or Isobutyl alcohol	3	UN1212	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Isobutyl acetate	3	UN1213	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Isobutyl acrylate, stabilized	3	UN2527	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Isobutyl alcohol, see Isobutanol</i>														
<i>Isobutyl aldehyde, see Isobutyraldehyde</i>														
Isobutyl chloroformate	6.1	NA2742	I		Not Accepted				Forbidden					
Isobutyl formate	3	UN2393	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Isobutyl isobutyrate	3	UN2528	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "****" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Isobutyl isocyanate	3	UN2486	I		Not Accepted				Forbidden					
Isobutyl isocyanate	6.1 (3)	UN2486	I		Not Accepted				Forbidden					
Isobutyl methacrylate, stabilized	3	UN2283	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Isobutyl propionate	3	UN2394	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Isobutylamine	3 (8)	UN1214	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Isobutylene <i>see also</i> Petroleum gases, liquefied	2.1	UN1055		FLAMMABLE GAS *			YES		Forbidden			19	306	304
Isobutyraldehyde <i>or</i> Isobutyl aldehyde	3	UN2045	II	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	5 L				None	202
Isobutyric acid	3 (8)	UN2529	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
Isobutyronitrile	3 (6.1)	UN2284	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Isobutyryl chloride	3 (8)	UN2395	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Isocyanates, flammable, toxic, n.o.s. <i>or</i> Isocyanate solutions, flammable, toxic, n.o.s. <i>flash point less than 23 degrees C ‡</i>	3 (6.1)	UN2478	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	5, A3, A7	None	202
Isocyanates, flammable, toxic, n.o.s. <i>or</i> Isocyanate solutions, flammable, toxic, n.o.s. <i>flash point less than 23 degrees C ‡</i>	3 (6.1)	UN2478	III	FLAMMABLE LIQUID, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes	5, A3, A7	150	203
Isocyanates, toxic, flammable, n.o.s. <i>or</i> Isocyanate solutions, toxic, flammable, n.o.s., <i>flash point not less than 23 degrees C but not more than 61 degrees C and boiling point less than 300 degrees C ‡</i>	6.1 (3)	UN3080	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Isocyanates, toxic, n.o.s. <i>or</i> Isocyanate solutions, toxic, n.o.s., <i>flash point more than 61 degrees C and boiling point less than 300 degrees C ‡</i>	6.1	UN2206	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Isocyanates, toxic, n.o.s. <i>or</i> Isocyanate solutions, toxic, n.o.s., <i>flash point more than 61 degrees C and boiling point less than 300 degrees C ‡</i>	6.1	UN2206	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Isocyanatobenzotrifluorides	6.1 (3)	UN2285	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	5	None	202
Isoheptenes	3	UN2287	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Isohexenes	3	UN2288	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>Isooctane, see Octanes</i>														
Isooctenes	3	UN1216	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>Isopentane, see Pentane</i>														
<i>Isopentanoic acid, see Corrosive liquids, n.o.s.</i>														
Isopentenes	3	UN2371	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Isophorone diisocyanate	6.1	UN2290	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Isophoronediamine	8	UN2289	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Isoprene, stabilized	3	UN1218	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Isopropanol or Isopropyl alcohol	3	UN1219	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Isopropanol or Isopropyl alcohol	3	UN1219	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				4b, 150	202
Isopropenyl acetate	3	UN2403	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Isopropenylbenzene	3	UN2303	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Isopropyl acetate	3	UN1220	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Isopropyl acid phosphate	8	UN1793	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213
<i>Isopropyl alcohol, see Isopropanol</i>														
Isopropyl butyrate	3	UN2405	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Isopropyl chloroacetate	3	UN2947	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Isopropyl chloroformate	6.1	UN2407	I		Not Accepted				Forbidden					
Isopropyl 2-chloropropionate	3	UN2934	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Isopropyl isobutyrate	3	UN2406	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Isopropyl isocyanate	3	UN2483	I		Not Accepted				Forbidden					
Isopropyl isocyanate	6.1 (3)	UN2483	I		Not Accepted				Forbidden					
<i>Isopropyl mercaptan, see Propanethiols</i>														
Isopropyl nitrate	3	UN1222	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>Isopropyl phosphoric acid, see Isopropyl acid phosphate</i>														
Isopropyl propionate	3	UN2409	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.322 / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Isopropylamine	3 (8)	UN1221	I	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	0.5 L				None	201
Isopropylbenzene	3	UN1918	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Isopropylcumyl hydroperoxide, with more than 72 percent in solution	Forbidden													
Isosorbide dinitrate mixture with not less than 60 percent lactose, mannose, starch or calcium hydrogen phosphate	4.1	UN2907	II	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	15 kg			N85	None	212
Isosorbide-5-mononitrate	4.1	UN3251	III	FLAMMABLE SOLID *			YES		Forbidden			66, 159	151	223
Isothiocyanic acid	Forbidden													
Jet fuel, see Fuel aviation, turbine engine														
Jet perforating guns, charged oil well, with detonator	1.1D	NA0124	◆		Not Accepted				Forbidden					
Jet perforating guns, charged oil well, with detonator	1.4D	NA0494	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden			55, 56	None	62
Jet perforating guns, charged oil well, without detonator	1.1D	UN0124	◆		Not Accepted				Forbidden					
Jet perforating guns, charged, oil well, without detonator	1.4D	UN0494	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden			55, 114	None	62
Jet perforators, see Charges, shaped, etc														
Jet tappers, without detonator, see Charges, shaped, etc														
Jet thrust igniters, for rocket motors or Jato, see Igniters														
Jet thrust unit (Jato), see Rocket motors														
Kerosene	3	UN1223	III	May not be regulated when shipped via UPS ground			YES	FLAMMABLE LIQUID *	25 L			144	150	203
Ketones, liquid, n.o.s. ‡	3	UN1224	I	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	1 L				None	201
Ketones, liquid, n.o.s. ‡	3	UN1224	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Ketones, liquid, n.o.s. ‡	3	UN1224	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Krypton, compressed	2.2	UN1056		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306, 307	302
Krypton, refrigerated liquid (cryogenic liquid)	2.2	UN1970			Not Accepted				Not Accepted					
Lacquer base or lacquer chips, nitrocellulose, dry, see Nitrocellulose, etc. (UN 2557)														
Lacquer base or lacquer chips, plastic, wet with alcohol or solvent, see Nitrocellulose (UN 2059, UN 2555, UN 2556, UN 2557) or Paint etc. (UN 1263)														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Lead acetate	6.1	UN1616	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Lead arsenates	6.1	UN1617	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Lead arsenites	6.1	UN1618	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Lead azide (dry)	Forbidden													
Lead azide, wetted with not less than 20 percent water or mixture of alcohol and water, by mass	1.1A	UN0129	◆		Not Accepted				Forbidden					
Lead compounds, soluble, n.o.s.	6.1	UN2291	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	138	153	213
Lead cyanide	6.1	UN1620	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Lead dioxide	5.1	UN1872	III	OXIDIZER *			YES		Not Accepted				152	213
Lead dross, see Lead sulfate, with more than 3 percent free acid														
Lead nitrate	5.1	UN1469	II		Not Accepted				Not Accepted					
Lead nitroresorcinate (dry)	Forbidden													
Lead perchlorate, solid	5.1	UN1470	II		Not Accepted				Not Accepted					
Lead perchlorate, solution	5.1 (6.1)	UN3408	II		Not Accepted				Not Accepted					
Lead perchlorate, solution	5.1 (6.1)	UN3408	III		Not Accepted				Not Accepted					
Lead peroxide, see Lead dioxide														
Lead phosphite, dibasic	4.1	UN2989	II	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	15 kg				None	212
Lead phosphite, dibasic	4.1	UN2989	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg				151	213, 27
Lead picrate (dry)	Forbidden													
Lead styphnate (dry)	Forbidden													
Lead styphnate, wetted or Lead trinitroresorcinate, wetted with not less than 20 percent water or mixture of alcohol and water, by mass	1.1A	UN0130	◆		Not Accepted				Forbidden					
Lead sulfate with more than 3 percent free acid	8	UN1794	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Lead trinitroresorcinate, see Lead styphnate, etc														
Life-saving appliances, not self inflating containing dangerous goods as equipment	9	UN3072		None			YES	None	30 kg G	30 kg G			None	219

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Life-saving appliances, self inflating	9	UN2990		None			YES	None	30 kg G	30 kg G			None	219
Lighters containing flammable gas	2.1	UN1057		FLAMMABLE GAS			YES	FLAMMABLE GAS	1 kg			168	21	21, 308
Lighters, fuse	1.4S	UN0131	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Lighters, non-pressurized, containing flammable liquid	3	NA1057	II	FLAMMABLE LIQUID					Forbidden			168	21	None
Lighter refills containing flammable gas not exceeding 4 fluid ounces (7.22 cubic inches) and 65 grams of flammable gas	2.1	UN1057		FLAMMABLE GAS			YES		1 kg			169	306	None
Lighter replacement cartridges containing liquefied petroleum gases see Lighter refills containing flammable gas. Etc.														
Lighters, new or empty, purged of all residual fuel and vapors												168		
Lime, unslaked, see Calcium oxide														
Liquefied gas, flammable, n.o.s. ‡	2.1	UN3161		FLAMMABLE GAS *			YES		Forbidden				306	304
Liquefied gas, n.o.s. ‡	2.2	UN3163		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Liquefied gas, oxidizing, n.o.s. ‡	2.2 (5.1)	UN3157		NON-FLAMMABLE GAS, OXIDIZER *			YES		Not Accepted				306	304
Liquefied gas, toxic, corrosive, n.o.s. Inhalation Hazard Zone A ‡	2.3	UN3308			Not Accepted				Forbidden					
Liquefied gas, toxic, corrosive, n.o.s. Inhalation Hazard Zone B ‡	2.3	UN3308			Not Accepted				Forbidden					
Liquefied gas, toxic, corrosive, n.o.s. Inhalation Hazard Zone C ‡	2.3	UN3308			Not Accepted				Forbidden					
Liquefied gas, toxic, corrosive, n.o.s. Inhalation Hazard Zone D ‡	2.3	UN3308			Not Accepted				Forbidden					
Liquefied gas, toxic, flammable, corrosive, n.o.s. Inhalation Hazard Zone A ‡	2.3	UN3309			Not Accepted				Forbidden					
Liquefied gas toxic, flammable, corrosive, n.o.s. Inhalation Hazard Zone B ‡	2.3	UN3309			Not Accepted				Forbidden					
Liquefied gas, toxic, flammable, corrosive, n.o.s. Inhalation Hazard Zone C ‡	2.3	UN3309			Not Accepted				Forbidden					
Liquefied gas, toxic, flammable, corrosive, n.o.s. Inhalation Hazard Zone D ‡	2.3	UN3309			Not Accepted				Forbidden					
Liquefied gas, toxic, flammable, n.o.s. Inhalation Hazard Zone A ‡	2.3	UN3160			Not Accepted				Forbidden					
Liquefied gas, toxic, flammable, n.o.s. Inhalation Hazard Zone B ‡	2.3	UN3160			Not Accepted				Forbidden					
Liquefied gas, toxic, flammable, n.o.s. Inhalation Hazard Zone C ‡	2.3	UN3160			Not Accepted				Forbidden					
Liquefied gas, toxic, flammable, n.o.s. Inhalation Hazard Zone D ‡	2.3	UN3160			Not Accepted				Forbidden					
Liquefied gas, toxic, n.o.s. Inhalation Hazard Zone A ‡	2.3	UN3162			Not Accepted				Forbidden					
Liquefied gas, toxic, n.o.s. Inhalation Hazard Zone B ‡	2.3	UN3162			Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Liquefied gas, toxic, n.o.s. Inhalation Hazard Zone C ‡	2.3	UN3162			Not Accepted				Forbidden					
Liquefied gas, toxic, n.o.s. Inhalation Hazard Zone D ‡	2.3	UN3162			Not Accepted				Forbidden					
Liquefied gas, toxic, oxidizing, corrosive, n.o.s. Inhalation Hazard Zone A ‡	2.3	UN3310			Not Accepted				Forbidden					
Liquefied gas, toxic, oxidizing, corrosive, n.o.s. Inhalation Hazard Zone B ‡	2.3	UN3310			Not Accepted				Forbidden					
Liquefied gas, toxic, oxidizing, corrosive, n.o.s. Inhalation Hazard Zone C ‡	2.3	UN3310			Not Accepted				Forbidden					
Liquefied gas, toxic, oxidizing, corrosive, n.o.s. Inhalation Hazard Zone D ‡	2.3	UN3310			Not Accepted				Forbidden					
Liquefied gas, toxic, oxidizing, n.o.s. Inhalation Hazard Zone A ‡	2.3	UN3307			Not Accepted				Forbidden					
Liquefied gas, toxic, oxidizing, n.o.s. Inhalation Hazard Zone B ‡	2.3	UN3307			Not Accepted				Forbidden					
Liquefied gas, toxic, oxidizing, n.o.s. Inhalation Hazard Zone C ‡	2.3	UN3307			Not Accepted				Forbidden					
Liquefied gas, toxic, oxidizing, n.o.s. Inhalation Hazard Zone D ‡	2.3	UN3307			Not Accepted				Forbidden					
Liquefied gases, non-flammable charged with nitrogen, carbon dioxide or air	2.2	UN1058		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Liquefied hydrocarbon gas, see Hydrocarbon gas mixture, liquefied, n.o.s.														
Liquefied natural gas, see Methane, etc. (UN 1972)														
Liquefied petroleum gas see Petroleum gases, liquefied														
Lithium	4.3	UN1415	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N45	None	211
Lithium acetylide ethylenediamine complex, see Water reactive solid etc														
Lithium aluminum hydride	4.3	UN1410	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	211
Lithium aluminum hydride, ethereal	4.3 (3)	UN1411	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N34	None	201
Lithium batteries, contained in equipment	9	UN3091	II	CLASS 9			YES	CLASS 9	5 kg	30 kg		29, 188, 189, 190, A54, A55, A101, A104	185	185

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Lithium batteries packed with equipment	9	UN3091	II	CLASS 9			YES	CLASS 9	5 kg	30 kg		29, 188, 189, 190, A54, A55, A101, A103	185	185
Lithium battery	9	UN3090	II	CLASS 9			YES	CLASS 9	5 kg G	30 kg G		29, 188, 189, 190, A54, A55, A100	185	185
Lithium borohydride	4.3	UN1413	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Lithium ferrosilicon	4.3	UN2830	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A19	None	212
Lithium hydride	4.3	UN1414	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Lithium hydride, fused solid	4.3	UN2805	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A8, A19, A20	None	212
Lithium hydroxide	8	UN2680	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Lithium hydroxide, solution	8	UN2679	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Lithium hydroxide, solution	8	UN2679	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Lithium hypochlorite, dry or Lithium hypochlorite mixture	5.1	UN1471	II	OXIDIZER *			YES		Not Accepted			N34	152	212
Lithium hypochlorite, dry or Lithium hypochlorite mixture	5.1	UN1471	III	OXIDIZER *			YES		Not Accepted			N34	152	213
Lithium hypochlorite, dry with more than 39% available chlorine (8.8% available oxygen) or Lithium hypochlorite mixtures, dry with more than 39% available chlorine (8.8% available oxygen)	5.1	UN1471	II	OXIDIZER *			YES		Not Accepted			N34	152	212
Lithium in cartridges, see Lithium														
Lithium ion batteries including lithium ion polymer batteries	9	UN3480	II	CLASS 9			YES	CLASS 9	5 kg G	30 kg G		29, 188, 189, 190, A54, A55, A100	185	185
Lithium ion batteries contained in equipment including lithium ion polymer batteries	9	UN3481	II	CLASS 9			YES	CLASS 9	5 kg	30 kg		29, 188, 189, 190, A54, A55, A104	185	185

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Lithium ion batteries packed with equipment including lithium ion polymer batteries	9	UN3481	II	CLASS 9			YES	CLASS 9	5 kg	30 kg		29, 188, 189, 190, A54, A55, A103	185	185
Lithium metal batteries including lithium alloy batteries	9	UN3090	II	CLASS 9			YES	CLASS 9	Forbidden	30 kg G		29, 188, 189, 190, A54, A55, A100	185	185
Lithium metal batteries contained in equipment including lithium alloy batteries	9	UN3091	II	CLASS 9			YES	CLASS 9	5 kg	30 kg		29, 188, 189, 190, A54, A55, A101, A104	185	185
Lithium metal batteries packed with equipment including lithium alloy batteries	9	UN3091	II	CLASS 9			YES	CLASS 9	5 kg	30 kg		29, 188, 189, 190, A54, A55, A101, A103	185	185
Lithium nitrate	5.1	UN2722	III	OXIDIZER *			YES		Not Accepted				152	213
Lithium nitride	4.3	UN2806	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Lithium peroxide	5.1	UN1472	II	OXIDIZER *			YES		Not Accepted			N34	152	212
Lithium silicon <i>LNG, see Methane etc. (UN 1972)</i>	4.3	UN1417	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A19, A20	None	212
London purple <i>LPG, see Petroleum gases, liquefied</i> <i>Lye, see Sodium hydroxide, solutions</i>	6.1	UN1621	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Magnesium aluminum phosphide	4.3 (6.1)	UN1419	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N34, N40	None	211
Magnesium arsenate <i>Magnesium bisulfite solution, see Bisulfites, aqueous solutions, n.o.s.</i>	6.1	UN1622	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Magnesium bromate	5.1	UN1473	II	OXIDIZER *			YES		Not Accepted				152	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Magnesium chlorate	5.1	UN2723	II	OXIDIZER *			YES		Not Accepted				152	212
Magnesium diamide	4.2	UN2004	II		Not Accepted				Not Accepted					
<i>Magnesium dross, wet or hot</i>	Forbidden													
Magnesium fluorosilicate	6.1	UN2853	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Magnesium granules, coated, particle size not less than 149 microns	4.3	UN2950	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A1, A19	None	213, 27
Magnesium hydride	4.3	UN2010	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Magnesium or Magnesium alloys with more than 50 percent magnesium in pellets, turnings or ribbons	4.1	UN1869	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27
Magnesium nitrate	5.1	UN1474	III	OXIDIZER *			YES		Not Accepted			332	152	213
Magnesium perchlorate	5.1	UN1475	II	OXIDIZER *			YES		Not Accepted				152	212
Magnesium peroxide	5.1	UN1476	II	OXIDIZER *			YES		Not Accepted				152	212
Magnesium phosphide	4.3 (6.1)	UN2011	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Magnesium, powder or Magnesium alloys, powder	4.3	UN1418	I		Not Accepted				Forbidden					
Magnesium, powder or Magnesium alloys, powder	4.3	UN1418	II		Not Accepted				Not Accepted					
Magnesium, powder or Magnesium alloys, powder	4.3	UN1418	III		Not Accepted				Not Accepted					
<i>Magnesium scrap, see Magnesium, etc. (UN 1869)</i>														
Magnesium silicide	4.3	UN2624	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A19, A20	None	212
<i>Magnetized material, see §173.21</i>														
Maleic anhydride, molten	8	UN2215	III		Not Accepted				Forbidden					
Maleic anhydride	8	UN2215	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Malononitrile	6.1	UN2647	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>Mancozeb (manganese ethylenebisdithiocarbamate complex with zinc) see Maneb</i>														
Maneb or Maneb preparations with not less than 60 percent maneb	4.2	UN2210	III		Not Accepted				Not Accepted					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Maneb stabilized or Maneb preparations, stabilized against self-heating	4.3	UN2968	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	54, A1, A19	None	213, 27
Manganese nitrate	5.1	UN2724	III	OXIDIZER * FLAMMABLE SOLID *			YES		Not Accepted				152	213
Manganese resinate	4.1	UN1330	III				YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27
<i>Mannitan tetranitrate</i>	Forbidden													
<i>Mannitol hexanitrate (dry)</i>	Forbidden													
Mannitol hexanitrate, wetted or Nitromannite, wetted with not less than 40 percent water, or mixture of alcohol and water, by mass	1.ID	UN0133	◆		Not Accepted				Forbidden					
<i>Marine pollutants, liquid or solid, n.o.s., see Environmentally hazardous substances, liquid or solid, n.o.s.</i>														
<i>Matches, block, see Matches, 'strike anywhere'</i>														
Matches, fusee	4.1	UN2254	III	FLAMMABLE SOLID			YES		Forbidden				186	186, 27
Matches, safety (book, card or strike on box)	4.1	UN1944	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg				186	186, 27
Matches, strike anywhere	4.1	UN1331	III	FLAMMABLE SOLID			YES		Forbidden				186	186, 27
Matches, wax, Vesta	4.1	UN1945	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg				186	186, 27
<i>Matting acid, see Sulfuric acid</i>														
Medicine, liquid, flammable, toxic, n.o.s.	3 (6.1)	UN3248	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Medicine, liquid, flammable, toxic, n.o.s.	3 (6.1)	UN3248	III	FLAMMABLE LIQUID, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		150	203
Medicine, liquid, flammable, toxic, n.o.s.	3 (6.1)	UN3248	III	FLAMMABLE LIQUID, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		150	203
Medicine, liquid, toxic, n.o.s.	6.1	UN1851	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Medicine, liquid, toxic, n.o.s.	6.1	UN1851	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		153	203
Medicine, liquid, toxic, n.o.s.	6.1	UN1851	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Medicine, solid, toxic, n.o.s.	6.1	UN3249	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Medicine, solid, toxic, n.o.s.	6.1	UN3249	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Medicine, solid, toxic, n.o.s.	6.1	UN3249	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		153	213
Medicine, solid, toxic, n.o.s.	6.1	UN3249	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
<i>Memtetrahydrophthalic anhydride, see Corrosive liquids, n.o.s.</i>														
Mercaptans, liquid, flammable, n.o.s. or Mercaptan mixture, liquid, flammable, n.o.s.	3	UN3336	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Mercaptans, liquid, flammable, n.o.s. or Mercaptan mixture, liquid, flammable, n.o.s.	3	UN3336	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Mercaptans, liquid, flammable, n.o.s. or Mercaptan mixture, liquid, flammable, n.o.s.	3	UN3336	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Mercaptans, liquid, flammable, toxic, n.o.s. or Mercaptan mixtures, liquid, flammable, toxic, n.o.s.	3 (6.1)	UN1228	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	202
Mercaptans, liquid, flammable, toxic, n.o.s. or Mercaptan mixtures, liquid, flammable, toxic, n.o.s.	3 (6.1)	UN1228	III	FLAMMABLE LIQUID, POISON PG III				Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	A6	None	203
Mercaptans, liquid, toxic, flammable, n.o.s. or Mercaptan mixtures, liquid, toxic, flammable, n.o.s., flash point not less than 23 degrees C	6.1 (3)	UN3071	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	A6	None	202
5-Mercaptotetrazol-1-acetic acid	1.4C	UN0448	◆	EXPLOSIVE 1.4C		Yes see 172.320			Forbidden				None	62
Mercuric arsenate	6.1	UN1623	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercuric chloride	6.1	UN1624	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>Mercuric compounds, see Mercury compounds, etc</i>														
Mercuric nitrate	6.1	UN1625	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	N73	None	212
Mercuric potassium cyanide	6.1	UN1626	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes	N74, N75	None	211
<i>Mercuric sulfocyanate, see Mercury thiocyanate</i>														
<i>Mercuriol, see Mercury nucleate</i>														
<i>Mercurous azide</i>	Forbidden													
<i>Mercurous compounds, see Mercury compounds, etc</i>														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Mercurous nitrate	6.1	UN1627	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury	8	UN2809	III	May not be regulated when shipped via UPS ground			YES	CORROSIVE	25 kg				164	164, 27
Mercury acetate	6.1	UN1629	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury acetylide	Forbidden													
Mercury ammonium chloride	6.1	UN1630	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury based pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2778	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Mercury based pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2778	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Mercury based pesticides, liquid, toxic	6.1	UN3012	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Mercury based pesticides, liquid, toxic	6.1	UN3012	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Mercury based pesticides, liquid, toxic	6.1	UN3012	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Mercury based pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3011	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Mercury based pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3011	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Mercury based pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3011	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Mercury based pesticides, solid, toxic	6.1	UN2777	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Mercury based pesticides, solid, toxic	6.1	UN2777	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury based pesticides, solid, toxic	6.1	UN2777	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Mercury benzoate	6.1	UN1631	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Mercury bromides	6.1	UN1634	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury compounds, liquid, n.o.s.	6.1	UN2024	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Mercury compounds, liquid, n.o.s.	6.1	UN2024	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Mercury compounds, liquid, n.o.s.	6.1	UN2024	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Mercury compounds, solid, n.o.s.	6.1	UN2025	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Mercury compounds, solid, n.o.s.	6.1	UN2025	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury compounds, solid, n.o.s.	6.1	UN2025	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Mercury contained in manufactured articles	8	UN2809	III	May not be regulated when shipped via UPS ground			YES	CORROSIVE	30 kg G				None	164
Mercury cyanide	6.1	UN1636	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	N74, N75	None	212
Mercury fulminate, wetted with not less than 20 percent water, or mixture of alcohol and water, by mass	1.1A	UN0135	◆		Not Accepted				Forbidden					
Mercury gluconate	6.1	UN1637	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury iodide	6.1	UN1638	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury iodide aquabasic ammonobasic (Iodide of Millon's base)	Forbidden													
Mercury nitride	Forbidden													
Mercury nucleate	6.1	UN1639	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury oleate	6.1	UN1640	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury oxide	6.1	UN1641	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury oxycyanide	Forbidden													

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Mercury oxycyanide, desensitized	6.1	UN1642	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury potassium iodide	6.1	UN1643	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury salicylate	6.1	UN1644	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury sulfates	6.1	UN1645	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mercury thiocyanate	6.1	UN1646	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Mesityl oxide	3	UN1229	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Metal carbonyls, liquid, n.o.s. ‡	6.1	UN3281	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	5	None	201
Metal carbonyls, liquid, n.o.s. ‡	6.1	UN3281	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Metal carbonyls, liquid, n.o.s. ‡	6.1	UN3281	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Metal carbonyls, solid, n.o.s. ‡	6.1	UN3466	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Metal carbonyls, solid, n.o.s. ‡	6.1	UN3466	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Metal carbonyls, solid, n.o.s. ‡	6.1	UN3466	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Metal catalyst, dry	4.2	UN2881	I		Not Accepted				Forbidden					
Metal catalyst, dry	4.2	UN2881	II		Not Accepted				Forbidden					
Metal catalyst, dry	4.2	UN2881	III		Not Accepted				Not Accepted					
Metal catalyst, wetted with a visible excess of liquid	4.2	UN1378	II		Not Accepted				Forbidden					
Metal hydrides, flammable, n.o.s.	4.1	UN3182	II	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	15 kg			A1	151	212
Metal hydrides, flammable, n.o.s.	4.1	UN3182	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Metal hydrides, water reactive, n.o.s.	4.3	UN1409	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N34, N40	None	211
Metal hydrides, water reactive, n.o.s.	4.3	UN1409	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A19, N34, N40	None	212
Metal powder, self-heating, n.o.s.	4.2	UN3189	II		Not Accepted				Not Accepted					
Metal powder, self-heating, n.o.s.	4.2	UN3189	III		Not Accepted				Not Accepted					
Metal powders, flammable, n.o.s.	4.1	UN3089	II	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	15 kg				151	212
Metal powders, flammable, n.o.s.	4.1	UN3089	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg				151	213, 27
Metal salts of methyl nitramine (dry)	Forbidden													
Metal salts of organic compounds, flammable, n.o.s. ‡	4.1	UN3181	II	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	15 kg			A1	151	212
Metal salts of organic compounds, flammable, n.o.s. ‡	4.1	UN3181	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27
Metaldehyde	4.1	UN1332	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27
Metallic substance, water-reactive, n.o.s. ‡	4.3	UN3208	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	211
Metallic substance, water-reactive, n.o.s. ‡	4.3	UN3208	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Metallic substance, water-reactive, n.o.s. ‡	4.3	UN3208	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	213, 27
Metallic substance, water-reactive, self-heating, n.o.s. ‡	4.3	UN3209	I		Not Accepted				Forbidden					
Metallic substance, water-reactive, self-heating, n.o.s. ‡	4.3	UN3209	II		Not Accepted				Not Accepted					
Metallic substance, water-reactive, self-heating, n.o.s. ‡	4.3	UN3209	III		Not Accepted				Not Accepted					
Methacrylaldehyde, stabilized	3 (6.1)	UN2396	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	45	None	202
Methacrylic acid, stabilized	8	UN2531	II	CORROSIVE *			YES	CORROSIVE *	1 L			41	154	202
Methacrylonitrile, stabilized	3	UN3079	I		Not Accepted				Forbidden					
Methacrylonitrile, stabilized	6.1 (3)	UN3079	I		Not Accepted				Forbidden					
Methallyl alcohol	3	UN2614	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Methane and hydrogen, mixtures, see Hydrogen and methane, mixtures, etc														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Methane, compressed or Natural gas, compressed (with high methane content)	2.1	UN1971		FLAMMABLE GAS *			YES		Forbidden				306	302
Methane, refrigerated liquid (cryogenic liquid) or Natural gas, refrigerated liquid (cryogenic liquid), with high methane content	2.1	UN1972			Not Accepted				Forbidden					
Methane, refrigerated liquid (cryogenic liquid) or Natural gas, refrigerated liquid (cryogenic liquid), with high methane content	2.1	UN1972			Not Accepted				Forbidden					
Methanesulfonyl chloride	6.1	UN3246	I		Not Accepted				Forbidden					
Methanol	3 (6.1)	UN1230	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Methanol	3	UN1230	II	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	1 L				150	202
<i>Methazoic acid</i>	Forbidden													
4-Methoxy-4-methylpentan-2-one	3	UN2293	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
1-Methoxy-2-propanol	3	UN3092	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Methoxymethyl isocyanate	3	UN2605	I		Not Accepted				Forbidden					
Methoxymethyl isocyanate	6.1 (3)	UN2605	I		Not Accepted				Forbidden					
Methyl acetate	3	UN1231	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Methyl acetylene and propadiene mixtures, stabilized	2.1	UN1060		FLAMMABLE GAS *			YES		Forbidden			N88	306	304
Methyl acrylate, stabilized	3	UN1919	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>Methyl alcohol, see Methanol</i>														
Methyl allyl chloride	3	UN2554	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>Methyl amyl ketone, see Amyl methyl ketone</i>														
Methyl bromide	2.3	UN1062			Not Accepted				Forbidden					
<i>Methyl bromide and chloropicrin mixtures with more than 2 percent chloropicrin, see Chloropicrin and methyl bromide mixtures</i>														
<i>Methyl bromide and chloropicrin mixtures with not more than 2 percent chloropicrin, see Methyl bromide</i>														
Methyl bromide and ethylene dibromide mixtures, liquid	6.1	UN1647	I		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Methyl bromoacetate	6.1	UN2643	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
2-Methylbutanal	3	UN3371	II	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	5 L				150	202
2-Methyl-1-butene	3	UN2459	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	1 L				None	201
2-Methyl-2-butene	3	UN2460	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				None	202
3-Methyl-1-butene	3	UN2561	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	1 L				None	201
Methyl tert-butyl ether	3	UN2398	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Methyl butyrate	3	UN1237	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Methyl chloride or Refrigerant gas R 40	2.1	UN1063		FLAMMABLE GAS *			YES	FLAMMABLE GAS *	5 kg			N86	306	304
<i>Methyl chloride and chloropicrin mixtures, see Chloropicrin and methyl chloride mixtures</i>														
Methyl chloride and methylene chloride mixtures	2.1	UN1912		FLAMMABLE GAS *			YES		Forbidden			N86	306	304
Methyl chloroacetate	6.1 (3)	UN2295	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
<i>Methyl chloroformate, see Methyl chloroformate</i>														
<i>Methyl chloroform, see 1,1,1-Trichloroethane</i>														
Methyl chloroformate	6.1	UN1238	I		Not Accepted				Forbidden					
Methyl Chloromethyl Ether	6.1	UN1239	I		Not Accepted				Forbidden					
Methyl 2-chloropropionate	3	UN2933	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Methyl dichloroacetate	6.1	UN2299	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
<i>Methyl ethyl ether, see Ethyl methyl ether</i>														
<i>Methyl ethyl ketone, see Ethyl methyl ketone</i>														
<i>Methyl ethyl ketone peroxide, in solution with more than 9 percent by mass active oxygen</i>	Forbidden													
2-Methyl-5-ethylpyridine	6.1	UN2300	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Methyl fluoride, or Refrigerant gas R 41	2.1	UN2454		FLAMMABLE GAS *			YES		Forbidden				306	304

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Methyl formate	3	UN1243	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
2-Methyl-2-heptanethiol	6.1	UN3023	I		Not Accepted				Forbidden					
Methyl iodide	6.1	UN2644	I		Not Accepted				Forbidden					
Methyl isobutyl carbinol	3	UN2053	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Methyl isobutyl ketone	3	UN1245	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Methyl isobutyl ketone peroxide, in solution with more than 9 percent by mass active oxygen	Forbidden													
Methyl isocyanate	6.1	UN2480	I		Not Accepted				Forbidden					
Methyl isopropenyl ketone, stabilized	3	UN1246	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Methyl isothiocyanate	6.1	UN2477	I		Not Accepted				Forbidden					
Methyl isovalerate	3	UN2400	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Methyl magnesium bromide, in ethyl ether	4.3 (3)	UN1928	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Methyl mercaptan	2.3	UN1064			Not Accepted				Forbidden					
Methyl mercaptopropionaldehyde, see 4-Thiapentanal														
Methyl methacrylate monomer, stabilized	3	UN1247	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Methyl nitramine (dry)	Forbidden													
Methyl nitrate	Forbidden													
Methyl nitrite	Forbidden													
Methyl norbornene dicarboxylic anhydride, see Corrosive liquids, n.o.s.														
Methyl orthosilicate	6.1	UN2606	I		Not Accepted				Forbidden					
Methyl phosphonic dichloride	6.1	NA9206	I		Not Accepted				Forbidden					
Methyl phosphonothioic dichloride, anhydrous, see Corrosive liquid, n.o.s.														
Methyl phosphonous dichloride, pyrophoric liquid	6.1	NA2845	I		Not Accepted				Forbidden					
Methyl picric acid (heavy metal salts of)	Forbidden													
Methyl propionate	3	UN1248	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Methyl propyl ether	3	UN2612	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Methyl propyl ketone	3	UN1249	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Methyl sulfate, see Dimethyl sulfate														
Methyl sulfide, see Dimethyl sulfide								Refer to Applicable Exemption or Special Permit or 173.13						
Methyl trichloroacetate	6.1	UN2533	III	POISON PG III *					25 L		Yes		153	203
Methyl trimethylol methane trinitrate	Forbidden													
Methyl vinyl ketone, stabilized	6.1	UN1251	I		Not Accepted				Forbidden					
Methylal	3	UN1234	II	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	5 L				None	202
Methylamine, anhydrous	2.1	UN1061		FLAMMABLE GAS *			YES		Forbidden			N87	306	304
Methylamine, aqueous solution	3 (8)	UN1235	II	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	1 L				150	202
Methylamine dinitramine and dry salts thereof	Forbidden													
Methylamine nitroform	Forbidden													
Methylamine perchlorate (dry)	Forbidden													
Methylamyl acetate	3	UN1233	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
N-Methylaniline	6.1	UN2294	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
alpha-Methylbenzyl alcohol, liquid	6.1	UN2937	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
alpha-Methylbenzyl alcohol, solid	6.1	UN3438	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
3-Methylbutan-2-one	3	UN2397	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
N-Methylbutylamine	3 (8)	UN2945	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Methylchlorosilane	2.3	UN2534			Not Accepted				Forbidden					
Methylcyclohexane	3	UN2296	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Methylcyclohexanols, flammable	3	UN2617	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Methylcyclohexanone	3	UN2297	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Methylcyclopentane	3	UN2298	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Methyldichloroarsine	6.1	NA1556	I		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "**" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Methyldichlorosilane	4.3	UN1242	I		Not Accepted				Forbidden					
<i>Methylene chloride, see Dichloromethane</i>														
<i>Methylene glycol dinitrate</i>	Forbidden													
2-Methylfuran	3	UN2301	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>a-Methylglucoside tetranitrate</i>	Forbidden													
<i>a-Methylglycerol trinitrate</i>	Forbidden													
5-Methylhexan-2-one	3	UN2302	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Methylhydrazine	6.1	UN1244	I		Not Accepted				Forbidden					
4-Methylmorpholine or n-methylmorpholine	3 (8)	UN2535	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Methylpentadienes	3	UN2461	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
2-Methylpentan-2-ol	3	UN2560	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Methylpentanes, see Hexanes</i>														
Methylphenyldichlorosilane	8	UN2437	II	CORROSIVE			YES	CORROSIVE	1 L				None	206
Methylphenyldichlorosilane	8	UN2437	II	CORROSIVE			YES		Forbidden				None	206
1-Methylpiperidine	3 (8)	UN2399	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Methyltetrahydrofuran	3	UN2536	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Methyltrichlorosilane	3 (8)	UN1250	II	FLAMMABLE LIQUID, CORROSIVE			YES		1 L			A7, N34	None	206
alpha-Methylvaleraldehyde	3	UN2367	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>Mine rescue equipment containing carbon dioxide, see Carbon dioxide</i>														
Mines with bursting charge	1.1F	UN0136	◆		Not Accepted				Forbidden					
Mines with bursting charge	1.1D	UN0137	◆		Not Accepted				Forbidden					
Mines with bursting charge	1.2D	UN0138	◆		Not Accepted				Forbidden					
Mines with bursting charge	1.2F	UN0294	◆		Not Accepted				Forbidden					
<i>Mixed acid, see Nitrating acid, mixtures etc</i>														
<i>Mobility aids, see Battery powered equipment or Battery powered vehicle</i>														
<i>Mobility aids, see Battery powered equipment or Battery powered vehicle'</i>														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Model rocket motor	1.4C	NA0276	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden			51	None	62
Model rocket motor	1.4S	NA0323	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320	51	None	62
Molybdenum pentachloride	8	UN2508	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Monochloroacetone (unstabilized)	Forbidden													
Monochloroethylene, see Vinyl chloride, stabilized														
Monoethanolamine, see Ethanolamine, solutions														
Monoethylamine, see Ethylamine														
Morpholine	8 (3)	UN2054	I	CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	0.5 L			A6	None	201
Morpholine, aqueous, mixture, see Corrosive liquids, n.o.s.														
Motor fuel anti-knock compounds see Motor fuel anti-knock mixtures														
Motor fuel anti-knock mixture, flammable	6.1 (3)	UN3483	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			14	None	201
Motor fuel anti-knock mixtures	6.1	UN1649	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			14, 151	None	201
Motor spirit, see Gasoline														
Muriatic acid, see Hydrochloric acid														
Musk xylene, see 5-tert-Butyl-2,4,6-trinitro-m-xylene														
Naphtha see Petroleum distillates n.o.s.														
Naphthalene, crude or Naphthalene, refined	4.1	UN1334	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27
Naphthalene diozonide	Forbidden													
beta-Naphthylamine, solid	6.1	UN1650	II		Not Accepted				Not Accepted					
beta-Naphthylamine solution	6.1	UN3411	II		Not Accepted				Not Accepted					
beta-Naphthylamine solution	6.1	UN3411	III		Not Accepted				Not Accepted					
alpha-Naphthylamine	6.1	UN2077	III		Not Accepted				Not Accepted					
Naphthalene, molten	4.1	UN2304	III		Not Accepted				Forbidden					
Naphthylamineperchlorate	Forbidden													
Naphthylthiourea	6.1	UN1651	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Naphthylurea	6.1	UN1652	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>Natural gases (with high methane content), see Methane, etc. (UN 1971, UN 1972)</i> <i>Neohexane, see Hexanes</i>														
Neon, compressed	2.2	UN1065		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306, 307	302
Neon, refrigerated liquid (cryogenic liquid) <i>New explosive or explosive device, see §§173.51 and 173.56</i>	2.2	UN1913		NON-FLAMMABLE GAS			YES	NON-FLAMMABLE GAS					320	316
Nickel carbonyl	6.1	UN1259	I		Not Accepted				Forbidden					
Nickel cyanide	6.1	UN1653	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	N74, N75	None	212
Nickel nitrate	5.1	UN2725	III	OXIDIZER *			YES		Not Accepted				152	213
Nickel nitrite <i>Nickel picrate</i>	5.1	UN2726	III	OXIDIZER *			YES		Not Accepted				152	213
Nicotine	6.1	UN1654	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Nicotine compounds, liquid, n.o.s. or Nicotine preparations, liquid, n.o.s.	6.1	UN3144	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	A4	None	201
Nicotine compounds, liquid, n.o.s. or Nicotine preparations, liquid, n.o.s.	6.1	UN3144	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Nicotine compounds, liquid, n.o.s. or Nicotine preparations, liquid, n.o.s.	6.1	UN3144	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Nicotine compounds, solid, n.o.s. or Nicotine preparations, solid, n.o.s.	6.1	UN1655	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Nicotine compounds, solid, n.o.s. or Nicotine preparations, solid, n.o.s.	6.1	UN1655	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Nicotine compounds, solid, n.o.s. or Nicotine preparations, solid, n.o.s.	6.1	UN1655	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Nicotine hydrochloride liquid or solution	6.1	UN1656	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Nicotine hydrochloride liquid or solution	6.1	UN1656	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Nicotine hydrochloride, solid	6.1	UN3444	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Nicotine salicylate	6.1	UN1657	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Nicotine sulfate solution	6.1	UN1658	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Nicotine sulfate solution	6.1	UN1658	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Nicotine sulphate, solid	6.1	UN3445	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Nicotine tartrate	6.1	UN1659	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Nitrated paper (unstable)	Forbidden													
Nitrates, inorganic, aqueous solution, n.o.s.	5.1	UN3218	II	OXIDIZER *			YES		Not Accepted			58	152	202
Nitrates, inorganic, aqueous solution, n.o.s.	5.1	UN3218	III	OXIDIZER *			YES		Not Accepted			58	152	203
Nitrates, inorganic, n.o.s.	5.1	UN1477	II	OXIDIZER *			YES		Not Accepted				152	212
Nitrates, inorganic, n.o.s.	5.1	UN1477	III	OXIDIZER *			YES		Not Accepted				152	213
Nitrates of diazonium compounds	Forbidden													
Nitrating acid mixtures, spent with more than 50 percent nitric acid	8	UN1826	I		Not Accepted				Forbidden					
Nitrating acid mixtures spent with not more than 50 percent nitric acid	8	UN1826	II	CORROSIVE			YES		Forbidden				None	158
Nitrating acid mixtures with more than 50 percent nitric acid	8	UN1796	I		Not Accepted				Forbidden					
Nitrating acid mixtures with not more than 50 percent nitric acid	8	UN1796	II	CORROSIVE			YES		Forbidden				None	158
Nitric acid other than red fuming, with at least 65 percent, but not more than 70 percent nitric acid	8 (5.1)	UN2031	II	CORROSIVE, OXIDIZER			YES		Forbidden			A6	None	158
Nitric acid other than red fuming, with less than 65 percent nitric acid	8	UN2031	II	CORROSIVE			YES		Forbidden			A6	None	158
Nitric acid other than red fuming, with more than 20 percent and less than 65 percent nitric acid	8	UN2031	II	CORROSIVE			YES		Forbidden			A6	None	158
Nitric acid other than red fuming, with more than 70 percent nitric acid	8 (5.1)	UN2031	I		Not Accepted				Forbidden					
Nitric acid other than red fuming, with not more than 20 percent nitric acid	8	UN2031	II	CORROSIVE			YES	CORROSIVE	1 L			A6	None	158

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Nitric acid other than red fuming, with not more than 70 percent nitric acid	8 (5.1)	UN2031	II	CORROSIVE, OXIDIZER			YES		Forbidden			A3	None	158
Nitric acid, red fuming	8	UN2032	I		Not Accepted				Forbidden					
Nitric oxide, compressed	2.3	UN1660			Not Accepted				Forbidden					
Nitric oxide and dinitrogen tetroxide mixtures or Nitric oxide and nitrogen dioxide mixtures	2.3	UN1975			Not Accepted				Forbidden					
Nitriles, flammable, toxic, n.o.s. ‡	3 (6.1)	UN3273	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Nitriles, flammable, toxic, n.o.s. ‡	3 (6.1)	UN3273	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Nitriles, toxic, flammable, n.o.s. ‡	6.1 (3)	UN3275	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	5	None	201
Nitriles, toxic, flammable, n.o.s. ‡	6.1 (3)	UN3275	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Nitriles, toxic, liquid, n.o.s. ‡	6.1	UN3276	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	5	None	201
Nitriles, toxic, liquid, n.o.s. ‡	6.1	UN3276	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Nitriles, toxic, liquid, n.o.s. ‡	6.1	UN3276	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Nitriles, toxic, solid, n.o.s. ‡	6.1	UN3439	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Nitriles, toxic, solid, n.o.s. ‡	6.1	UN3439	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Nitriles, toxic, solid, n.o.s. ‡	6.1	UN3439	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Nitrites, inorganic, aqueous solution, n.o.s.	5.1	UN3219	II	OXIDIZER *			YES		Not Accepted				152	202
Nitrites, inorganic, aqueous solution, n.o.s.	5.1	UN3219	III	OXIDIZER *			YES		Not Accepted				152	203
Nitrites, inorganic, n.o.s.	5.1	UN2627	II	OXIDIZER *			YES		Not Accepted			33	152	212
3-Nitro-4-chlorobenzotrifluoride	6.1	UN2307	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>6-Nitro-4-diazotoluene-3-sulfonic acid (dry)</i>	Forbidden													
<i>Nitro isobutane triol trinitrate</i>	Forbidden													
<i>N-Nitro-N-methylglycolamide nitrate</i>	Forbidden													
<i>2-Nitro-2-methylpropanol nitrate</i>	Forbidden													
Nitro urea	1.1D	UN0147	◆		Not Accepted				Forbidden					
<i>N-Nitroaniline</i>	Forbidden													
Nitroanilines (o-; m-; p-)	6.1	UN1661	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Nitroanisole, liquid	6.1	UN2730	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Nitroanisoles, solid	6.1	UN3458	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Nitrobenzene	6.1	UN1662	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
<i>m-Nitrobenzene diazonium perchlorate</i>	Forbidden													
Nitrobenzenesulfonic acid	8	UN2305	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
<i>Nitrobenzol, see Nitrobenzene</i>														
5-Nitrobenzotriazol	1.1D	UN0385	◆		Not Accepted				Forbidden					
Nitrobenzotrifluorides, liquid	6.1	UN2306	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Nitrobenzotrifluorides, solid	6.1	UN3431	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Nitrobromobenzenes, liquid	6.1	UN2732	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Nitrobromobenzenes, solid	6.1	UN3459	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
<i>Nitrocellulose, dry or wetted with less than 25 percent water (or alcohol), by mass</i>	1.1D	UN0340	◆		Not Accepted				Forbidden					
<i>Nitrocellulose membrane filters, with not more than 12.6% nitrogen, by dry mass</i>	4.1	UN3270	II	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	1 kg			43, A1	151	212
<i>Nitrocellulose, plasticized with not less than 18 percent plasticizing substance, by mass</i>	1.3C	UN0343	◆		Not Accepted				Forbidden					
<i>Nitrocellulose, solution, flammable with not more than 12.6 percent nitrogen, by mass, and not more than 55 percent nitrocellulose</i>	3	UN2059	I	FLAMMABLE LIQUID				FLAMMABLE LIQUID	1 L			198	None	201

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Nitrocellulose, solution, flammable with not more than 12.6 percent nitrogen, by mass, and not more than 55 percent nitrocellulose	3	UN2059	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			198	150	202
Nitrocellulose, solution, flammable with not more than 12.6 percent nitrogen, by mass, and not more than 55 percent nitrocellulose	3	UN2059	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L			198	150	203
Nitrocellulose, unmodified or plasticized with less than 18 percent plasticizing substance, by mass	1.1D	UN0341	◆		Not Accepted				Forbidden					
Nitrocellulose, wetted with not less than 25 percent alcohol, by mass	1.3C	UN0342	◆		Not Accepted				Forbidden					
Nitrocellulose with alcohol with not less than 25 percent alcohol by mass, and with not more than 12.6 percent nitrogen, by dry mass	4.1	UN2556	II	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	1 kg				151	212
Nitrocellulose, with not more than 12.6 percent, by dry mass mixture with or without plasticizer, with or without pigment.	4.1	UN2557	II	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	1 kg			44	151	212
Nitrocellulose with water with not less than 25 percent water, by mass	4.1	UN2555	II	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	15 kg				151	212
Nitrochlorobenzene, see Chloronitrobenzenes etc														
Nitroresols, liquid	6.1	UN3434	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Nitroresols, solid	6.1	UN2446	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Nitroethane	3	UN2842	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Nitroethyl nitrate	Forbidden													
Nitroethylene polymer	Forbidden													
Nitrogen, compressed	2.2	UN1066		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306, 307	302
Nitrogen dioxide, see Dinitrogen tetroxide														
Nitrogen fertilizer solution, see Fertilizer ammoniating solution etc														
Nitrogen peroxide, see Dinitrogen tetroxide														
Nitrogen, refrigerated liquid cryogenic liquid	2.2	UN1977		NON-FLAMMABLE GAS			YES	NON-FLAMMABLE GAS					320	316
Nitrogen, refrigerated liquid cryogenic liquid	2.2	UN1977		NON-FLAMMABLE GAS			YES	NON-FLAMMABLE GAS				345, 346	320	316
Nitrogen tetroxide and nitric oxide mixtures, see Nitric oxide and nitrogen tetroxide mixtures														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>Nitrogen tetroxide, see Dinitrogen tetroxide</i>														
<i>Nitrogen trichloride</i>	Forbidden													
Nitrogen trifluoride	2.2 (5.1)	UN2451		NON-FLAMMABLE GAS, OXIDIZER			YES		Not Accepted				None	302
<i>Nitrogen triiodide</i>	Forbidden													
<i>Nitrogen triiodide monoamine</i>	Forbidden													
Nitrogen trioxide	2.3	UN2421							Not Accepted					
<i>Nitroglycerin, desensitized with not less than 40 percent non-volatile water insoluble phlegmatizer, by mass</i>	1.1D	UN0143	◆						Not Accepted					
<i>Nitroglycerin, liquid, not desensitized</i>	Forbidden													
Nitroglycerin mixture, desensitized, liquid, flammable, n.o.s. with not more than 30 percent nitroglycerin, by mass	3	UN3343							Not Accepted					
Nitroglycerin mixture, desensitized, liquid, n.o.s. with not more than 30% nitroglycerin, by mass	3	UN3357	II						Not Accepted					
Nitroglycerin mixture, desensitized, solid, n.o.s. with more than 2 percent but not more than 10 percent nitroglycerin, by mass	4.1	UN3319	II	FLAMMABLE SOLID			YES		Forbidden			118	None	See Special Provision 118, None
Nitroglycerin, solution in alcohol, with more than 1 percent but not more than 5 percent nitroglycerin	3	UN3064	II	FLAMMABLE LIQUID			YES		Forbidden			N8	None	202
Nitroglycerin, solution in alcohol, with more than 1 percent but not more than 10 percent nitroglycerin	1.1D	UN0144	◆						Not Accepted					
Nitroglycerin solution in alcohol with not more than 1 percent nitroglycerin	3	UN1204	II	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	5 L			N34	None	202
<i>Nitroguanidine nitrate</i>	Forbidden													
Nitroguanidine or Picrite, dry or wetted with less than 20 percent water, by mass	1.1D	UN0282	◆						Not Accepted					
Nitroguanidine, wetted or Picrite, wetted with not less than 20 percent water, by mass	4.1	UN1336	I	FLAMMABLE SOLID				FLAMMABLE SOLID	1 kg			23, A8, A19, A20, N41	None	211
<i>1-Nitrohydantoin</i>	Forbidden													
Nitrohydrochloric acid	8	UN1798	I						Not Accepted					
<i>Nitromannite (dry)</i>	Forbidden													
Nitromannite, wetted, see Mannitol hexanitrate, etc														
Nitromethane	3	UN1261	II	FLAMMABLE LIQUID *			YES		Forbidden				150	202
<i>Nitromuriatic acid, see Nitrohydrochloric acid</i>														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "♦" PG = "II" or blank / "◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Nitronaphthalene	4.1	UN2538	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27
Nitrophenols (o-; m-; p-)	6.1	UN1663	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
<i>m</i> -Nitrophenyldinitro methane	Forbidden													
4-Nitrophenylhydrazine, with not less than 30% water, by mass	4.1	UN3376	I		Not Accepted				Forbidden					
Nitropropanes	3	UN2608	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>p</i> -Nitrosodimethylaniline	4.2	UN1369	II		Not Accepted				Not Accepted					
Nitrostarch, dry or wetted with less than 20 percent water, by mass	1.1D	UN0146	♦		Not Accepted				Forbidden					
Nitrostarch, wetted with not less than 20 percent water, by mass	4.1	UN1337	I	FLAMMABLE SOLID				FLAMMABLE SOLID	1 kg			23, A8, A19, A20, N41	None	211
Nitrosugars (dry)	Forbidden													
Nitrosyl chloride	2.3	UN1069			Not Accepted				Forbidden					
Nitrosylsulfuric acid, liquid	8	UN2308	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A6, A7, N34	154	202
Nitrosylsulphuric acid, solid	8	UN3456	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Nitrotoluenes, liquid	6.1	UN1664	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Nitrotoluenes, solid	6.1	UN3446	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Nitrotoluidines (mono)	6.1	UN2660	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Nitrotriazolone or NTO	1.1D	UN0490	♦		Not Accepted				Forbidden					
Nitrous oxide	2.2 (5.1)	UN1070		NON-FLAMMABLE GAS, OXIDIZER *			YES		Not Accepted				306	304
Nitrous oxide, refrigerated liquid	2.2	UN2201			Not Accepted				Forbidden					
Nitroxylenes, liquid	6.1	UN1665	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Nitroxylenes, solid	6.1	UN3447	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Nitroxylol, see Nitroxylenes														
N, N-Diethylaniline	6.1	UN2432	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Nonanes	3	UN1920	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Non-flammable gas, n.o.s., see Compressed gas, etc. or Liquefied gas, etc</i>														
<i>Nonliquefied gases, see Compressed gases, etc</i>														
<i>Nonliquefied hydrocarbon gas, see Hydrocarbon gas mixture, compressed, n.o.s.</i>														
Nonyltrichlorosilane	8	UN1799	II	CORROSIVE			YES		Forbidden			N34	None	206
<i>Nordhausen acid, see Sulfuric acid, fuming etc</i>														
<i>2,5-Norbornadiene, stabilized, see Bicycle [2,2,1] hepta-2,5-diene, stabilized</i>														
Octadecyltrichlorosilane	8	UN1800	II	CORROSIVE FLAMMABLE LIQUID *			YES		Forbidden			N34	None	206
Octadiene	3	UN2309	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>1,7-Octadine-3,5-diyne-1,8-dimethoxy-9-octadecynoic acid</i>	Forbidden													
Octafluorobut-2-ene or Refrigerant gas R 1318	2.2	UN2422		NON-FLAMMABLE GAS			YES	NON-FLAMMABLE GAS					None	304
Octafluorocyclobutane, or Refrigerant gas RC 318	2.2	UN1976		NON-FLAMMABLE GAS			YES	NON-FLAMMABLE GAS					None	304
Octafluoropropane or Refrigerant gas R 218	2.2	UN2424		NON-FLAMMABLE GAS			YES	NON-FLAMMABLE GAS					None	304
Octanes	3	UN1262	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>Octogen, etc. see Cyclotetramethylene tetranitramine, etc.</i>														
Octolite or Octol, dry or wetted with less than 15 percent water, by mass	1.1D	UN0266	◆		Not Accepted				Forbidden					
Octonal	1.1D	UN0496	◆		Not Accepted				Forbidden					
Octyl aldehydes	3	UN1191	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Octyltrichlorosilane	8	UN1801	II	CORROSIVE			YES		Forbidden			N34	None	206
Oil gas, compressed	2.3	UN1071			Not Accepted				Forbidden					
<i>Oleum, see Sulfuric acid, fuming</i>														
<i>Organic peroxide type A, liquid or solid</i>	Forbidden													
Organic peroxide type B, liquid ‡	5.2	UN3101	◆		Not Accepted				Forbidden					
Organic peroxide type B, liquid, temperature controlled ‡	5.2	UN3111	◆		Not Accepted				Forbidden					
Organic peroxide type B, solid ‡	5.2	UN3102	◆		Not Accepted				Forbidden					
Organic peroxide type B, solid, temperature controlled ‡	5.2	UN3112	◆		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Organic peroxide type C, liquid ‡	5.2	UN3103	◆	ORGANIC PEROXIDE *			YES		Not Accepted				152	225
Organic peroxide type C, liquid, temperature controlled ‡	5.2	UN3113	◆		Not Accepted				Forbidden					
Organic peroxide type C, solid ‡	5.2	UN3104	◆	ORGANIC PEROXIDE *			YES		Not Accepted				152	225
Organic peroxide type C, solid, temperature controlled ‡	5.2	UN3114	◆		Not Accepted				Forbidden					
Organic peroxide type D, liquid ‡	5.2	UN3105	◆	ORGANIC PEROXIDE *			YES		Not Accepted				152	225
Organic peroxide type D, liquid, temperature controlled ‡	5.2	UN3115	◆		Not Accepted				Forbidden					
Organic peroxide type D, solid ‡	5.2	UN3106	◆	ORGANIC PEROXIDE *			YES		Not Accepted				152	225
Organic peroxide type D, solid, temperature controlled ‡	5.2	UN3116	◆		Not Accepted				Forbidden					
Organic peroxide type E, liquid ‡	5.2	UN3107	◆	ORGANIC PEROXIDE *			YES		Not Accepted				152	225
Organic peroxide type E, liquid, temperature controlled ‡	5.2	UN3117	◆		Not Accepted				Forbidden					
Organic peroxide type E, solid ‡	5.2	UN3108	◆	ORGANIC PEROXIDE *			YES		Not Accepted				152	225
Organic peroxide type E, solid, temperature controlled ‡	5.2	UN3118	◆		Not Accepted				Forbidden					
Organic peroxide type F, liquid ‡	5.2	UN3109	◆	ORGANIC PEROXIDE *			YES		Not Accepted				152	225
Organic peroxide type F, liquid, temperature controlled ‡	5.2	UN3119	◆		Not Accepted				Forbidden					
Organic peroxide type F, solid ‡	5.2	UN3110	◆	ORGANIC PEROXIDE *			YES		Not Accepted				152	225
Organic peroxide type F, solid, temperature controlled ‡	5.2	UN3120	◆		Not Accepted				Forbidden					
Organic phosphate, mixed with compressed gas or Organic phosphate compound, mixed with compressed gas or Organic phosphorus compound, mixed with compressed gas	2.3	NA1955			Not Accepted				Forbidden					
Organic pigments, self-heating	4.2	UN3313	II		Not Accepted				Forbidden					
Organic pigments, self-heating	4.2	UN3313	III		Not Accepted				Forbidden					
Organoarsenic compound, liquid, n.o.s. ‡	6.1	UN3280	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	5	None	201
Organoarsenic compound, liquid, n.o.s. ‡	6.1	UN3280	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Organoarsenic compound, liquid, n.o.s. ‡	6.1	UN3280	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Organoarsenic compound, solid, n.o.s. ‡	6.1	UN3465	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Organoarsenic compound, solid, n.o.s. ‡	6.1	UN3465	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Organoarsenic compound, solid, n.o.s. ‡	6.1	UN3465	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Organochlorine pesticides liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2762	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Organochlorine pesticides liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2762	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Organochlorine pesticides, liquid, toxic	6.1	UN2996	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Organochlorine pesticides, liquid, toxic	6.1	UN2996	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Organochlorine pesticides, liquid, toxic	6.1	UN2996	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Organochlorine pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN2995	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Organochlorine pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN2995	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Organochlorine pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN2995	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Organochlorine pesticides, solid, toxic	6.1	UN2761	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Organochlorine pesticides, solid, toxic	6.1	UN2761	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Organochlorine pesticides, solid, toxic	6.1	UN2761	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Organometallic compound, toxic, liquid, n.o.s. ‡	6.1	UN3282	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Organometallic compound, toxic, liquid, n.o.s. ‡	6.1	UN3282	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Organometallic compound, toxic, liquid, n.o.s. ‡	6.1	UN3282	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Organometallic compound, toxic, solid, n.o.s. ‡	6.1	UN3467	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Organometallic compound, toxic, solid, n.o.s. ‡	6.1	UN3467	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Organometallic compound, toxic, solid, n.o.s. ‡	6.1	UN3467	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Organometallic substance, liquid, pyrophoric ‡	4.2	UN3392	I		Not Accepted				Forbidden					
Organometallic substance, liquid, pyrophoric, water-reactive ‡	4.2 (4.3)	UN3394	I		Not Accepted				Forbidden					
Organometallic substance, liquid, water-reactive ‡	4.3	UN3398	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Organometallic substance, liquid, water-reactive ‡	4.3	UN3398	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Organometallic substance, liquid, water-reactive ‡	4.3	UN3398	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	203
Organometallic substance, liquid, water-reactive, flammable ‡	4.3 (3)	UN3399	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Organometallic substance, liquid, water-reactive, flammable ‡	4.3 (3)	UN3399	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	202
Organometallic substance, liquid, water-reactive, flammable ‡	4.3 (3)	UN3399	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	203
Organometallic substance, solid, pyrophoric ‡	4.2	UN3391	I		Not Accepted				Forbidden					
Organometallic substance, solid, pyrophoric, water-reactive ‡	4.2 (4.3)	UN3393	I		Not Accepted				Forbidden					
Organometallic substance, solid, self-heating ‡	4.2	UN3400	II		Not Accepted				Not Accepted					
Organometallic substance, solid, self-heating ‡	4.2	UN3400	III		Not Accepted				Not Accepted					
Organometallic substance, solid, water-reactive ‡	4.3	UN3395	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Organometallic substance, solid, water-reactive ‡	4.3	UN3395	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Organometallic substance, solid, water-reactive ‡	4.3	UN3395	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	213
Organometallic substance, solid, water-reactive, flammable ‡	4.3 (4.1)	UN3396	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Organometallic substance, solid, water-reactive, flammable ‡	4.3 (4.1)	UN3396	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Organometallic substance, solid, water-reactive, flammable ‡	4.3 (4.1)	UN3396	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	213
Organometallic substance, solid, water-reactive, self-heating ‡	4.3 (4.2)	UN3397	I		Not Accepted				Forbidden					
Organometallic substance, solid, water-reactive, self-heating ‡	4.3 (4.2)	UN3397	II		Not Accepted				Not Accepted					
Organometallic substance, solid, water-reactive, self-heating ‡	4.3 (4.2)	UN3397	III		Not Accepted				Not Accepted					
Organophosphorus compound, toxic, flammable, n.o.s.	6.1 (3)	UN3279	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	5	None	201
Organophosphorus compound, toxic, flammable, n.o.s.	6.1 (3)	UN3279	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Organophosphorus compound, toxic, liquid, n.o.s. ‡	6.1	UN3278	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	5	None	201
Organophosphorus compound, toxic, liquid, n.o.s. ‡	6.1	UN3278	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Organophosphorus compound, toxic, liquid, n.o.s. ‡	6.1	UN3278	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Organophosphorus compound, toxic, solid, n.o.s. ‡	6.1	UN3464	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Organophosphorus compound, toxic, solid, n.o.s. ‡	6.1	UN3464	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Organophosphorus compound, toxic, solid, n.o.s. ‡	6.1	UN3464	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Organophosphorus pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2784	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Organophosphorus pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2784	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Organophosphorus pesticides, liquid, toxic	6.1	UN3018	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	N76	None	201
Organophosphorus pesticides, liquid, toxic	6.1	UN3018	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	N76	None	202
Organophosphorus pesticides, liquid, toxic	6.1	UN3018	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes	N76	153	203
Organophosphorus pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3017	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	N76	None	201
Organophosphorus pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3017	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	N76	None	202
Organophosphorus pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3017	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes	N76	153	203
Organophosphorus pesticides, solid, toxic	6.1	UN2783	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes	N77	None	211
Organophosphorus pesticides, solid, toxic	6.1	UN2783	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	N77	None	212
Organophosphorus pesticides, solid, toxic	6.1	UN2783	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	N77	153	213
Organotin compounds, liquid, n.o.s.	6.1	UN2788	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	A3, N33, N34	None	201
Organotin compounds, liquid, n.o.s.	6.1	UN2788	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	A3, N33, N34	None	202
Organotin compounds, liquid, n.o.s.	6.1	UN2788	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Organotin compounds, solid, n.o.s.	6.1	UN3146	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes	A5	None	211
Organotin compounds, solid, n.o.s.	6.1	UN3146	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Organotin compounds, solid, n.o.s.	6.1	UN3146	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Organotin pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2787	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Organotin pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2787	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Organotin pesticides, liquid, toxic	6.1	UN3020	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Organotin pesticides, liquid, toxic	6.1	UN3020	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Organotin pesticides, liquid, toxic	6.1	UN3020	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Organotin pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3019	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Organotin pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3019	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Organotin pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3019	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Organotin pesticides, solid, toxic	6.1	UN2786	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Organotin pesticides, solid, toxic	6.1	UN2786	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Organotin pesticides, solid, toxic <i>Ortho-nitroaniline, see Nitroanilines etc</i>	6.1	UN2786	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Osmium tetroxide	6.1	UN2471	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes	A8, N33, N34	None	211
Other regulated substances, liquid, n.o.s. ‡	9	NA3082	III	CLASS 9 *				CLASS 9 *	30 kg G				155	203
Other regulated substances, solid, n.o.s. ‡	9	NA3077	III	CLASS 9 *				CLASS 9 *	30 kg G				155	213
Oxidizing liquid, corrosive, n.o.s. ‡	5.1 (8)	UN3098	I		Not Accepted				Forbidden					
Oxidizing liquid, corrosive, n.o.s. ‡	5.1 (8)	UN3098	II	OXIDIZER, CORROSIVE			YES		Not Accepted			62	None	202
Oxidizing liquid, corrosive, n.o.s. ‡	5.1 (8)	UN3098	III	OXIDIZER, CORROSIVE *			YES		Not Accepted			62	152	203
Oxidizing liquid, n.o.s. ‡	5.1	UN3139	I		Not Accepted				Forbidden					
Oxidizing liquid, n.o.s. ‡	5.1	UN3139	II	OXIDIZER *			YES		Not Accepted			62, 127	152	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Oxidizing liquid, n.o.s. ‡	5.1	UN3139	III	OXIDIZER *			YES		Not Accepted			62, 127	152	203
Oxidizing liquid, toxic, n.o.s. ‡	5.1 (6.1)	UN3099	I		Not Accepted				Forbidden					
Oxidizing liquid, toxic, n.o.s. ‡	5.1 (6.1)	UN3099	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted			62	152	202
Oxidizing liquid, toxic, n.o.s. ‡	5.1 (6.1)	UN3099	III	OXIDIZER, POISON PG III *					Not Accepted			62	152	203
Oxidizing solid, corrosive, n.o.s. ‡	5.1 (8)	UN3085	I	OXIDIZER, CORROSIVE			YES		Not Accepted			62	None	211
Oxidizing solid, corrosive, n.o.s. ‡	5.1 (8)	UN3085	II	OXIDIZER, CORROSIVE			YES		Not Accepted			62	None	212
Oxidizing solid, corrosive, n.o.s. ‡	5.1 (8)	UN3085	III	OXIDIZER, CORROSIVE *			YES		Not Accepted			62	152	213
Oxidizing solid, flammable, n.o.s. ‡	5.1	UN3137	I		Not Accepted				Forbidden					
Oxidizing solid, n.o.s. ‡	5.1	UN1479	I	OXIDIZER			YES		Not Accepted			62	None	211
Oxidizing solid, n.o.s. ‡	5.1	UN1479	II	OXIDIZER *			YES		Not Accepted			62	152	212
Oxidizing solid, n.o.s. ‡	5.1	UN1479	III	OXIDIZER *			YES		Not Accepted			62	152	213
Oxidizing solid, self-heating, n.o.s. ‡	5.1 (4.2)	UN3100	I		Not Accepted				Forbidden					
Oxidizing solid, self-heating, n.o.s. ‡	5.1	UN3100	II		Not Accepted				Forbidden					
Oxidizing solid, toxic, n.o.s. ‡	5.1 (6.1)	UN3087	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted			62	None	211
Oxidizing solid, toxic, n.o.s. ‡	5.1 (6.1)	UN3087	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted			62	None	212
Oxidizing solid, toxic, n.o.s. ‡	5.1 (6.1)	UN3087	III	OXIDIZER, POISON PG III *					Not Accepted			62	152	213
Oxygen, compressed	2.2 (5.1)	UN1072		NON-FLAMMABLE GAS, OXIDIZER *, Also see 49 CFR 172.405 (b)			YES		Not Accepted				306	302
Oxygen, compressed	2.2 (5.1)	UN1072		NON-FLAMMABLE GAS, OXIDIZER *, Also see 49 CFR 172.405 (b)			YES		Not Accepted			110	306	302
Oxygen difluoride, compressed	2.3	UN2190			Not Accepted				Forbidden					
Oxygen generator, chemical (including when contained in associated equipment, e.g., passenger service units (PSUs), portable breathing equipment (PBE), etc).	5.1	UN3356	II	OXIDIZER			YES		Forbidden				None	168

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Oxygen generator, chemical, spent	9	NA3356	III		Not Accepted				Forbidden	Forbidden				
Oxygen, refrigerated liquid (cryogenic liquid)	2.2	UN1073			Not Accepted				Forbidden					
Paint, corrosive, flammable (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	8 (3)	UN3470	II	CORROSIVE, FLAMMABLE LIQUID *			YES	CORROSIVE, FLAMMABLE LIQUID *	1 L				154	202
Paint related material corrosive, flammable (including paint thinning or reducing compound)	8 (3)	UN3470	II	CORROSIVE, FLAMMABLE LIQUID *			YES	CORROSIVE, FLAMMABLE LIQUID *	1 L				154	202
Paint, flammable, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	3 (8)	UN3469	I	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	0.5 L				None	201
Paint, flammable, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	3 (8)	UN3469	II	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	1 L				150	202
Paint, flammable, corrosive (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	3 (8)	UN3469	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
Paint related material, flammable, corrosive (including paint thinning or reducing compound)	3 (8)	UN3469	I	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	0.5 L				None	201
Paint related material, flammable, corrosive (including paint thinning or reducing compound)	3 (8)	UN3469	II	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	1 L				150	202
Paint related material, flammable, corrosive (including paint thinning or reducing compound)	3 (8)	UN3469	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
Paint including paint, lacquer, enamel, stain, shellac solutions, varnish, polish, liquid filler, and liquid lacquer base	3	UN1263	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Paint including paint, lacquer, enamel, stain, shellac solutions, varnish, polish, liquid filler, and liquid lacquer base	3	UN1263	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			149	150	173
Paint including paint, lacquer, enamel, stain, shellac solutions, varnish, polish, liquid filler, and liquid lacquer base	3	UN1263	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	173
Paint or Paint related material	8	UN3066	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	173
Paint or Paint related material	8	UN3066	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	173, 27
Paint related material including paint thinning, drying, removing, or reducing compound	3	UN1263	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Paint related material including paint thinning, drying, removing, or reducing compound	3	UN1263	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			149	150	173

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Paint related material including paint thinning, drying, removing, or reducing compound	3	UN1263	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	173
Paper, unsaturated oil treated incompletely dried (including carbon paper)	4.2	UN1379	III		Not Accepted				Forbidden					
Paraformaldehyde	4.1	UN2213	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27
Paraldehyde	3	UN1264	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Paranitroaniline, solid, see Nitroanilines etc														
Parathion and compressed gas mixture	2.3	NA1967			Not Accepted				Forbidden					
Paris green, solid, see Copper acetoarsenite														
PCB, see Polychlorinated biphenyls														
Pentaborane	4.2	UN1380	I		Not Accepted				Forbidden					
Pentachloroethane	6.1	UN1669	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Pentachlorophenol	6.1	UN3155	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Pentaerythrite tetranitrate (dry)	Forbidden													
Pentaerythrite tetranitrate mixture, desensitized, solid, n.o.s. or Pentaerythritol tetranitrate mixture, desensitized, solid, n.o.s. or PETN mixture, desensitized, solid, n.o.s., with more than 10 percent but not more than 20 percent PETN, by mass	4.1	UN3344	II	FLAMMABLE SOLID			YES		Forbidden			118, N85	None	See Special Provision 118, 214
Pentaerythrite tetranitrate or Pentaerythritol tetranitrate or PETN, with not less than 7 percent wax by mass	1.1D	UN0411	◆		Not Accepted				Forbidden					
Pentaerythrite tetranitrate, wetted or Pentaerythritol tetranitrate, wetted, or PETN, wetted with not less than 25 percent water, by mass, or Pentaerythrite tetranitrate, or Pentaerythritol tetranitrate or PETN, desensitized with not less than 15 percent phlegmatizer by mass	1.1D	UN0150	◆		Not Accepted				Forbidden					
Pentaerythritol tetranitrate, see Pentaerythrite tetranitrate, etc														
Pentafluoroethane or Refrigerant gas R 125	2.2	UN3220		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Pentamethylheptane	3	UN2286	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Pentane-2,4-dione	3 (6.1)	UN2310	III	FLAMMABLE LIQUID, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		150	203
Pentanes	3	UN1265	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Pentanes	3	UN1265	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
<i>Pentanitroaniline (dry)</i>	Forbidden													
Pentanol	3	UN1105	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Pentanol	3	UN1105	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>1-Pentene (n-amylene)</i>	3	UN1108	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
1-Pentol	8	UN2705	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
<i>Pentolite, dry or wetted with less than 15 percent water, by mass</i>	1.1D	UN0151	◆		Not Accepted				Forbidden					
<i>Pepper spray, see Aerosols, etc. or Self-defense spray, non-pressurized</i>														
Perchlorates, inorganic, aqueous solution, n.o.s.	5.1	UN3211	II	OXIDIZER *			YES		Not Accepted				152	202
Perchlorates, inorganic, aqueous solution, n.o.s.	5.1	UN3211	III	OXIDIZER *			YES		Not Accepted				152	203
Perchlorates, inorganic, n.o.s.	5.1	UN1481	II	OXIDIZER *			YES		Not Accepted				152	212
Perchlorates, inorganic, n.o.s.	5.1	UN1481	III	OXIDIZER *			YES		Not Accepted				152	213
<i>Perchloric acid, with more than 72 percent acid by mass</i>	Forbidden													
<i>Perchloric acid with more than 50 percent but not more than 72 percent acid, by mass</i>	5.1	UN1873	I		Not Accepted				Forbidden					
<i>Perchloric acid with not more than 50 percent acid by mass</i>	8 (5.1)	UN1802	II	CORROSIVE, OXIDIZER			YES		Forbidden			N41	None	202
<i>Perchloroethylene, see Tetrachloroethylene</i>														
Perchloromethyl mercaptan	6.1	UN1670	I		Not Accepted				Forbidden					
Perchloryl fluoride	2.3	UN3083			Not Accepted				Forbidden					
<i>Percussion caps, see Primers, cap type</i>														
<i>Perfluoro-2-butene, see Octafluorobut-2-ene</i>														
Perfluoro(ethyl vinyl ether)	2.1	UN3154		FLAMMABLE GAS *			YES		Forbidden				306	302, 304, 305
Perfluoro(methyl vinyl ether)	2.1	UN3153		FLAMMABLE GAS *			YES		Forbidden				306	302, 304, 305
Perfumery products with flammable solvents	3	UN1266	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	15 L			149	150	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Perfumery products with flammable solvents	3	UN1266	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Permanganates, inorganic, aqueous solution, n.o.s.	5.1	UN3214	II	OXIDIZER *			YES		Not Accepted			26	152	202
Permanganates, inorganic, aqueous solution, n.o.s.	5.1	UN3214	II	OXIDIZER *			YES		Not Accepted			26, 353	152	202
Permanganates, inorganic, n.o.s.	5.1	UN1482	II	OXIDIZER *			YES		Not Accepted			26	152	212
Permanganates, inorganic, n.o.s.	5.1	UN1482	II	OXIDIZER *			YES		Not Accepted			26, 353	152	212
Permanganates, inorganic, n.o.s.	5.1	UN1482	III	OXIDIZER *			YES		Not Accepted			26	152	213
Permanganates, inorganic, n.o.s.	5.1	UN1482	III	OXIDIZER *			YES		Not Accepted			26, 353	152	213
Permeation devices for calibrating air quality monitoring equipment See §173.175														
Peroxides, inorganic, n.o.s.	5.1	UN1483	II	OXIDIZER			YES		Not Accepted			N34	None	212
Peroxides, inorganic, n.o.s.	5.1	UN1483	III	OXIDIZER *			YES		Not Accepted			N34	152	213
Peroxyacetic acid, with more than 43 percent and with more than 6 percent hydrogen peroxide	Forbidden													
Persulfates, inorganic, aqueous solution, n.o.s.	5.1	UN3216	III	OXIDIZER *			YES		Not Accepted				152	203
Persulfates, inorganic, n.o.s.	5.1	UN3215	III	OXIDIZER *			YES		Not Accepted				152	213
Pesticides, liquid, flammable, toxic, flash point less than 23 degrees C ‡	3 (6.1)	UN3021	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Pesticides, liquid, flammable, toxic, flash point less than 23 degrees C ‡	3 (6.1)	UN3021	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Pesticides, liquid, toxic, flammable, n.o.s. flash point not less than 23 degrees C ‡	6.1 (3)	UN2903	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Pesticides, liquid, toxic, flammable, n.o.s. flash point not less than 23 degrees C ‡	6.1 (3)	UN2903	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Pesticides, liquid, toxic, flammable, n.o.s. flash point not less than 23 degrees C ‡	6.1 (3)	UN2903	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Pesticides, liquid, toxic, n.o.s. ‡	6.1	UN2902	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Pesticides, liquid, toxic, n.o.s. ‡	6.1	UN2902	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Pesticides, liquid, toxic, n.o.s. ‡	6.1	UN2902	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Pesticides, solid, toxic, n.o.s. ‡	6.1	UN2588	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Pesticides, solid, toxic, n.o.s. ‡	6.1	UN2588	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Pesticides, solid, toxic, n.o.s. ‡	6.1	UN2588	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
PETN, see Pentaerythrite tetranitrate														
PETN/TNT, see Pentolite, etc														
Petrol, see Gasoline														
Petroleum crude oil	3	UN1267	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L			144	150	201
Petroleum crude oil	3	UN1267	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L			144, 357	150	201
Petroleum crude oil	3	UN1267	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			144	150	202
Petroleum crude oil	3	UN1267	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			144, 357	150	202
Petroleum crude oil	3	UN1267	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L			144	150	203
Petroleum crude oil	3	UN1267	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L			144, 357	150	203
Petroleum distillates, n.o.s. or Petroleum products, n.o.s.	3	UN1268	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L			144	150	201
Petroleum distillates, n.o.s. or Petroleum products, n.o.s.	3	UN1268	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			144	150	202
Petroleum distillates, n.o.s. or Petroleum products, n.o.s.	3	UN1268	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L			144	150	203
Petroleum gases, liquefied or Liquefied petroleum gas	2.1	UN1075		FLAMMABLE GAS *			YES		Forbidden				306	304
Petroleum oil	3	NA1270	I	FLAMMABLE LIQUID				FLAMMABLE LIQUID	1 L			144	None	201
Petroleum oil	3	NA1270	II	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	5 L			144	150	202
Petroleum oil	3	NA1270	III	FLAMMABLE LIQUID *				FLAMMABLE LIQUID *	25 L			144	150	203
Petroleum sour crude oil, flammable, toxic	3	UN3494	I	FLAMMABLE LIQUID			YES		Forbidden			343	None	201
Petroleum sour crude oil, flammable, toxic	3	UN3494	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	1 L			343	150	202
Petroleum sour crude oil, flammable, toxic	3	UN3494	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L			343	150	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Phenacyl bromide	6.1	UN2645	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Phenetidines	6.1	UN2311	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Phenol, molten	6.1	UN2312	II		Not Accepted				Forbidden					
Phenol, solid	6.1	UN1671	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	N78	None	212
Phenol solutions	6.1	UN2821	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Phenol solutions	6.1	UN2821	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Phenolsulfonic acid, liquid	8	UN1803	II	CORROSIVE *			YES	CORROSIVE *	1 L			N41	154	202
Phenoxyacetic acid derivative pesticide, liquid, flammable, toxic flash point less than 23 degrees C	3 (6.1)	UN3346	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Phenoxyacetic acid derivative pesticide, liquid, flammable, toxic flash point less than 23 degrees C	3 (6.1)	UN3346	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Phenoxyacetic acid derivative pesticide, liquid, toxic	6.1	UN3348	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Phenoxyacetic acid derivative pesticide, liquid, toxic	6.1	UN3348	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Phenoxyacetic acid derivative pesticide, liquid, toxic	6.1	UN3348	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Phenoxyacetic acid derivative pesticide, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3347	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Phenoxyacetic acid derivative pesticide, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3347	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Phenoxyacetic acid derivative pesticide, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3347	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Phenoxyacetic acid derivative pesticide, solid, toxic	6.1	UN3345	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Phenoxyacetic acid derivative pesticide, solid, toxic	6.1	UN3345	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Phenoxyacetic acid derivative pesticide, solid, toxic	6.1	UN3345	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Phenyl chloroformate	6.1 (8)	UN2746	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Phenyl isocyanate	6.1	UN2487	I		Not Accepted				Forbidden					
Phenyl mercaptan	6.1	UN2337	I		Not Accepted				Forbidden					
Phenyl phosphorus dichloride	8	UN2798	II	CORROSIVE *			YES		Forbidden				154	202
Phenyl phosphorus thiodichloride	8	UN2799	II	CORROSIVE *			YES		Forbidden				154	202
Phenyl urea pesticides, liquid, toxic	6.1	UN3002	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Phenyl urea pesticides, liquid, toxic	6.1	UN3002	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Phenyl urea pesticides, liquid, toxic	6.1	UN3002	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Phenylacetoneitrile, liquid	6.1	UN2470	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Phenylacetyl chloride	8	UN2577	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Phenylcarbylamine chloride	6.1	UN1672	I		Not Accepted				Forbidden					
<i>m</i> -Phenylene diaminediperchlorate (dry)	Forbidden													
Phenylenediamines (<i>o</i> -; <i>m</i> -; <i>p</i> -)	6.1	UN1673	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Phenylhydrazine	6.1	UN2572	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Phenylmercuric acetate	6.1	UN1674	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Phenylmercuric compounds, n.o.s.	6.1	UN2026	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Phenylmercuric compounds, n.o.s.	6.1	UN2026	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Phenylmercuric compounds, n.o.s.	6.1	UN2026	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Phenylmercuric hydroxide	6.1	UN1894	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Phenylmercuric nitrate	6.1	UN1895	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Phenyltrichlorosilane	8	UN1804	II	CORROSIVE			YES		Forbidden			N34	None	206
Phosgene	2.3	UN1076			Not Accepted				Forbidden					
9-Phosphabicyclononanes or Cyclooctadiene phosphines	4.2	UN2940	II		Not Accepted				Not Accepted					
Phosphine	2.3	UN2199			Not Accepted				Forbidden					
Phosphoric acid solution	8	UN1805	III	CORROSIVE *			YES	CORROSIVE *	5 L			A7, N34	154	203
Phosphoric acid, solid	8	UN3453	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213
Phosphoric acid triethyleimine, see Tris-(1-aziridyl)phosphine oxide, solution														
Phosphoric anhydride, see Phosphorus pentoxide														
Phosphorous acid	8	UN2834	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213
Phosphorus, amorphous	4.1	UN1338	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg			A1, A19	None	213, 27
Phosphorus bromide, see Phosphorus tribromide														
Phosphorus chloride, see Phosphorus trichloride														
Phosphorus heptasulfide, free from yellow or white phosphorus	4.1	UN1339	II	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	15 kg			A20, N34	None	212
Phosphorus oxybromide	8	UN1939	II	CORROSIVE			YES		Forbidden			N41, N43	None	212
Phosphorus oxybromide, molten	8	UN2576	II		Not Accepted				Forbidden					
Phosphorus oxychloride	6.1 (8)	UN1810	I		Not Accepted				Forbidden					
Phosphorus oxychloride	8	UN1810	II		Not Accepted				Forbidden					
Phosphorus pentabromide	8	UN2691	II	CORROSIVE *			YES		Forbidden			N34	154	212
Phosphorus pentachloride	8	UN1806	II	CORROSIVE			YES		Forbidden			N34	None	212
Phosphorus Pentafluoride	2.3	UN2198			Not Accepted				Forbidden					
Phosphorus pentasulfide, free from yellow or white phosphorus	4.3 (4.1)	UN1340	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	A20,	None	212
Phosphorus pentoxide	8	UN1807	II	CORROSIVE *			YES	CORROSIVE *	15 kg			A7, N34	154	212
Phosphorus sesquisulfide, free from yellow or white phosphorus	4.1	UN1341	II	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	15 kg			A20, N34	None	212
Phosphorus tribromide	8	UN1808	II	CORROSIVE			YES		Forbidden			N34, N43	None	202
Phosphorus trichloride	6.1	UN1809	I		Not Accepted				Forbidden					
Phosphorus trioxide	8	UN2578	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213
Phosphorus trisulfide, free from yellow or white phosphorus	4.1	UN1343	II	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	15 kg			A20, N34	None	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Phosphorus, white dry or Phosphorus, white, under water or Phosphorus white, in solution or Phosphorus, yellow dry or Phosphorus, yellow, under water or Phosphorus, yellow, in solution	4.2	UN1381	I		Not Accepted				Forbidden					
Phosphorus white, molten	4.2	UN2447	I		Not Accepted				Forbidden					
Phosphorus (white or red) and a chlorate, mixtures of	Forbidden													
Phosphoryl chloride, see Phosphorus oxychloride														
Phthalic anhydride with more than .05 percent maleic anhydride	8	UN2214	III	CORROSIVE * FLAMMABLE LIQUID *			YES	CORROSIVE * FLAMMABLE LIQUID *	25 kg				154	213, 27
Picolines	3	UN2313	III	CORROSIVE * FLAMMABLE LIQUID *			YES	CORROSIVE * FLAMMABLE LIQUID *	5 L				150	203
Picric acid, see Trinitrophenol, etc														
Picrite, see Nitroguanidine, etc														
Picryl chloride, see Trinitrochlorobenzene														
Pine oil	3	UN1272	III	FLAMMABLE LIQUID * FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID * FLAMMABLE LIQUID *	25 L				150	203
alpha-Pinene	3	UN2368	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Piperazine	8	UN2579	III	CORROSIVE * CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE * CORROSIVE, FLAMMABLE LIQUID	25 kg				154	213, 27
Piperidine	8 (3)	UN2401	I	CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	0.5 L				None	202
Pivaloyl chloride, see Trimethylacetyl chloride														
Plastic molding compound in dough, sheet or extruded rope form evolving flammable vapor	9	UN3314	III	CLASS 9 *			YES	CLASS 9 *	25 kg	30 kg		32	155	213
Plastic solvent, n.o.s., see Flammable liquids, n.o.s.														
Plastics, nitrocellulose-based, self-heating, n.o.s.	4.2	UN2006	III		Not Accepted				Forbidden					
Poisonous gases, n.o.s., see Compressed or liquefied gases, flammable or toxic, n.o.s.														
Polyalkylamines, n.o.s., see Amines, etc														
Polyamines, flammable, corrosive, n.o.s. see Amines, flammable, corrosive, n.o.s.														
Polyamines, liquid, corrosive, flammable, n.o.s. see Amines, liquid, corrosive, flammable, n.o.s.														
Polyamines, liquid, corrosive, n.o.s. see Amines, liquid, corrosive, n.o.s.														
Polychlorinated biphenyls, liquid	9	UN2315	II	CLASS 9 *			YES	CLASS 9 *		30 L		9, 81, 140	155	202
Polychlorinated biphenyls, solid	9	UN3432	II	CLASS 9 *			YES	CLASS 9 *		30 kg		9, 81, 140	155	212
Polyester resin kit	3	UN3269	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 kg			40, 149	152	225

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Polyester resin kit	3	UN3269	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 kg			40, 149	165	165
Polyester resin kit	3	UN3269	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 kg			40, 149	152	225
Polyester resin kit	3	UN3269	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 kg			40, 149	165	165
Polyhalogenated biphenyls, liquid or Polyhalogenated terphenyls liquid	9	UN3151	II	CLASS 9 *	Maximum of 45 kg per UPS vehicle		YES		Not Accepted	Not Accepted			155	204
Polyhalogenated biphenyls, solid or Polyhalogenated terphenyls, solid	9	UN3152	II	CLASS 9 *	Maximum of 45 kg per UPS vehicle		YES		Not Accepted	Not Accepted			155	204
Polymeric beads, expandable, evolving flammable vapor	9	UN2211	III	CLASS 9 *			YES	CLASS 9 *	30 kg	30 kg		32	155	221
Potassium	4.3	UN2257	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N6, N34	None	211
Potassium arsenate	6.1	UN1677	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Potassium arsenite	6.1	UN1678	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Potassium bisulfite solution, see Bisulfites, aqueous solutions, n.o.s.														
Potassium borohydride	4.3	UN1870	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Potassium bromate	5.1	UN1484	II	OXIDIZER *			YES		Not Accepted				152	212
Potassium carbonyl	Forbidden													
Potassium chlorate	5.1	UN1485	II	OXIDIZER *			YES		Not Accepted			N34	152	212
Potassium chlorate, aqueous solution	5.1	UN2427	II	OXIDIZER *			YES		Not Accepted				152	202
Potassium chlorate, aqueous solution	5.1	UN2427	III	OXIDIZER *			YES		Not Accepted				152	203
Potassium chlorate mixed with mineral oil, see Explosive, blasting, type C														
Potassium cuprocyanide	6.1	UN1679	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Potassium cyanide, solid	6.1	UN1680	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes	N74, N75	None	211

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Potassium cyanide solution	6.1	UN3413	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	N74, N75	None	201
Potassium cyanide solution	6.1	UN3413	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	N74, N75	None	202
Potassium cyanide solution	6.1	UN3413	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes	N74, N75	153	203
<i>Potassium dichloro isocyanurate or Potassium dichloro-s-triazinetrione, see Dichloroisocyanuric acid, dry or Dichloroisocyanuric acid salts etc</i>														
Potassium dithionite or Potassium hydrosulfite	4.2	UN1929	II		Not Accepted				Not Accepted					
Potassium fluoride, solid	6.1	UN1812	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Potassium fluoride solution	6.1	UN3422	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Potassium fluoroacetate	6.1	UN2628	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Potassium fluorosilicate	6.1	UN2655	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
<i>Potassium hydrate, see Potassium hydroxide, solid</i>														
<i>Potassium hydrogen fluoride, see Potassium hydrogen difluoride</i>														
<i>Potassium hydrogen fluoride solution, see Corrosive liquid, n.o.s.</i>														
Potassium hydrogen sulfate	8	UN2509	II	CORROSIVE *			YES	CORROSIVE *	15 kg			A7, N34	154	212
Potassium hydrogendifluoride solid	8 (6.1)#	UN1811	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes	N3, N34	None	212
Potassium hydrogendifluoride solution	8 (6.1)#	UN3421	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	N3, N34	None	202
Potassium hydrogendifluoride solution	8 (6.1)#	UN3421	III	CORROSIVE, POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	N3, N34	154	203
<i>Potassium hydrosulfite, see Potassium dithionite</i>														
<i>Potassium hydroxide, liquid, see Potassium hydroxide solution</i>														
Potassium hydroxide, solid	8	UN1813	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Potassium hydroxide, solution	8	UN1814	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Potassium hydroxide, solution	8	UN1814	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
<i>Potassium hypochlorite, solution, see Hypochlorite solutions, etc</i>														
Potassium, metal alloys, liquid	4.3	UN1420	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Potassium, metal alloys, solid	4.3	UN3403	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	211
Potassium metavanadate	6.1	UN2864	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Potassium monoxide	8	UN2033	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Potassium nitrate	5.1	UN1486	III	OXIDIZER *			YES		Not Accepted				152	213
Potassium nitrate and sodium nitrite mixtures	5.1	UN1487	II	OXIDIZER *			YES		Not Accepted				152	212
Potassium nitrite	5.1	UN1488	II	OXIDIZER *			YES		Not Accepted				152	212
Potassium perchlorate	5.1	UN1489	II	OXIDIZER *			YES		Not Accepted				152	212
Potassium permanganate	5.1	UN1490	II	OXIDIZER *			YES		Not Accepted				152	212
Potassium peroxide	5.1	UN1491	I	OXIDIZER			YES		Forbidden			N34	None	211
Potassium persulfate	5.1	UN1492	III	OXIDIZER *			YES		Not Accepted				152	213
Potassium phosphide	4.3 (6.1)	UN2012	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
<i>Potassium selenate, see Selenates or Selenites</i>														
<i>Potassium selenite, see Selenates or Selenites</i>														
Potassium sodium alloys, liquid	4.3	UN1422	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N34, N40	None	201
Potassium sodium alloys, solid	4.3	UN3404	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N34, N40	None	211
Potassium sulfide, anhydrous or Potassium sulfide with less than 30 percent water of crystallization	4.2	UN1382	II			Not Accepted			Not Accepted					
Potassium sulfide, hydrated with not less than 30 percent water of crystallization	8	UN1847	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Potassium superoxide	5.1	UN2466	I	OXIDIZER			YES		Forbidden				None	211
Powder cake, wetted or Powder paste, wetted with not less than 17 percent alcohol by mass	1.1C	UN0433	◆			Not Accepted			Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Powder cake, wetted or Powder paste, wetted with not less than 25 percent water, by mass Powder paste, see Powder cake, etc	1.3C	UN0159	◆		Not Accepted				Forbidden					
Powder, smokeless	1.1C	UN0160	◆		Not Accepted				Forbidden					
Powder, smokeless	1.3C	UN0161	◆		Not Accepted				Forbidden					
Powder, smokeless <i>Power device, explosive, see Cartridges, power device</i>	1.4C	UN0509	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden				None	62
Primers, cap type	1.4S	UN0044	◆	None		see 172.320		None	25 kg		see 172.320		None	62
Primers, cap type	1.1B	UN0377	◆		Not Accepted				Forbidden					
Primers, cap type <i>Primers, small arms, see Primers, cap type</i>	1.4B	UN0378	◆		Not Accepted				Forbidden					
Primers, tubular	1.3G	UN0319	◆		Not Accepted				Forbidden					
Primers, tubular	1.4G	UN0320	◆		Not Accepted				Forbidden					
Primers, tubular	1.4S	UN0376	◆	None		see 172.320		None	25 kg		see 172.320		None	62
Printing ink, flammable or Printing ink related material (including printing ink thinning or reducing compound), flammable	3	UN1210	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	173
Printing ink, flammable or Printing ink related material (including printing ink thinning or reducing compound), flammable	3	UN1210	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			149	150	173
Printing ink, flammable or Printing ink related material (including printing ink thinning or reducing compound), flammable <i>Projectiles, illuminating, see Ammunition, illuminating, etc</i>	3	UN1210	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	173
Projectiles, inert with tracer	1.4S	UN0345	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320			62
Projectiles, inert, with tracer	1.3G	UN0424	◆		Not Accepted				Forbidden					
Projectiles, inert, with tracer	1.4G	UN0425	◆		Not Accepted				Forbidden					
Projectiles, with burster or expelling charge	1.2D	UN0346	◆		Not Accepted				Forbidden					
Projectiles, with burster or expelling charge	1.4D	UN0347	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden					62

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Projectiles, with burster or expelling charge	1.2F	UN0426	◆		Not Accepted				Forbidden					
Projectiles, with burster or expelling charge	1.4F	UN0427	◆		Not Accepted				Forbidden					
Projectiles, with burster or expelling charge	1.2G	UN0434	◆		Not Accepted				Forbidden					
Projectiles, with burster or expelling charge	1.4G	UN0435	◆		Not Accepted				Forbidden					
Projectiles, with bursting charge	1.1F	UN0167	◆		Not Accepted				Forbidden					
Projectiles, with bursting charge	1.1D	UN0168	◆		Not Accepted				Forbidden					
Projectiles, with bursting charge	1.2D	UN0169	◆		Not Accepted				Forbidden					
Projectiles, with bursting charge	1.2F	UN0324	◆		Not Accepted				Forbidden					
Projectiles, with bursting charge	1.4D	UN0344	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden					62
Propadiene, stabilized	2.1	UN2200		FLAMMABLE GAS			YES		Forbidden				None	304
Propadiene mixed with methyl acetylene, see Methyl acetylene and propadiene mixtures, stabilized														
Propane see also Petroleum gases, liquefied	2.1	UN1978		FLAMMABLE GAS *			YES		Forbidden			19	306	304
Propanethiols	3	UN2402	II	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	5 L			A6		202
n-Propanol or Propyl alcohol, normal	3	UN1274	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
n-Propanol or Propyl alcohol, normal	3	UN1274	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Propellant, liquid	1.3C	UN0495	◆		Not Accepted				Forbidden					
Propellant, liquid	1.1C	UN0497	◆		Not Accepted				Forbidden					
Propellant, solid	1.1C	UN0498	◆		Not Accepted				Forbidden					
Propellant, solid	1.3C	UN0499	◆		Not Accepted				Forbidden					
Propellant, solid	1.4C	UN0501	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden				None	62
Propionaldehyde	3	UN1275	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Propionic acid with not less than 10% and less than 90% acid by mass	8	UN1848	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203
Propionic acid with not less than 90% acid by mass	8 (3)	UN3463	II	CORROSIVE, FLAMMABLE LIQUID *			YES	CORROSIVE, FLAMMABLE LIQUID *	1 L				154	202
Propionic anhydride	8	UN2496	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Propionitrile	3 (6.1)	UN2404	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	202
Propionyl chloride	3 (8)	UN1815	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
n-Propyl acetate	3	UN1276	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Propyl alcohol, see Propanol														
n-Propyl benzene	3	UN2364	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
n-Propyl chloroformate	6.1	UN2740	I		Not Accepted				Forbidden					
Propyl chloride see 1-Chloropropane														
Propyl formates	3	UN1281	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
n-Propyl isocyanate	6.1	UN2482	I		Not Accepted				Forbidden					
Propyl mercaptan, see Propanethiols														
n-Propyl nitrate	3	UN1865	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Propylamine	3 (8)	UN1277	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L			A7, N34	None	202
Propylene see also Petroleum gases, liquefied	2.1	UN1077		FLAMMABLE GAS *			YES		Forbidden			19	306	304
Propylene chlorohydrin	6.1 (3)	UN2611	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Propylene oxide	3	UN1280	I	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	1 L			A3, N34	None	201
Propylene tetramer	3	UN2850	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
1,2-Propylenediamine	8 (3)	UN2258	II	CORROSIVE, FLAMMABLE LIQUID			YES	CORROSIVE, FLAMMABLE LIQUID	1 L			A3, A6, N34	None	202
Propyleneimine, stabilized	3 (6.1)	UN1921	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	A3, N34	None	201
Propyltrichlorosilane	8 (3)	UN1816	II	CORROSIVE, FLAMMABLE LIQUID			YES		Forbidden			N34	None	206
Prussic acid, see Hydrogen cyanide														
Pyrethroid pesticide, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN3350	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Pyrethroid pesticide, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN3350	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Pyrethroid pesticide, liquid toxic	6.1	UN3352	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	211
Pyrethroid pesticide, liquid toxic	6.1	UN3352	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	212
Pyrethroid pesticide, liquid toxic	6.1	UN3352	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	213
Pyrethroid pesticide, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3351	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Pyrethroid pesticide, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3351	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Pyrethroid pesticide, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3351	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Pyrethroid pesticide, solid, toxic	6.1	UN3349	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Pyrethroid pesticide, solid, toxic	6.1	UN3349	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Pyrethroid pesticide, solid, toxic	6.1	UN3349	III	POISON PG III * FLAMMABLE LIQUID				Refer to Applicable Exemption or Special Permit or 173.13 FLAMMABLE LIQUID	25 kg		Yes		153	213
Pyridine	3	UN1282	II	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	5 L				None	202
Pyridine perchlorate	Forbidden													
Pyrophoric liquid, inorganic, n.o.s. ‡	4.2	UN3194	I		Not Accepted				Forbidden					
Pyrophoric liquids, organic, n.o.s. ‡	4.2	UN2845	I		Not Accepted				Forbidden					
Pyrophoric metals, n.o.s., or Pyrophoric alloys, n.o.s. ‡	4.2	UN1383	I		Not Accepted				Forbidden					
Pyrophoric solid, inorganic, n.o.s. ‡	4.2	UN3200	I		Not Accepted				Forbidden					
Pyrophoric solids, organic, n.o.s. ‡	4.2	UN2846	I		Not Accepted				Forbidden					
Pyrosulfuryl chloride	8	UN1817	II		Not Accepted				Not Accepted					
Pyroxylin solution or solvent, see Nitrocellulose														
Pyrrolidine	3 (8)	UN1922	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Quebrachitol pentanitrate	Forbidden													
Quicklime, see Calcium oxide														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Quinoline	6.1	UN2656	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
<i>R 12, see Dichlorodifluoromethane</i>														
<i>R 12B1, see Chlorodifluorobromomethane</i>														
<i>R 13, see Chlorotrifluoromethane</i>														
<i>R 13B1, see Bromotrifluoromethane</i>														
<i>R 14, see Tetrafluoromethane</i>														
<i>R 21, see Dichlorofluoromethane</i>														
<i>R 22, see Chlorodifluoromethane</i>														
<i>R 114, see Dichlorotetrafluoroethane</i>														
<i>R 115, see Chloropentafluoroethane</i>														
<i>R 116, see Hexafluoroethane</i>														
<i>R 124, see Chlorotetrafluoroethane</i>														
<i>R 133a, see Chlorotrifluoroethane</i>														
<i>R 152a, see Difluoroethane</i>														
<i>R 500, see Dichlorodifluoromethane and difluoroethane, etc</i>														
<i>R 502, see Chlorodifluoromethane and chloropentafluoroethane mixture, etc</i>														
<i>R 503, see Chlorotrifluoromethane and trifluoromethane, etc</i>														
Radioactive material, excepted package-articles manufactured from natural uranium or depleted uranium or natural thorium	7	UN2909		None *			YES	None *					422, 426	422, 426
Radioactive material, excepted package-empty packaging	7	UN2908		EMPTY *			YES	EMPTY *					422, 428	422, 428
Radioactive material, excepted package-instruments or articles	7	UN2911		None *			YES	None *					422, 424	422, 424
Radioactive material, excepted package-limited quantity of material	7	UN2910		None *			YES	None *					421, 422	421, 422
Radioactive material, low specific activity (LSA-I) non fissile or fissile-excepted	7	UN2912		RADIOACTIVE WHITE I *				RADIOACTIVE WHITE I *				A56	421, 422, 428	427
Radioactive material, low specific activity (LSA-II) non fissile or fissile-excepted	7	UN3321		RADIOACTIVE WHITE I *				RADIOACTIVE WHITE I *				A56	421, 422, 428	427
Radioactive material, low specific activity (LSA-III) non fissile or fissile excepted	7	UN3322		RADIOACTIVE WHITE I *				RADIOACTIVE WHITE I *				A56	421, 422, 428	427
Radioactive material, surface contaminated objects (SCO-I or SCO-II) non fissile or fissile-excepted	7	UN2913		RADIOACTIVE WHITE I *				RADIOACTIVE WHITE I *				A56	421, 422, 428	427
Radioactive material, transported under special arrangement, non fissile or fissile excepted	7	UN2919			Not Accepted				Not Accepted					
Radioactive material, transported under special arrangement, fissile	7	UN3331			Not Accepted				Not Accepted					
Radioactive material, Type A package, fissile non-special form	7	UN3327			Not Accepted				Not Accepted					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	I.D. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Radioactive material, Type A package non-special form, non fissile or fissile-excepted	7	UN2915		RADIOACTIVE WHITE I *				RADIOACTIVE WHITE I *				A56		415, 418, 419
Radioactive material, Type A package, special form non fissile or fissile-excepted	7	UN3332		RADIOACTIVE WHITE I *				RADIOACTIVE WHITE I *				A56		415, 476
Radioactive material, Type A package, special form, fissile	7	UN3333			Not Accepted				Not Accepted					
Radioactive material, Type B(M) package, fissile	7	UN3329			Not Accepted				Not Accepted					
Radioactive material, Type B(M) package non fissile or fissile-excepted	7	UN2917			Not Accepted				Not Accepted					
Radioactive material, Type B(U) package, fissile	7	UN3328			Not Accepted				Not Accepted					
Radioactive material, Type B(U) package non fissile or fissile-excepted	7	UN2916			Not Accepted				Not Accepted					
Radioactive material, uranium hexafluoride non fissile or fissile-excepted	7	UN2978			Not Accepted				Not Accepted					
Radioactive material, uranium hexafluoride, fissile	7	UN2977			Not Accepted				Not Accepted					
Rags, oily	4.2	UN1856	III	May not be regulated when shipped via UPS ground					Forbidden					
Railway torpedo, see Signals, railway track, explosive														
RC 318, see Octafluorocyclobutane														
RDX and cyclotetramethylenetetranitramine, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized														
RDX and HMX mixtures, wetted with not less than 15 percent water by mass or RDX and HMX mixtures, desensitized with not less than 10 percent phlegmatizer by mass	1.1D	UN0391	◆		Not Accepted				Forbidden					
RDX and Octogen mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc														
RDX, see Cyclotrimethylene trinitramine, etc														
Receptacles, small, containing gas or gas cartridges (flammable) without release device, not refillable and not exceeding 1 L capacity	2.1	UN2037		FLAMMABLE GAS *			YES	FLAMMABLE GAS *	1 kg				306	304
Receptacles, small, containing gas or gas cartridges (non-flammable) without release device, not refillable and not exceeding 1 L capacity	2.2	UN2037		NON-FLAMMABLE GAS			YES	NON-FLAMMABLE GAS	1 kg				306	304
Receptacles, small, containing gas or gas cartridges (oxidizing) without release device, not refillable and not exceeding 1 L capacity	2.2 (5.1)	UN2037		NON-FLAMMABLE GAS, OXIDIZER *			YES	Not Accepted					306	304

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>Red phosphorus, see Phosphorus, amorphous</i>														
Refrigerant gas R 404A	2.2	UN3337		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Refrigerant gas R 407A	2.2	UN3338		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Refrigerant gas R 407B	2.2	UN3339		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Refrigerant gas R 407C	2.2	UN3340		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Refrigerant gases, n.o.s. ‡	2.2	UN1078		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Refrigerant gases, n.o.s. or Dispersant gases, n.o.s.	2.1	NA1954		FLAMMABLE GAS *					Forbidden				306	304
Refrigerating machines, containing flammable, non-toxic, liquefied gas	2.1	UN3358		FLAMMABLE GAS *			YES		Forbidden				306, 307	306
Refrigerating machines, containing non-flammable, non-toxic gases, or ammonia solutions (UN2672)	2.2	UN2857		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *	25 kg			A53	306, 307	306
Regulated medical waste, n.o.s. or Clinical waste, unspecified, n.o.s. or (BIO)Medical waste, n.o.s. or Biomedical waste, n.o.s. or Medical waste, n.o.s.	6.2	UN3291	II		Not Accepted				Not Accepted					
Release devices, explosive	1.4S	UN0173	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Resin solution, flammable	3	UN1866	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Resin solution, flammable	3	UN1866	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			149	150	173
Resin solution, flammable	3	UN1866	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	173
Resorcinol	6.1	UN2876	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
<i>Rifle grenade, see Grenades, hand or rifle, etc</i>														
<i>Rifle powder, see Powder, smokeless (UN 0160)</i>														
Rivets, explosive	1.4S	UN0174	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
<i>Road asphalt or tar liquid, see Tars, liquid, etc</i>														
Rocket motors	1.3C	UN0186	◆		Not Accepted				Forbidden					
Rocket motors	1.1C	UN0280	◆		Not Accepted				Forbidden					
Rocket motors	1.2C	UN0281	◆		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Rocket motors, liquid fueled	1.2J	UN0395	◆		Not Accepted				Forbidden					
Rocket motors, liquid fueled	1.3J	UN0396	◆		Not Accepted				Forbidden					
Rocket motors with hypergolic liquids with or without an expelling charge	1.3L	UN0250	◆		Not Accepted				Forbidden					
Rocket motors with hypergolic liquids with or without an expelling charge	1.2L	UN0322	◆		Not Accepted				Forbidden					
Rockets, line-throwing	1.2G	UN0238	◆		Not Accepted				Forbidden					
Rockets, line-throwing	1.3G	UN0240	◆		Not Accepted				Forbidden					
Rockets, line-throwing	1.4G	UN0453	◆		Not Accepted				Forbidden					
Rockets, liquid fueled with bursting charge	1.1J	UN0397	◆		Not Accepted				Forbidden					
Rockets, liquid fueled with bursting charge	1.2J	UN0398	◆		Not Accepted				Forbidden					
Rockets, with bursting charge	1.1F	UN0180	◆		Not Accepted				Forbidden					
Rockets, with bursting charge	1.1E	UN0181	◆		Not Accepted				Forbidden					
Rockets, with bursting charge	1.2E	UN0182	◆		Not Accepted				Forbidden					
Rockets, with bursting charge	1.2F	UN0295	◆		Not Accepted				Forbidden					
Rockets, with expelling charge	1.2C	UN0436	◆		Not Accepted				Forbidden					
Rockets, with expelling charge	1.3C	UN0437	◆		Not Accepted				Forbidden					
Rockets, with expelling charge	1.4C	UN0438	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden				None	62
Rockets, with inert head	1.3C	UN0183	◆		Not Accepted				Forbidden					
Rockets, with inert head	1.2C	UN0502	◆		Not Accepted				Forbidden					
Rosin oil	3	UN1286	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Rosin oil	3	UN1286	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Rubber solution	3	UN1287	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			149	150	202
Rubber solution	3	UN1287	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Rubber scrap or shoddy, powdered or granulated, not exceeding 840 microns and rubber content exceeding 45%	4.1	UN1345	II	FLAMMABLE SOLID *				FLAMMABLE SOLID *	15 kg				151	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Rubber scrap or shoddy, powdered or granulated, not exceeding 840 microns and rubber content exceeding 45%	4.1	UN1345	II	FLAMMABLE SOLID *				FLAMMABLE SOLID *	15 kg				151	212
Rubidium	4.3	UN1423	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			22, N34, N40, N45	None	211
Rubidium hydroxide	8	UN2678	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Rubidium hydroxide solution	8	UN2677	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Rubidium hydroxide solution	8	UN2677	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Safety fuse, see Fuse, safety														
Samples, explosive, other than initiating explosives ‡		UN0190	II		Not Accepted				Forbidden					
Sand acid, see Fluorosilicic acid														
Seed cake, containing vegetable oil solvent extractions and expelled seeds, with not more than 10 percent of oil and when the amount of moisture is higher than 11 percent, with not more than 20 percent of oil and moisture combined	4.2	UN1386	III		Not Accepted				Forbidden					
Seed cake with more than 1.5 percent oil and not more than 11 percent moisture	4.2	UN1386	III		Not Accepted				Forbidden					
Seed cake with not more than 1.5 percent oil and not more than 11 percent moisture	4.2	UN2217	III		Not Accepted				Forbidden					
Selenates or Selenites	6.1	UN2630	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Selenic acid	8	UN1905	I	CORROSIVE			YES		Forbidden			N34	None	211
Selenium compound, liquid, n.o.s.	6.1	UN3440	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Selenium compound, liquid, n.o.s.	6.1	UN3440	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Selenium compound, liquid, n.o.s.	6.1	UN3440	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Selenium compound, solid, n.o.s.	6.1	UN3283	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Selenium compound, solid, n.o.s.	6.1	UN3283	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Selenium compound, solid, n.o.s.	6.1	UN3283	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Selenium disulfide	6.1	UN2657	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Selenium hexafluoride	2.3	UN2194			Not Accepted				Forbidden					
Selenium nitride	Forbidden													
Selenium oxychloride	8 (6.1)#	UN2879	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	0.5 L		Yes	A3, A6, A7, N34	None	201
Self-defense spray, aerosol, see Aerosols, etc														
Self-defense spray, non-pressurized	9	NA3334	III	May not be regulated when shipped via UPS ground				CLASS 9	30 kg G	30 kg G		A37	155	203
Self-heating liquid, corrosive, inorganic, n.o.s. ‡	4.2	UN3188	II		Not Accepted				Not Accepted					
Self-heating liquid, corrosive, inorganic, n.o.s. ‡	4.2	UN3188	III		Not Accepted				Not Accepted					
Self-heating liquid, corrosive, organic, n.o.s. ‡	4.2	UN3185	II		Not Accepted				Not Accepted					
Self-heating liquid, corrosive, organic, n.o.s. ‡	4.2	UN3185	III		Not Accepted				Not Accepted					
Self-heating liquid, inorganic, n.o.s. ‡	4.2	UN3186	II		Not Accepted				Not Accepted					
Self-heating liquid, inorganic, n.o.s. ‡	4.2	UN3186	III		Not Accepted				Not Accepted					
Self-heating liquid, organic, n.o.s. ‡	4.2	UN3183	II		Not Accepted				Not Accepted					
Self-heating liquid, organic, n.o.s. ‡	4.2	UN3183	III		Not Accepted				Not Accepted					
Self-heating liquid, toxic, inorganic, n.o.s. ‡	4.2	UN3187	II		Not Accepted				Not Accepted					
Self-heating liquid, toxic, inorganic, n.o.s. ‡	4.2	UN3187	III		Not Accepted				Not Accepted					
Self-heating liquid, toxic, organic, n.o.s. ‡	4.2	UN3184	II		Not Accepted				Not Accepted					
Self-heating liquid, toxic, organic, n.o.s. ‡	4.2	UN3184	III		Not Accepted				Not Accepted					
Self-heating solid, corrosive, inorganic, n.o.s. ‡	4.2	UN3192	II		Not Accepted				Not Accepted					
Self-heating solid, corrosive, inorganic, n.o.s. ‡	4.2	UN3192	III		Not Accepted				Not Accepted					
Self-heating solid, corrosive, organic, n.o.s. ‡	4.2	UN3126	II		Not Accepted				Not Accepted					
Self-heating solid, corrosive, organic, n.o.s. ‡	4.2	UN3126	III		Not Accepted				Not Accepted					
Self-heating solid, inorganic, n.o.s. ‡	4.2	UN3190	II		Not Accepted				Not Accepted					
Self-heating solid, inorganic, n.o.s. ‡	4.2	UN3190	III		Not Accepted				Not Accepted					
Self-heating solid, organic, n.o.s. ‡	4.2	UN3088	II		Not Accepted				Not Accepted					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Self-heating solid, organic, n.o.s. ‡	4.2	UN3088	III		Not Accepted				Not Accepted					
Self-heating solid, oxidizing, n.o.s. ‡	4.2	UN3127			Not Accepted				Forbidden					
Self-heating solid, toxic, inorganic, n.o.s. ‡	4.2	UN3191	II		Not Accepted				Not Accepted					
Self-heating solid, toxic, inorganic, n.o.s. ‡	4.2	UN3191	III		Not Accepted				Not Accepted					
Self-heating solid, toxic, organic, n.o.s. ‡	4.2	UN3128	II		Not Accepted				Not Accepted					
Self-heating solid, toxic, organic, n.o.s. ‡	4.2	UN3128	III		Not Accepted				Not Accepted					
<i>Self-propelled vehicle, see Engines or Batteries etc</i>														
Self-reactive liquid type B ‡	4.1	UN3221	◆		Not Accepted				Forbidden					
Self-reactive liquid type B, temperature controlled ‡	4.1	UN3231	◆		Not Accepted				Forbidden					
Self-reactive liquid type C ‡	4.1	UN3223	◆	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	5 L				None	224
Self-reactive liquid type C, temperature controlled ‡	4.1	UN3233	◆		Not Accepted				Forbidden					
Self-reactive liquid type D ‡	4.1	UN3225	◆	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	5 L				None	224
Self-reactive liquid type D, temperature controlled ‡	4.1	UN3235	◆		Not Accepted				Forbidden					
Self-reactive liquid type E ‡	4.1	UN3227	◆	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	10 L				None	224
Self-reactive liquid type E, temperature controlled ‡	4.1	UN3237	◆		Not Accepted				Forbidden					
Self-reactive liquid type F ‡	4.1	UN3229	◆	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	10 L				None	224
Self-reactive liquid type F, temperature controlled ‡	4.1	UN3239	◆		Not Accepted				Forbidden					
Self-reactive solid type B ‡	4.1	UN3222	◆		Not Accepted				Forbidden					
Self-reactive solid type B, temperature controlled ‡	4.1	UN3232	◆		Not Accepted				Forbidden					
Self-reactive solid type C ‡	4.1	UN3224	◆	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	5 kg				None	224
Self-reactive solid type C, temperature controlled ‡	4.1	UN3234	◆		Not Accepted				Forbidden					
Self-reactive solid type D ‡	4.1	UN3226	◆	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	5 kg				None	224
Self-reactive solid type D, temperature controlled ‡	4.1	UN3236	◆		Not Accepted				Forbidden					
Self-reactive solid type E ‡	4.1	UN3228	◆	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	10 kg				None	224

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Self-reactive solid type E, temperature controlled ‡	4.1	UN3238	◆		Not Accepted				Forbidden					
Self-reactive solid type F ‡	4.1	UN3230	◆	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	10 kg				None	224
Self-reactive solid type F, temperature controlled ‡	4.1	UN3240	◆		Not Accepted				Forbidden					
Shale oil	3	UN1288	I	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	1 L				None	201
Shale oil	3	UN1288	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Shale oil	3	UN1288	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Shaped charges, see Charges, shaped, etc</i>														
Signal devices, hand	1.4G	UN0191	◆		Not Accepted				Forbidden					
Signal devices, hand	1.4S	UN0373	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Signals, distress, ship	1.1G	UN0194	◆		Not Accepted				Forbidden					
Signals, distress, ship	1.3G	UN0195	◆		Not Accepted				Forbidden					
Signals, distress, ship	1.4G	UN0505	◆		Not Accepted				Forbidden					
Signals, distress, ship	1.4S	UN0506	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
<i>Signals, highway, see Signal devices, hand</i>														
Signals, railway track, explosive	1.1G	UN0192	◆		Not Accepted				Forbidden					
Signals, railway track, explosive	1.4S	UN0193	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Signals, railway track, explosive	1.3G	UN0492	◆		Not Accepted				Forbidden					
Signals, railway track, explosive	1.4G	UN0493	◆		Not Accepted				Forbidden					
<i>Signals, ship distress, water-activated, see Contrivances, water-activated, etc</i>														
Signals, smoke	1.1G	UN0196	◆		Not Accepted				Forbidden					
Signals, smoke	1.4G	UN0197	◆		Not Accepted				Forbidden					
Signals, smoke	1.2G	UN0313	◆		Not Accepted				Forbidden					
Signals, smoke	1.3G	UN0487	◆		Not Accepted				Forbidden					
Signals, smoke	1.4S	UN0507	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Silane	2.1	UN2203			Not Accepted				Forbidden					
<i>Silicofluoric acid, see Fluorosilicic acid</i>														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>Silicon chloride, see Silicon tetrachloride</i>														
Silicon powder, amorphous	4.1	UN1346	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg			A1	None	213, 27
Silicon tetrachloride	8	UN1818	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A6	None	202
Silicon tetrachloride	8	UN1818	II	CORROSIVE *			YES		Forbidden				None	202
Silicon tetrafluoride	2.3	UN1859			Not Accepted				Forbidden					
<i>Silver acetylde (dry)</i>	Forbidden													
Silver arsenite	6.1	UN1683	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>Silver azide (dry)</i>	Forbidden													
<i>Silver chlorite (dry)</i>	Forbidden													
Silver cyanide	6.1	UN1684	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>Silver fulminate (dry)</i>	Forbidden													
Silver nitrate	5.1	UN1493	II	OXIDIZER *			YES		Not Accepted				152	212
<i>Silver oxalate (dry)</i>	Forbidden													
<i>Silver picrate (dry)</i>	Forbidden													
Silver picrate, wetted with not less than 30 percent water, by mass	4.1	UN1347	I	FLAMMABLE SOLID					Forbidden			23	None	211
Sludge, acid	8	UN1906	II	CORROSIVE			YES		Forbidden			N34	None	202
Smokeless powder for small arms(100 pounds or less)	4.1	NA3178	I	FLAMMABLE SOLID					Forbidden			16	None	171
Soda lime with more than 4 percent sodium hydroxide	8	UN1907	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Sodium	4.3	UN1428	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N34	None	211
Sodium aluminate, solid	8	UN2812	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Sodium aluminate, solution	8	UN1819	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Sodium aluminate, solution	8	UN1819	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Sodium aluminum hydride	4.3	UN2835	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	212
Sodium ammonium vanadate	6.1	UN2863	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Sodium arsenilate	6.1	UN2473	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Sodium arsenate	6.1	UN1685	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Sodium arsenite, aqueous solutions	6.1	UN1686	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS			GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS			
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Sodium arsenite, aqueous solutions	6.1	UN1686	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Sodium arsenite, solid	6.1	UN2027	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Sodium azide	6.1	UN1687	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>Sodium bifluoride, see Sodium hydrogendifluoride</i>														
<i>Sodium bisulfite, solution, see Bisulfites, aqueous solutions, n.o.s.</i>														
Sodium borohydride	4.3	UN1426	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Sodium borohydride and sodium hydroxide solution, with not more than 12 percent sodium borohydride and not more than 40 percent sodium hydroxide by mass	8	UN3320	II	CORROSIVE *			YES	CORROSIVE *	1 L			N34	154	202
Sodium borohydride and sodium hydroxide solution, with not more than 12 percent sodium borohydride and not more than 40 percent sodium hydroxide by mass	8	UN3320	III	CORROSIVE *			YES	CORROSIVE *	5 L			N34	154	203, 27
Sodium bromate	5.1	UN1494	II	OXIDIZER *			YES		Not Accepted				152	212
Sodium cacodylate	6.1	UN1688	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Sodium carbonate peroxyhydrate	5.1	UN3378	II	OXIDIZER *					Not Accepted				152	212
Sodium carbonate peroxyhydrate	5.1	UN3378	III	OXIDIZER *					Not Accepted				152	213
Sodium chlorate	5.1	UN1495	II	OXIDIZER *			YES		Not Accepted			N34	152	212
Sodium chlorate, aqueous solution	5.1	UN2428	II	OXIDIZER *			YES		Not Accepted				152	202
Sodium chlorate, aqueous solution	5.1	UN2428	III	OXIDIZER *			YES		Not Accepted				152	203
<i>Sodium chlorate mixed with dinitrotoluene, see Explosive blasting, type C</i>														
Sodium chlorite	5.1	UN1496	II	OXIDIZER			YES		Not Accepted			N34	None	212
Sodium chloroacetate	6.1	UN2659	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Sodium cuprocyanide, solid	6.1	UN2316	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Sodium cuprocyanide, solution	6.1	UN2317	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Sodium cyanide, solid	6.1	UN1689	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes	N74, N75	None	211
Sodium cyanide solution	6.1	UN3414	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	N74, N75	None	201
Sodium cyanide solution	6.1	UN3414	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	N74, N75	None	202
Sodium cyanide solution	6.1	UN3414	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes	N74, N75	153	203
<i>Sodium dichloroisocyanurate or Sodium dichloro-s-triazinetrione, see Dichloroisocyanuric acid etc</i>														
Sodium dinitro-o-cresolate, dry or wetted with less than 15 percent water, by mass	1.3C	UN0234	◆		Not Accepted				Forbidden					
Sodium dinitro-o-cresolate, wetted with not less than 10% water, by mass	4.1	UN3369	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	0.5 kg		Yes	162, A8, A19, N41, N84	None	211
Sodium dinitro-o-cresolate, wetted with not less than 15 percent water, by mass	4.1 (6.1)	UN1348	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 kg		Yes	23, A8, A19, A20, N41	None	211
Sodium dithionite or Sodium hydrosulfite	4.2	UN1384	II		Not Accepted				Not Accepted					
Sodium fluoride, solid	6.1	UN1690	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Sodium fluoride solution	6.1	UN3415	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Sodium fluoroacetate	6.1	UN2629	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Sodium fluorosilicate	6.1	UN2674	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
<i>Sodium hydrate, see Sodium hydroxide, solid</i>														
Sodium hydride	4.3	UN1427	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Sodium hydrogendifluoride	8	UN2439	II	CORROSIVE *			YES	CORROSIVE *	15 kg			N3, N34	154	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Sodium hydrosulfide, with less than 25 percent water of crystallization	4.2	UN2318	II		Not Accepted				Not Accepted					
Sodium hydrosulfide with not less than 25 percent water of crystallization	8	UN2949	II	CORROSIVE *			YES	CORROSIVE *	15 kg			A7	154	212
Sodium hydrosulfite, see Sodium dithionite														
Sodium hydroxide, solid	8	UN1823	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Sodium hydroxide solution	8	UN1824	II	CORROSIVE *			YES	CORROSIVE *	1 L			N34	154	202
Sodium hydroxide solution	8	UN1824	III	CORROSIVE *			YES	CORROSIVE *	5 L			N34	154	203, 27
Sodium hypochlorite, solution, see Hypochlorite solutions etc														
Sodium metal, liquid alloy, see Alkali metal alloys, liquid, n.o.s.														
Sodium methylate	4.2	UN1431	II		Not Accepted				Not Accepted					
Sodium methylate solutions in alcohol	3 (8)	UN1289	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Sodium methylate solutions in alcohol	3 (8)	UN1289	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
Sodium monoxide	8	UN1825	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
Sodium nitrate	5.1	UN1498	III	OXIDIZER *			YES		Not Accepted				152	213
Sodium nitrate and potassium nitrate mixtures	5.1	UN1499	III	OXIDIZER *			YES		Not Accepted				152	213
Sodium nitrite	5.1 (6.1)	UN1500	III	OXIDIZER, POISON PG III *					Not Accepted				152	213
Sodium pentachlorophenate	6.1	UN2567	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Sodium perborate monohydrate	5.1	UN3377	III	OXIDIZER *					Not Accepted				152	213
Sodium perchlorate	5.1	UN1502	II	OXIDIZER *			YES		Not Accepted				152	212
Sodium permanganate	5.1	UN1503	II	OXIDIZER *			YES		Not Accepted				152	212
Sodium peroxide	5.1	UN1504	I	OXIDIZER			YES		Forbidden			N34	None	211
Sodium peroxoborate, anhydrous	5.1	UN3247	II	OXIDIZER *			YES		Not Accepted				152	212
Sodium persulfate	5.1	UN1505	III	OXIDIZER *			YES		Not Accepted				152	213
Sodium phosphide	4.3 (6.1)	UN1432	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Sodium picramate, dry or wetted with less than 20 percent water, by mass	1.3C	UN0235	◆		Not Accepted				Forbidden					
Sodium picramate, wetted with not less than 20 percent water, by mass	4.1	UN1349	I	FLAMMABLE SOLID					Forbidden			23, N41	None	211
Sodium picryl peroxide	Forbidden													

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
<i>Sodium potassium alloys, see Potassium sodium alloys</i>														
<i>Sodium selenate, see Selenates or Selenites</i>														
<i>Sodium sulfide, anhydrous or Sodium sulfide with less than 30 percent water of crystallization</i>	4.2	UN1385	II		Not Accepted				Not Accepted					
<i>Sodium sulfide, hydrated with not less than 30 percent water</i>	8	UN1849	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	212
<i>Sodium superoxide</i>	5.1	UN2547	I	OXIDIZER			YES		Forbidden			N34	None	211
<i>Sodium tetranitride</i>	Forbidden													
<i>Solids containing corrosive liquid, n.o.s. ‡</i>	8	UN3244	II	CORROSIVE *			YES	CORROSIVE *	15 kg			49	154	212
<i>Solids containing flammable liquid, n.o.s. ‡</i>	4.1	UN3175	II	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	15 kg			47	151	212
<i>Solids containing toxic liquid, n.o.s. ‡</i>	6.1	UN3243	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	48	None	212
<i>Sounding devices, explosive</i>	1.2F	UN0204	◆		Not Accepted				Forbidden					
<i>Sounding devices, explosive</i>	1.1F	UN0296	◆		Not Accepted				Forbidden					
<i>Sounding devices, explosive</i>	1.1D	UN0374	◆		Not Accepted				Forbidden					
<i>Sounding devices, explosive</i>	1.2D	UN0375	◆		Not Accepted				Forbidden					
<i>Spirits of salt, see Hydrochloric acid</i>														
<i>Squibs, see Igniters etc</i>														
<i>Stannic chloride, anhydrous</i>	8	UN1827	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
<i>Stannic chloride pentahydrate</i>	8	UN2440	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
<i>Stannic phosphide</i>	4.3 (6.1)	UN1433	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
<i>Steel swarf, see Ferrous metal borings, etc</i>														
<i>Stibine</i>	2.3	UN2676			Not Accepted				Forbidden					
<i>Storage batteries, wet, see Batteries, wet etc</i>														
<i>Strontium arsenite</i>	6.1	UN1691	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
<i>Strontium chlorate</i>	5.1	UN1506	II	OXIDIZER *			YES		Not Accepted			N34	152	212
<i>Strontium nitrate</i>	5.1	UN1507	III	OXIDIZER *			YES		Not Accepted				152	213
<i>Strontium perchlorate</i>	5.1	UN1508	II	OXIDIZER *			YES		Not Accepted				152	212
<i>Strontium peroxide</i>	5.1	UN1509	II	OXIDIZER *			YES		Not Accepted				152	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Strontium phosphide	4.3 (6.1)	UN2013	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Strychnine or Strychnine salts	6.1	UN1692	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Styphnic acid, see Trinitroresorcinol, etc														
Styrene monomer, stabilized	3	UN2055	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Substances, explosive, n.o.s. ‡	1.1L	UN0357	◆		Not Accepted				Forbidden					
Substances, explosive, n.o.s. ‡	1.2L	UN0358	◆		Not Accepted				Forbidden					
Substances, explosive, n.o.s. ‡	1.3L	UN0359	◆		Not Accepted				Forbidden					
Substances, explosive, n.o.s. ‡	1.1A	UN0473	◆		Not Accepted				Forbidden					
Substances, explosive, n.o.s. ‡	1.1C	UN0474	◆		Not Accepted				Forbidden					
Substances, explosive, n.o.s. ‡	1.1D	UN0475	◆		Not Accepted				Forbidden					
Substances, explosive, n.o.s. ‡	1.1G	UN0476	◆		Not Accepted				Forbidden					
Substances, explosive, n.o.s. ‡	1.3C	UN0477	◆		Not Accepted				Forbidden					
Substances, explosive, n.o.s. ‡	1.3G	UN0478	◆		Not Accepted				Forbidden					
Substances, explosive, n.o.s. ‡	1.4C	UN0479	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden				None	62
Substances, explosive, n.o.s. ‡	1.4D	UN0480	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden				None	62
Substances, explosive, n.o.s. ‡	1.4S	UN0481	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Substances, explosive, n.o.s. ‡	1.4G	UN0485	◆		Not Accepted				Forbidden					
Substances, explosive, very insensitive, n.o.s., or Substances, EVI, n.o.s. ‡	1.5D	UN0482	◆		Not Accepted				Forbidden					
Substituted nitrophenol pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2780	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Substituted nitrophenol pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2780	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Substituted nitrophenol pesticides, liquid, toxic	6.1	UN3014	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Substituted nitrophenol pesticides, liquid, toxic	6.1	UN3014	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Substituted nitrophenol pesticides, liquid, toxic	6.1	UN3014	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Substituted nitrophenol pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3013	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Substituted nitrophenol pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3013	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Substituted nitrophenol pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3013	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Substituted nitrophenol pesticides, solid, toxic	6.1	UN2779	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Substituted nitrophenol pesticides, solid, toxic	6.1	UN2779	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Substituted nitrophenol pesticides, solid, toxic	6.1	UN2779	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Sucrose octanitrate (dry)	Forbidden													
Sulfamic acid	8	UN2967	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Sulfur	9	NA1350	III	May not be regulated when shipped via UPS ground				CLASS 9	25 kg	30 kg		30	None	None
Sulfur	4.1	UN1350	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg			30	None	None
Sulfur and chlorate, loose mixtures of	Forbidden													
Sulfur chlorides	8	UN1828	I	CORROSIVE			YES		Forbidden			5, N34	None	201
Sulfur dichloride, see Sulfur chlorides														
Sulfur dioxide	2.3	UN1079				Not Accepted			Forbidden					
Sulfur dioxide solution, see Sulfurous acid														
Sulfur hexafluoride	2.2	UN1080		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Sulfur, molten	9	NA2448	III			Not Accepted			Forbidden	Forbidden				
Sulfur, molten	4.1	UN2448	III			Not Accepted			Forbidden					
Sulfur tetrafluoride	2.3	UN2418				Not Accepted			Forbidden					
Sulfur trioxide, stabilized	8	UN1829	I			Not Accepted			Forbidden					
Sulfuretted hydrogen, see Hydrogen sulfide														
Sulfuric acid, fuming with 30 percent or more free sulfur trioxide	8	UN1831	I			Not Accepted			Forbidden					
Sulfuric acid, fuming with less than 30 percent free sulfur trioxide	8	UN1831	I			Not Accepted			Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Sulfuric acid, spent	8	UN1832	II	CORROSIVE			YES		Forbidden			N34	None	202
<i>Sulfuric acid with more than 51 percent acid</i>	8	UN1830	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A7, N34	154	202
<i>Sulfuric acid with not more than 51% acid</i>	8	UN2796	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A7, N6, N34	154	202
Sulfuric and hydrofluoric acid mixtures, see Hydrofluoric and sulfuric acid mixtures														
<i>Sulfuric anhydride, see Sulfur trioxide, stabilized</i>														
Sulfurous acid	8	UN1833	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Sulfuryl chloride	6.1 (8)	UN1834	I		Not Accepted				Forbidden					
Sulfuryl chloride	8	UN1834	I		Not Accepted				Forbidden					
Sulfuryl fluoride	2.3	UN2191			Not Accepted				Forbidden					
Tars, liquid including road asphalt and oils, bitumen and cut backs	3	UN1999	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			149	150	202
<i>Tars, liquid including road asphalt and oils, bitumen and cut backs</i>	3	UN1999	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Tars, liquid including road oils and cutback bitumens</i>	3	UN1999	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			149	150	202
<i>Tars, liquid including road oils and cutback bitumens</i>	3	UN1999	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Tear gas candles	6.1 (4.1)	UN1700	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	340
<i>Tear gas cartridges, see Ammunition, tear-producing, etc</i>														
Tear gas devices with more than 2 percent tear gas substances, by mass	6.1	NA1693	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	340
Tear gas devices with more than 2 percent tear gas substances, by mass	6.1	NA1693	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	340
<i>Tear gas devices, with not more than 2 percent tear gas substances, by mass, see Aerosols, etc</i>														
<i>Tear gas grenades, see Tear gas candles</i>														
Tear gas substances, liquid, n.o.s. ‡	6.1	UN1693	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Tear gas substances, liquid, n.o.s. ‡	6.1	UN1693	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	202
Tear gas substance, solid, n.o.s. ‡	6.1	UN3448	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	211

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Tear gas substance, solid, n.o.s. ‡	6.1	UN3448	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	212
Tellurium compound, n.o.s.	6.1	UN3284	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Tellurium compound, n.o.s.	6.1	UN3284	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Tellurium compound, n.o.s.	6.1	UN3284	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Tellurium hexafluoride	2.3	UN2195			Not Accepted				Forbidden					
Terpene hydrocarbons, n.o.s.	3	UN2319	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Terpinolene	3	UN2541	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Tetraazido benzene quinone	Forbidden													
Tetrabromoethane	6.1	UN2504	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
1,1,2,2-Tetrachloroethane	6.1	UN1702	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	N36	None	202
Tetrachloroethylene	6.1	UN1897	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes	N36	153	203
Tetraethyl dithiopyrophosphate	6.1	UN1704	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Tetraethyl silicate	3	UN1292	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Tetraethylammonium perchlorate (dry)	Forbidden													
Tetraethylenepentamine	8	UN2320	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
1,1,1,2-Tetrafluoroethane or Refrigerant gas R 134a	2.2	UN3159		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Tetrafluoroethylene, stabilized	2.1	UN1081		FLAMMABLE GAS *			YES		Forbidden				306	304
Tetrafluoromethane or Refrigerant gas R 14	2.2	UN1982		NON-FLAMMABLE GAS			YES	NON-FLAMMABLE GAS					None	302
1,2,3,6-Tetrahydrobenzaldehyde	3	UN2498	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Tetrahydrofuran	3	UN2056	II	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	5 L				None	202
Tetrahydrofurfurylamine	3	UN2943	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Tetrahydrophthalic anhydrides with more than 0.05 percent of maleic anhydride	8	UN2698	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
1,2,3,6-Tetrahydropyridine	3	UN2410	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Tetrahydrothiophene	3	UN2412	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Tetramethylammonium hydroxide, solid	8	UN3423	II	CORROSIVE *			YES	CORROSIVE *	15 kg				154	213
Tetramethylammonium hydroxide solution	8	UN1835	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Tetramethylammonium hydroxide solution	8	UN1835	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203
<i>Tetramethylene diperoxide dicarbamide</i>	Forbidden													
Tetramethylsilane	3	UN2749	I	FLAMMABLE LIQUID			YES		Forbidden				None	201
<i>Tetranitro diglycerin</i>	Forbidden													
Tetranitroaniline	1.1D	UN0207	II		Not Accepted				Forbidden					
Tetranitromethane	5.1	UN1510	I		Not Accepted				Forbidden					
Tetranitromethane	6.1 (5.1)	UN1510	I		Not Accepted				Forbidden					
<i>2,3,4,6-Tetranitrophenol</i>	Forbidden													
<i>2,3,4,6-Tetranitrophenyl methyl nitramine</i>	Forbidden													
<i>2,3,4,6-Tetranitrophenylnitramine</i>	Forbidden													
<i>Tetranitroresorcinol (dry)</i>	Forbidden													
<i>2,3,5,6-Tetranitroso-1,4-dinitrobenzene</i>	Forbidden													
<i>2,3,5,6-Tetranitroso nitrobenzene (dry)</i>	Forbidden													
Tetrapropylorthotitanate	3	UN2413	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Tetrazene, see Guanyl nitrosaminoguanyltetrazene														
<i>Tetrazine (dry)</i>	Forbidden													
Tetrazol-1-acetic acid	1.4C	UN0407	◆	EXPLOSIVE 1.4C		see 172.320			Forbidden				None	62
1H-Tetrazole	1.1D	UN0504	◆		Not Accepted				Forbidden					
<i>Tetrazolyl azide (dry)</i>	Forbidden													
Tetryl, see Trinitrophenylmethylnitramine														
Textile waste, wet	4.2	UN1857	III		Not Accepted				Forbidden					
Thallium chlorate	5.1 (6.1)	UN2573	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	212
Thallium compounds, n.o.s.	6.1	UN1707	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Thallium nitrate	6.1 (5.1)	UN2727	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	212
4-Thiapentanal	6.1	UN2785	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Thioacetic acid	3	UN2436	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Thiocarbamate pesticide, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2772	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Thiocarbamate pesticide, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2772	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Thiocarbamate pesticide, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3005	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Thiocarbamate pesticide, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3005	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Thiocarbamate pesticide, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN3005	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Thiocarbamate pesticide, liquid, toxic	6.1	UN3006	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Thiocarbamate pesticide, liquid, toxic	6.1	UN3006	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Thiocarbamate pesticide, liquid, toxic	6.1	UN3006	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Thiocarbamate pesticides, solid, toxic	6.1	UN2771	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Thiocarbamate pesticides, solid, toxic	6.1	UN2771	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Thiocarbamate pesticides, solid, toxic	6.1	UN2771	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Thiocarbonylchloride, see Thiophosgene														
Thioglycol	6.1	UN2966	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Thioglycolic acid	8	UN1940	II	CORROSIVE *			YES	CORROSIVE *	1 L			A7, N34	154	202
Thioloactic acid	6.1	UN2936	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Thionyl chloride	8	UN1836	I		Not Accepted				Forbidden					
Thiophene	3	UN2414	II	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	5 L				None	202
Thiophosgene	6.1	UN2474	I		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Thiophosgene	6.1	UN2474	II		Not Accepted				Forbidden					
Thiophosphoryl chloride	8	UN1837	II	CORROSIVE			YES		Forbidden			N34	None	202
Thiourea dioxide	4.2	UN3341	II		Not Accepted				Not Accepted					
Thiourea dioxide	4.2	UN3341	III		Not Accepted				Not Accepted					
<i>Tin chloride, fuming, see Stannic chloride, anhydrous</i>														
<i>Tin perchloride or Tin tetrachloride, see Stannic chloride, anhydrous</i>														
Tinctures, medicinal	3	UN1293	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Tinctures, medicinal	3	UN1293	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
<i>Tinning flux, see Zinc chloride</i>														
Tires and tire assemblies, see Air, compressed or Nitrogen, compressed														
Titanium disulphide	4.2	UN3174	III		Not Accepted				Not Accepted					
Titanium hydride	4.1	UN1871	II	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	15 kg			A19, A20, N34	None	212
Titanium powder, dry	4.2	UN2546	I		Not Accepted				Forbidden					
Titanium powder, dry	4.2	UN2546	II		Not Accepted				Not Accepted					
Titanium powder, dry	4.2	UN2546	III		Not Accepted				Not Accepted					
Titanium powder, wetted with not less than 25 percent water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns	4.1	UN1352	II	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	15 kg			A19, A20, N34	None	212
Titanium sponge granules or Titanium sponge powders	4.1	UN2878	III	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	25 kg			A1	None	213, 27
Titanium tetrachloride	6.1 (8)	UN1838	I		Not Accepted				Forbidden					
Titanium tetrachloride	8	UN1838	II		Not Accepted				Forbidden					
Titanium trichloride mixtures	8	UN2869	II	CORROSIVE *			YES	CORROSIVE *	15 kg			A7, N34	154	212
Titanium trichloride mixtures	8	UN2869	III	CORROSIVE *			YES	CORROSIVE *	25 kg			A7, N34	154	213, 27
Titanium trichloride, pyrophoric or Titanium trichloride mixtures, pyrophoric	4.2	UN2441	I		Not Accepted				Forbidden					
<i>TNT mixed with aluminum, see Tritonal</i>														
<i>TNT, see Trinitrotoluene, etc</i>														
Toluene	3	UN1294	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Toluene diisocyanate	6.1	UN2078	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
<i>Toluene sulfonic acid, see Alkyl, or Aryl sulfonic acid etc</i>														
Toluidines, liquid	6.1	UN1708	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Toluidines, solid	6.1	UN3451	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
2,4-Toluylenediamine, solid or 2,4-Toluenediamine, solid	6.1	UN1709	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
2,4-Toluylenediamine solution or 2,4-Toluenediamine solution	6.1	UN3418	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Torpedoes, liquid fueled, with inert head	1.3J	UN0450			Not Accepted				Forbidden					
Torpedoes, liquid fueled, with or without bursting charge	1.1J	UN0449			Not Accepted				Forbidden					
Torpedoes with bursting charge	1.1E	UN0329	◆		Not Accepted				Forbidden					
Torpedoes with bursting charge	1.1F	UN0330	◆		Not Accepted				Forbidden					
Torpedoes with bursting charge	1.1D	UN0451	◆		Not Accepted				Forbidden					
Toxic by inhalation liquid, n.o.s. with an inhalation toxicity lower than or equal to 200 ml/m³ and saturated vapor concentration greater than or equal to 500 LC₅₀ ‡	6.1	UN3381	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, n.o.s. with an inhalation toxicity lower than or equal to 1000 ml/m³ and saturated vapor concentration greater than or equal to 10 LC₅₀ ‡	6.1	UN3382	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, corrosive, n.o.s. with an inhalation toxicity lower than or equal to 200 ml/m³ and saturated vapor concentration greater than or equal to 500 LC₅₀ ‡	6.1 (8)	UN3389	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, corrosive, n.o.s. with an inhalation toxicity lower than or equal to 1000 ml/m³ and saturated vapor concentration greater than or equal to 10 LC₅₀ ‡	6.1 (8)	UN3390	I		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Toxic by inhalation liquid, corrosive, flammable, n.o.s. with an inhalation toxicity lower than or equal to 200 ml/m³ and saturated vapor concentration greater than or equal to 500 LC₅₀ ‡	6.1 (8) (3)	UN3492	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, corrosive, flammable, n.o.s. with an inhalation toxicity lower than or equal to 1000 ml/m³ and saturated vapor concentration greater than or equal to 10 LC₅₀ ‡	6.1 (8) (3)	UN3493	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, flammable, n.o.s. with an inhalation toxicity lower than or equal to 200 ml/m³ and saturated vapor concentration greater than or equal to 500 LC₅₀ ‡	6.1 (3)	UN3383	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, flammable, n.o.s. with an inhalation toxicity lower than or equal to 1000 ml/m³ and saturated vapor concentration greater than or equal to 10 LC₅₀ ‡	6.1 (3)	UN3384	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, flammable, corrosive, n.o.s. with an inhalation toxicity lower than or equal to 200 ml/m³ and saturated vapor concentration greater than or equal to 500 LC₅₀ ‡	6.1 (3) (8)	UN3488	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, flammable, corrosive, n.o.s. with an inhalation toxicity lower than or equal to 1000 ml/m³ and saturated vapor concentration greater than or equal to 10 LC₅₀ ‡	6.1 (3) (8)	UN3489	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, oxidizing, n.o.s. with an inhalation toxicity lower than or equal to 200 ml/m³ and saturated vapor concentration greater than or equal to 500 LC₅₀ ‡	6.1 (5.1)	UN3387	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, oxidizing, n.o.s. with an inhalation toxicity lower than or equal to 1000 ml/m³ and saturated vapor concentration greater than or equal to 10 LC₅₀ ‡	6.1 (5.1)	UN3388	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, water-reactive, n.o.s. with an inhalation toxicity lower than or equal to 200 ml/m³ and saturated vapor concentration greater than or equal to 500 LC₅₀ ‡	6.1 (4.3)	UN3385	I		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Toxic by inhalation liquid, water-reactive, n.o.s. with an inhalation toxicity lower than or equal to 1000 ml/m³ and saturated vapor concentration greater than or equal to 10 LC₅₀ ‡	6.1 (4.3)	UN3386	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, water-reactive, flammable, n.o.s. with an inhalation toxicity lower than or equal to 200 ml/m³ and saturated vapor concentration greater than or equal to 500 LC₅₀ ‡	6.1 (4.3) (3)	UN3490	I		Not Accepted				Forbidden					
Toxic by inhalation liquid, water-reactive, flammable, n.o.s. with an inhalation toxicity lower than or equal to 1000 ml/m³ and saturated vapor concentration greater than or equal to 10 LC₅₀ ‡	6.1 (4.3) (3)	UN3491	I		Not Accepted				Forbidden					
Toxic liquid, corrosive, inorganic, n.o.s. ‡	6.1 (8)	UN3289	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	0.5 L		Yes		None	201
Toxic liquid, corrosive, inorganic, n.o.s. ‡	6.1 (8)	UN3289	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Toxic liquid, inorganic, n.o.s. ‡	6.1	UN3287	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Toxic liquid, inorganic, n.o.s. ‡	6.1	UN3287	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Toxic liquid, inorganic, n.o.s. ‡	6.1	UN3287	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Toxic liquids, corrosive, organic, n.o.s. ‡	6.1 (8)	UN2927	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	0.5 L		Yes		None	201
Toxic liquids, corrosive, organic, n.o.s. ‡	6.1 (8)	UN2927	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Toxic liquids, flammable, organic, n.o.s. ‡	6.1 (3)	UN2929	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Toxic liquids, flammable, organic, n.o.s. ‡	6.1 (3)	UN2929	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Toxic, liquids, organic, n.o.s. ‡	6.1	UN2810	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Toxic, liquids, organic, n.o.s. ‡	6.1	UN2810	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Toxic liquids, organic, n.o.s. ‡	6.1	UN2810	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Toxic liquids, oxidizing, n.o.s. ‡	6.1 (5.1)	UN3122	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Toxic liquids, oxidizing, n.o.s. ‡	6.1 (5.1)	UN3122	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	202
Toxic liquids, water-reactive, n.o.s. ‡	6.1 (4.3)	UN3123	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Toxic liquids, water-reactive, n.o.s. ‡	6.1 (4.3)	UN3123	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Toxic solid, corrosive, inorganic, n.o.s. ‡	6.1 (8)	UN3290	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 kg		Yes		None	211
Toxic solid, corrosive, inorganic, n.o.s. ‡	6.1 (8)	UN3290	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Toxic solid, inorganic, n.o.s. ‡	6.1	UN3288	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Toxic solid, inorganic, n.o.s. ‡	6.1	UN3288	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Toxic solid, inorganic, n.o.s. ‡	6.1	UN3288	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Toxic solids, corrosive, organic, n.o.s. ‡	6.1 (8)	UN2928	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 kg		Yes		None	211
Toxic solids, corrosive, organic, n.o.s. ‡	6.1 (8)	UN2928	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Toxic solids, flammable, organic, n.o.s. ‡	6.1 (4.1)	UN2930	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 kg		Yes		None	211
Toxic solids, flammable, organic, n.o.s. ‡	6.1 (4.1)	UN2930	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Toxic solids, organic, n.o.s. ‡	6.1	UN2811	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Toxic solids, organic, n.o.s. ‡	6.1	UN2811	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Toxic solids, organic, n.o.s. ‡	6.1	UN2811	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Toxic solids, oxidizing, n.o.s. ‡	6.1 (5.1)	UN3086	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	211
Toxic solids, oxidizing, n.o.s. ‡	6.1 (5.1)	UN3086	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Not Accepted				None	212
Toxic solids, self-heating, n.o.s. ‡	6.1 (4.2)	UN3124	I		Not Accepted				Not Accepted					
Toxic solids, self-heating, n.o.s. ‡	6.1 (4.2)	UN3124	II		Not Accepted				Not Accepted					
Toxic solids, water-reactive, n.o.s. ‡	6.1 (4.3)	UN3125	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes	A5	None	211
Toxic solids, water-reactive, n.o.s. ‡	6.1 (4.3)	UN3125	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Toxins, extracted from living sources, liquid, n.o.s. ‡	6.1	UN3172	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes	141	None	201
Toxins, extracted from living sources, liquid, n.o.s. ‡	6.1	UN3172	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	141	None	202
Toxins, extracted from living sources, liquid, n.o.s. ‡	6.1	UN3172	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes	141	153	203
Toxins, extracted from living sources, solid, n.o.s. ‡	6.1	UN3462	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes	141	None	211
Toxins, extracted from living sources, solid, n.o.s. ‡	6.1	UN3462	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	141	None	212
Toxins, extracted from living sources, solid, n.o.s. ‡	6.1	UN3462	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	141	153	213
Toy Caps	1.4S	NA0337	◆	EXPLOSIVE 1.4S		see 172.320		EXPLOSIVE 1.4S	25 kg		see 172.320		None	62
Tracers for ammunition	1.3G	UN0212	◆		Not Accepted				Forbidden					
Tracers for ammunition	1.4G	UN0306	◆		Not Accepted				Forbidden					
Tractors, see Vehicle, etc														
Tri-(b-nitroxyethyl) ammonium nitrate	Forbidden													
Triallyl borate	6.1	UN2609	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Triallylamine	3 (8)	UN2610	III	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	5 L				None	203
Triazine pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2764	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Triazine pesticides, liquid, flammable, toxic, flash point less than 23 degrees C	3 (6.1)	UN2764	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Triazine pesticides, liquid, toxic	6.1	UN2998	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Triazine pesticides, liquid, toxic	6.1	UN2998	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Triazine pesticides, liquid, toxic	6.1	UN2998	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Triazine pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN2997	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	201
Triazine pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN2997	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Triazine pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C	6.1 (3)	UN2997	III	POISON PG III, FLAMMABLE LIQUID *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Triazine pesticides, solid, toxic	6.1	UN2763	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Triazine pesticides, solid, toxic	6.1	UN2763	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Triazine pesticides, solid, toxic	6.1	UN2763	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Tributylamine	6.1	UN2542	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Tributylphosphane	4.2	UN3254	I		Not Accepted				Forbidden					
<i>Trichloro-s-triazinetriene dry, with more than 39 percent available chlorine, see Trichloroisocyanuric acid, dry</i>														
Trichloroacetic acid	8	UN1839	II	CORROSIVE *			YES	CORROSIVE *	15 kg			A7, N34	154	212
Trichloroacetic acid, solution	8	UN2564	II	CORROSIVE *			YES	CORROSIVE *	1 L			A3, A6, A7, N34	154	202
Trichloroacetic acid, solution	8	UN2564	III	CORROSIVE *			YES	CORROSIVE *	5 L			A3, A6, A7, N34	154	203, 27

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Trichloroacetyl chloride	8	UN2442	II		Not Accepted				Forbidden					
Trichlorobenzenes, liquid	6.1	UN2321	III	POISON PG III * Refer to Applicable Exemption or Special Permit or 173.13				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Trichlorobutene	6.1	UN2322	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
1,1,1-Trichloroethane	6.1	UN2831	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	12 L		Yes	N36	153	203
Trichloroethylene	6.1	UN1710	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes	N36	153	203
Trichloroisocyanuric acid, dry	5.1	UN2468	II	OXIDIZER *			YES		Not Accepted				152	212
Trichloromethyl perchlorate	Forbidden													
Trichlorosilane	4.3	UN1295	I		Not Accepted				Forbidden					
Tricresyl phosphate with more than 3 percent ortho isomer	6.1	UN2574	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes	A3, N33, N34	None	202
Triethyl phosphite	3	UN2323	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Triethylamine	3 (8)	UN1296	II	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	1 L				150	202
Triethylenetetramine	8	UN2259	II	CORROSIVE *			YES	CORROSIVE *	1 L				154	202
Trifluoroacetic acid	8	UN2699	I	CORROSIVE			YES	CORROSIVE	0.5 L			A3, A6, A7, N3, N34, N36	None	201
Trifluoroacetyl chloride	2.3	UN3057			Not Accepted				Forbidden					
Trifluorochloroethylene, stabilized	2.3	UN1082			Not Accepted				Forbidden					
1,1,1-Trifluoroethane or Refrigerant gas, R 143a	2.1	UN2035		FLAMMABLE GAS *			YES		Forbidden				306	304
Trifluoromethane or Refrigerant gas R 23	2.2	UN1984		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	304
Trifluoromethane, refrigerated liquid	2.2	UN3136		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306	None
2-Trifluoromethylaniline	6.1	UN2942	III	POISON PG III * Refer to Applicable Exemption or Special Permit or 173.13				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
3-Trifluoromethylaniline	6.1	UN2948	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Triformoxime trinitrate	Forbidden													

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Triisobutylene	3	UN2324	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Triisopropyl borate	3	UN2616	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Triisopropyl borate	3	UN2616	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Trimethoxysilane	6.1	NA9269	I		Not Accepted				Forbidden					
Trimethyl borate	3	UN2416	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Trimethyl phosphite	3	UN2329	III	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	5 L				None	203
1,3,5-Trimethyl-2,4,6-trinitrobenzene	Forbidden													
Trimethylacetyl chloride	6.1	UN2438	I		Not Accepted				Forbidden					
Trimethylamine, anhydrous	2.1	UN1083		FLAMMABLE GAS *			YES		Forbidden			N87	306	304
Trimethylamine, aqueous solutions with not more than 50 percent trimethylamine by mass	3 (8)	UN1297	I	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	0.5 L				None	201
Trimethylamine, aqueous solutions with not more than 50 percent trimethylamine by mass	3 (8)	UN1297	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L				None	202
Trimethylamine, aqueous solutions with not more than 50 percent trimethylamine by mass	3 (8)	UN1297	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
1,3,5-Trimethylbenzene	3	UN2325	III	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	25 L				150	203
Trimethylchlorosilane	3 (8)	UN1298	II	FLAMMABLE LIQUID, CORROSIVE			YES	FLAMMABLE LIQUID, CORROSIVE	1 L			A3, A7, N34	None	None
Trimethylcyclohexylamine	8	UN2326	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Trimethylene glycol diperchlorate	Forbidden													
Trimethylhexamethylene diisocyanate	6.1	UN2328	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Trimethylhexamethylenediamines	8	UN2327	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Trimethylol nitromethane trinitrate	Forbidden													
Trinitro-m-cresol	1.1D	UN0216	◆		Not Accepted				Forbidden					
Trinitro-meta-cresol	1.1D	UN0216	◆		Not Accepted				Forbidden					
2,4,6-Trinitro-1,3-diazobenzene	Forbidden													
2,4,6-Trinitro-1,3,5-triazido benzene (dry)	Forbidden													
Trinitroacetic acid	Forbidden													
Trinitroacetonitrile	Forbidden													
Trinitroamine cobalt	Forbidden													
Trinitroaniline or Picramide	1.1D	UN0153	◆		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "♦" PG = "II" or blank / "◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Trinitroanisole	1.1D	UN0213	♦		Not Accepted				Forbidden					
Trinitrobenzene, wetted, with not less than 10% water, by mass	4.1	UN3367	I	FLAMMABLE SOLID				FLAMMABLE SOLID	0.5 kg			162, A8, A19, N41, N84	None	211
Trinitrobenzene, dry or wetted with less than 30 percent water, by mass	1.1D	UN0214	♦		Not Accepted				Forbidden					
Trinitrobenzene, wetted with not less than 30 percent water, by mass	4.1	UN1354	I	FLAMMABLE SOLID				FLAMMABLE SOLID	0.5 kg			23, A2, A8, A19, N41	None	211
Trinitrobenzenesulfonic acid	1.1D	UN0386	♦		Not Accepted				Forbidden					
Trinitrobenzoic acid, dry or wetted with less than 30 percent water, by mass	1.1D	UN0215	♦		Not Accepted				Forbidden					
Trinitrobenzoic acid, wetted with not less than 10% water by mass	4.1	UN3368	I	FLAMMABLE SOLID				FLAMMABLE SOLID	0.5 kg			162, A8, A19, N41, N84	None	211
Trinitrobenzoic acid, wetted with not less than 30 percent water, by mass	4.1	UN1355	I	FLAMMABLE SOLID				FLAMMABLE SOLID	0.5 kg			23, A2, A8, A19, N41	None	211
Trinitrochlorobenzene or Picryl chloride	1.1D	UN0155	♦		Not Accepted				Forbidden					
Trinitrochlorobenzene (picryl chloride), wetted, with not less than 10% water by mass	4.1	UN3365	I	FLAMMABLE SOLID				FLAMMABLE SOLID	0.5 kg			162, A8, A19, N41, N84	None	211
<i>Trinitroethanol</i>	Forbidden													
<i>Trinitroethylnitrate</i>	Forbidden													
Trinitrofluorenone	1.1D	UN0387	♦		Not Accepted				Forbidden					
<i>Trinitromethane</i>	Forbidden													
<i>1,3,5-Trinitronaphthalene</i>	Forbidden													
Trinitronaphthalene	1.1D	UN0217	♦		Not Accepted				Forbidden					
Trinitrophenetole	1.1D	UN0218	♦		Not Accepted				Forbidden					
Trinitrophenol (picric acid), wetted, with not less than 10 percent water by mass	4.1	UN3364	I	FLAMMABLE SOLID				FLAMMABLE SOLID	0.5 kg			162, A8, A19, N41, N84	None	211
Trinitrophenol or Picric acid, dry or wetted with less than 30 percent water, by mass	1.1D	UN0154	♦		Not Accepted				Forbidden					
Trinitrophenol, wetted or Picric acid, wetted, with not less than 30 percent water, by mass	4.1	UN1344	I	FLAMMABLE SOLID				FLAMMABLE SOLID	1 kg			23, A8, A19, N41	None	211
<i>2,4,6-Trinitrophenyl guanidine (dry)</i>	Forbidden													
<i>2,4,6-Trinitrophenyl nitramine</i>	Forbidden													
<i>2,4,6-Trinitrophenyl trimethylol methyl nitramine trinitrate (dry)</i>	Forbidden													

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "♦" PG = "II" or blank / "◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Trinitrophenylmethylnitramine or Tetryl	1.1D	UN0208	♦		Not Accepted				Forbidden					
Trinitroresorcinol or Styphnic acid, dry or wetted with less than 20 percent water, or mixture of alcohol and water, by mass	1.1D	UN0219	♦		Not Accepted				Forbidden					
Trinitroresorcinol, wetted or Styphnic acid, wetted with not less than 20 percent water, or mixture of alcohol and water by mass	1.1D	UN0394	♦		Not Accepted				Forbidden					
2,4,6-Trinitroso-3-methyl nitraminoanisole	Forbidden													
Trinitrotetramine cobalt nitrate	Forbidden													
Trinitrotoluene and Trinitrobenzene mixtures or TNT and trinitrobenzene mixtures or TNT and hexanitrostilbene mixtures or Trinitrotoluene and hexanitrostilbene mixtures	1.1D	UN0388	♦		Not Accepted				Forbidden					
Trinitrotoluene mixtures containing Trinitrobenzene and Hexanitrostilbene or TNT mixtures containing trinitrobenzene and hexanitrostilbene	1.1D	UN0389	♦		Not Accepted				Forbidden					
Trinitrotoluene or TNT, dry or wetted with less than 30 percent water, by mass	1.1D	UN0209	♦		Not Accepted				Forbidden					
Trinitrotoluene (TNT), wetted, with not less than 10 percent water by mass	4.1	UN3366	I	FLAMMABLE SOLID				FLAMMABLE SOLID	0.5 kg			162, A8, A19, N41, N84	None	211
Trinitrotoluene, wetted or TNT, wetted, with not less than 30 percent water, by mass	4.1	UN1356	I	FLAMMABLE SOLID				FLAMMABLE SOLID	0.5 kg			23, A2, A8, A19, N41	None	211
Tripopylamine	3 (8)	UN2260	III	FLAMMABLE LIQUID, CORROSIVE *			YES	FLAMMABLE LIQUID, CORROSIVE *	5 L				150	203
Tripopylene	3	UN2057	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Tripopylene	3	UN2057	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Tris-(1-aziridinyl)phosphine oxide, solution	6.1	UN2501	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Tris-(1-aziridinyl)phosphine oxide, solution	6.1	UN2501	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 L		Yes		153	203
Tris, bis-bifluoroamino diethoxy propane (TVOPA)	Forbidden													
Tritonal	1.1D	UN0390	♦		Not Accepted				Forbidden					
Tungsten hexafluoride	2.3	UN2196			Not Accepted				Forbidden					
Turpentine	3	UN1299	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Turpentine substitute	3	UN1300	I	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	1 L				None	201
Turpentine substitute	3	UN1300	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Turpentine substitute	3	UN1300	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Undecane	3	UN2330	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Urea hydrogen peroxide	5.1 (8)	UN1511	III	FLAMMABLE LIQUID * OXIDIZER, CORROSIVE *			YES		Not Accepted				152	213
Urea nitrate, dry or wetted with less than 20 percent water, by mass	1.1D	UN0220	◆		Not Accepted				Forbidden					
Urea nitrate, wetted, with not less than 10 percent water by mass	4.1	UN3370	I	FLAMMABLE SOLID				FLAMMABLE SOLID	0.5 kg			162, A8, A19, N41, N84	None	211
Urea nitrate, wetted with not less than 20 percent water, by mass	4.1	UN1357	I	FLAMMABLE SOLID				FLAMMABLE SOLID	1 kg			23, 39, A8, A19, N41	None	211
Urea peroxide, see Urea hydrogen peroxide														
Valeraldehyde	3	UN2058	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Valeric acid, see Corrosive liquids, n.o.s.														
Valeryl chloride	8 (3)	UN2502	II	CORROSIVE, FLAMMABLE LIQUID *			YES	CORROSIVE, FLAMMABLE LIQUID *	1 L			A3, A6, A7, N34	154	202
Vanadium compound, n.o.s.	6.1	UN3285	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Vanadium compound, n.o.s.	6.1	UN3285	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Vanadium compound, n.o.s.	6.1	UN3285	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Vanadium oxytrichloride	8	UN2443	II	CORROSIVE *			YES		Forbidden			N34	154	202
Vanadium pentoxide, non-fused form	6.1	UN2862	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
Vanadium tetrachloride	8	UN2444	I	CORROSIVE			YES		Forbidden			N34	None	201
Vanadium trichloride	8	UN2475	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27
Vanadyl sulfate	6.1	UN2931	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Vehicle, flammable gas powered or Vehicle, fuel cell, flammable gas powered	9	UN3166		May not be regulated when shipped via UPS ground			YES		Forbidden	Forbidden		135	220	220
Vehicle, flammable gas powered	9	UN3166		May not be regulated when shipped via UPS ground			YES		Forbidden	Forbidden		135, 157	220	220

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Vehicle, flammable liquid powered or Vehicle, fuel cell, flammable liquid powered	9	UN3166		May not be regulated when shipped via UPS ground			YES	CLASS 9 *	30 kg G	30 kg G		135	220	220
Vehicle, flammable liquid powered	9	UN3166		May not be regulated when shipped via UPS ground			YES	CLASS 9 *	30 kg G	30 kg G		135, 157	220	220
Very signal cartridge, see Cartridges, signal														
Vinyl acetate, stabilized	3	UN1301	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Vinyl bromide, stabilized	2.1	UN1085		FLAMMABLE GAS *			YES		Forbidden			N86	306	304
Vinyl butyrate, stabilized	3	UN2838	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Vinyl chloride, stabilized	2.1	UN1086		FLAMMABLE GAS *			YES		Forbidden			21, N86	306	304
Vinyl chloroacetate	6.1 (3)	UN2589	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Vinyl ethyl ether, stabilized	3	UN1302	I	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	1 L			A3	None	201
Vinyl fluoride, stabilized	2.1	UN1860		FLAMMABLE GAS *			YES		Forbidden			N86	306	304
Vinyl isobutyl ether, stabilized	3	UN1304	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202
Vinyl methyl ether, stabilized	2.1	UN1087		FLAMMABLE GAS *			YES		Forbidden				306	304
Vinyl nitrate polymer	Forbidden													
Vinylidene chloride, stabilized	3	UN1303	I	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID	1 L				150	201
Vinylpyridines, stabilized	6.1 (3) (8)	UN3073	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Vinyltoluenes, stabilized	3	UN2618	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Vinyltrichlorosilane, stabilized	3 (8)	UN1305	II	FLAMMABLE LIQUID, CORROSIVE			YES		1 L			A3, A7, N34	None	206
Warheads, rocket with burster or expelling charge	1.4D	UN0370	◆	EXPLOSIVE 1.4D		see 172.320			Forbidden				None	62
Warheads, rocket with burster or expelling charge	1.4F	UN0371	◆		Not Accepted				Forbidden					
Warheads, rocket with bursting charge	1.1D	UN0286	◆		Not Accepted				Forbidden					
Warheads, rocket with bursting charge	1.2D	UN0287	◆		Not Accepted				Forbidden					
Warheads, rocket with bursting charge	1.1F	UN0369	◆		Not Accepted				Forbidden					

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Warheads, torpedo with bursting charge	1.1D	UN0221	◆		Not Accepted				Forbidden					
Water-reactive liquid, corrosive, n.o.s. ‡	4.3 (8)	UN3129	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Water-reactive liquid, corrosive, n.o.s. ‡	4.3 (8)	UN3129	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Water-reactive liquid, corrosive, n.o.s. ‡	4.3 (8)	UN3129	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	203
Water-reactive liquid, n.o.s. ‡	4.3	UN3148	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Water-reactive liquid, n.o.s. ‡	4.3	UN3148	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Water-reactive liquid, n.o.s. ‡	4.3	UN3148	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	203
Water-reactive liquid, toxic, n.o.s. ‡	4.3 (6.1)	UN3130	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden				None	201
Water-reactive liquid, toxic, n.o.s. ‡	4.3 (6.1)	UN3130	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	1 L		Yes		None	202
Water-reactive liquid, toxic, n.o.s. ‡	4.3 (6.1)	UN3130	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	203
Water-reactive solid, corrosive, n.o.s. ‡	4.3 (8)	UN3131	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Water-reactive solid, corrosive, n.o.s. ‡	4.3 (8)	UN3131	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Water-reactive solid, corrosive, n.o.s. ‡	4.3 (8)	UN3131	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	213
Water-reactive solid, flammable, n.o.s. ‡	4.3 (4.1)	UN3132	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Water-reactive solid, flammable, n.o.s. ‡	4.3 (4.1)	UN3132	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Water-reactive solid, flammable, n.o.s. ‡	4.3 (4.1)	UN3132	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	213, 27

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Water-reactive solid, n.o.s. ‡	4.3	UN2813	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Water-reactive solid, n.o.s. ‡	4.3	UN2813	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Water-reactive solid, n.o.s. ‡	4.3	UN2813	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	213, 27
Water-reactive, solid, oxidizing, n.o.s. ‡	4.3	UN3133	II		Not Accepted				Forbidden					
Water-reactive, solid, oxidizing, n.o.s. ‡	4.3	UN3133	III		Not Accepted				Forbidden					
Water-reactive solid, self-heating, n.o.s. ‡	4.3	UN3135	I		Not Accepted				Forbidden					
Water-reactive solid, self-heating, n.o.s. ‡	4.3	UN3135	II		Not Accepted				Not Accepted					
Water-reactive solid, self-heating, n.o.s. ‡	4.3	UN3135	III		Not Accepted				Not Accepted					
Water-reactive solid, toxic, n.o.s. ‡	4.3 (6.1)	UN3134	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Water-reactive solid, toxic, n.o.s. ‡	4.3 (6.1)	UN3134	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	15 kg		Yes		None	212
Water-reactive solid, toxic, n.o.s. ‡	4.3 (6.1)	UN3134	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	213, 27
Wheel chair, electric, see Battery powered vehicle or Battery powered equipment														
White acid, see Hydrofluoric acid														
White asbestos (chrysotile, actinolite, anthophyllite, tremolite)	9	UN2590	III	CLASS 9 *			YES	CLASS 9 *	30 kg	30 kg		156	155	216
Wood preservatives, liquid	3	UN1306	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L			149	150	202
Wood preservatives, liquid	3	UN1306	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Wool waste, wet	4.2	UN1387	III		Not Accepted				Forbidden					
Xanthates	4.2	UN3342	II		Not Accepted				Not Accepted					
Xanthates	4.2	UN3342	III		Not Accepted				Not Accepted					
Xenon, compressed	2.2	UN2036		NON-FLAMMABLE GAS *			YES	NON-FLAMMABLE GAS *					306, 307	302
Xenon, refrigerated liquid (cryogenic liquids)	2.2	UN2591		NON-FLAMMABLE GAS			YES	NON-FLAMMABLE GAS					320	None
Xylenes	3	UN1307	II	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	5 L				150	202

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "♦" PG = "II" or blank / "◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Xylenes	3	UN1307	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Xylenols, solid	6.1	UN2261	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Xylenols, liquid	6.1	UN3430	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Xylidines, liquid	6.1	UN1711	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 L		Yes		None	202
Xylidines, solid	6.1	UN3452	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Xylyl bromide, liquid	6.1	UN1701	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N33	None	340
Xylyl bromide, solid	6.1	UN3417	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A3, A6, A7, N33	None	340
<i>p</i> -Xylyl diazide	Forbidden													
Zinc ammonium nitrite	5.1	UN1512	II	OXIDIZER			YES		Not Accepted				None	212
Zinc arsenate or Zinc arsenite or Zinc arsenate and zinc arsenite mixtures	6.1	UN1712	II	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		None	212
Zinc ashes	4.3	UN1435	III	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes	A1, A19	None	213, 27
<i>Zinc bisulfite solution, see Bisulfites, aqueous solutions, n.o.s.</i>														
Zinc bromate	5.1	UN2469	III	OXIDIZER *			YES		Not Accepted				152	213
Zinc chlorate	5.1	UN1513	II	OXIDIZER *			YES		Not Accepted			N34	152	212
Zinc chloride, anhydrous	8	UN2331	III	CORROSIVE			YES	CORROSIVE	25 kg				None	213, 27
Zinc chloride, solution	8	UN1840	III	CORROSIVE *			YES	CORROSIVE *	5 L				154	203, 27
Zinc cyanide	6.1	UN1713	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes		Refer to Applicable Exemption or Special Permit or 173.13	5 kg		Yes		None	211
Zinc dithionite or Zinc hydrosulfite	9	UN1931	III	None *			YES	None *		30 kg			155	204
<i>Zinc ethyl, see Diethylzinc</i>														
Zinc fluorosilicate	6.1	UN2855	III	POISON PG III *				Refer to Applicable Exemption or Special Permit or 173.13	25 kg		Yes		153	213
<i>Zinc hydrosulfite, see Zinc dithionite</i>														
<i>Zinc muriate solution, see Zinc chloride, solution</i>														

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "◆" PG = "II" or blank / "◆◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Zinc nitrate	5.1	UN1514	II	OXIDIZER *			YES		Not Accepted				152	212
Zinc permanganate	5.1	UN1515	II	OXIDIZER *			YES		Not Accepted				152	212
Zinc peroxide	5.1	UN1516	II	OXIDIZER *			YES		Not Accepted				152	212
Zinc phosphide	4.3 (6.1)	UN1714	I	Refer to Applicable Exemption or Special Permit or 173.13		Yes			Forbidden			N40	None	211
Zinc powder or Zinc dust	4.3	UN1436	I		Not Accepted				Forbidden					
Zinc powder or Zinc dust	4.3	UN1436	II		Not Accepted				Not Accepted					
Zinc powder or Zinc dust	4.3	UN1436	III		Not Accepted				Not Accepted					
Zinc resinate	4.1	UN2714	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27
Zinc selenate, see Selenates or Selenites														
Zinc selenite, see Selenates or Selenites														
Zinc silicofluoride, see Zinc fluorosilicate														
Zirconium, dry, coiled wire, finished metal sheets, strip (thinner than 254 microns but not thinner than 18 microns)	4.1	UN2858	III	FLAMMABLE SOLID *			YES	FLAMMABLE SOLID *	25 kg			A1	151	213, 27
Zirconium, dry, finished sheets, strip or coiled wire	4.2	UN2009	III		Not Accepted				Not Accepted					
Zirconium hydride	4.1	UN1437	II	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	15 kg			A19, A20, N34	None	212
Zirconium nitrate	5.1	UN2728	III	OXIDIZER *			YES		Not Accepted				152	213
Zirconium picramate, dry or wetted with less than 20 percent water, by mass	1.3C	UN0236	◆		Not Accepted				Forbidden					
Zirconium picramate, wetted with not less than 20 percent water, by mass	4.1	UN1517	I	FLAMMABLE SOLID				FLAMMABLE SOLID	1 kg			23, N41	None	211
Zirconium powder, dry	4.2	UN2008	I		Not Accepted				Forbidden					
Zirconium powder, dry	4.2	UN2008	II		Not Accepted				Not Accepted					
Zirconium powder, dry	4.2	UN2008	III		Not Accepted				Not Accepted					
Zirconium powder, wetted with not less than 25 percent water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns	4.1	UN1358	II	FLAMMABLE SOLID			YES	FLAMMABLE SOLID	15 kg			A19, A20, N34	None	212
Zirconium scrap	4.2	UN1932	III		Not Accepted				Forbidden					
Zirconium suspended in a liquid	3	UN1308	I	FLAMMABLE LIQUID			YES		Forbidden				None	201

BASIC DESCRIPTION FOR GROUND AND AIR														
HAZARDOUS MATERIALS SHIPMENTS				GROUND SHIPMENTS				AIR SHIPMENTS				GROUND AND AIR SHIPMENTS		
Symbols: "‡" Requires a Technical Name / "*" For Ltd Qty see 49 CFR Part 173.*** / "***" See 49 CFR 173.27 for inner receptacle requirements / "▲" Accepted as CAO if amount is listed / "♦" PG = "II" or blank / "◆" PG = "III" or blank / "#" Sub-risk may be omitted from shipping papers if 49 CFR 172.400a(c) criteria met. (ref 172.202(a)(3))														
HAZARDOUS MATERIALS DESCRIPTIONS AND PROPER SHIPPING NAME (ALSO MARK ON PACKAGE) (1)	HAZARD CLASS OR DIVISION (Subsidiary if applicable) (2)	ID. NUMBER (ALSO MARK ON PACKAGE) (3)	PACKING GROUP (4)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (5)	MAXIMUM QUANTITY PER INNER RECEPTACLE (6)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (7)	GROUND SERVICE TO CANADA PERMITTED (8)	LABEL(S) REQUIRED OR EXEMPTION, SPECIAL PERMIT OR EXCEPTION (9)	MAXIMUM NET QUANTITY PER PACKAGE** (10)	CARGO AIRCRAFT QUANTITY ▲ (11)	DOT EXEMPTION, SPECIAL PERMIT OR 173.13 (12)	SPECIAL PROVISIONS (13)	EXCEPTIONS §173.*** (14)	NON-BULK PACKAGING §173.*** (15)
Zirconium suspended in a liquid	3	UN1308	II	FLAMMABLE LIQUID			YES	FLAMMABLE LIQUID	5 L				None	202
Zirconium suspended in a liquid	3	UN1308	III	FLAMMABLE LIQUID *			YES	FLAMMABLE LIQUID *	25 L				150	203
Zirconium tetrachloride	8	UN2503	III	CORROSIVE *			YES	CORROSIVE *	25 kg				154	213, 27