



**Quantum ViewSM Data Subscription
Comma Separated Values (CSV) File Layout**

July 2016

© 2016

United Parcel Service of America, Inc.

All Rights Reserved.

All revisions must be coordinated with Information Services.

Information in this manual is subject to change without notice and does not represent a commitment on the part of United Parcel Service of America, Inc. The software described in this manual is furnished under a license agreement and may be used or copied only in accordance with the terms of the agreement.

The distribution of this document is limited to authorized personnel. The use, disclosure, reproduction, modification, transfer, or transmittal of this work for any purpose in any form or by any means without the written permission of United Parcel Service is strictly prohibited.

Summary of Changes

Purpose of Enhancement:

- Added Activity Type for generic record (G1):
 - UD = Updated Delivery Date.
- Updated Rescheduled Delivery Date note to indicated that a date may be present for the new activity type 'UD' in the generic record (G1).

Effective Date of Enhancement

July 9, 2016

Technical Changes:

The following table outlines the data elements that were added/changed with this release.

Activity Type	122 / DR	2	Alphanumeric	<i>Code that identifies record by specific activity type</i>	Generic Activity
				<i>VM= Void for Manifest UR = Alternate tracking number for undeliverable returns IR = Commercial Invoice Removed (for UPS Import Control) PS = Postal Service Possession Scan RE = UPS Returns Exchange RP = Retail Pickup FN = Notification failure DS = Destination Scan AG = Package is in transit to a UPS Facility UD = Updated Delivery Date</i>	

Rescheduled Delivery Date	95 / CQ	8	YYYYMMDD	<i>Date a package is rescheduled for delivery (if an exception prevents the package from reaching the consignee by the scheduled delivery date)</i>	Exception Generic - Used in the G1 record under when the activity type code is 'DS' - Destination Scan or 'UD' – Updated Delivery Date
------------------------------	---------	---	----------	---	---

Comma-Separated Value (CSV) Files – Description

The type of records included in your Quantum View Data CSV files is dependent on the configuration of your subscription. Check the chart below to see what type of records you can elect to receive for each Quantum View subscription type.

Subscription Type	Choice of Manifest		Package Activity Scans			
	Basic (M1)	Complete (M2)	Generic (G1)	Origin (O1)	Exception (E1)	Delivery (D1,D2)
Quantum View Data Inbound						
Inbound Notification		X	X	X	X	
Inbound and Delivery Notification		X	X	X	X	X
Quantum View Data Outbound						
Outbound Notification	X		X	X	X	X
Additional Elements		X	X			
Exception Notification	X		X		X	
Delivery Notification	X		X			X
Additional Elements		X	X	X		
Quantum View Data Third Party						
Outbound Notification	X		X	X	X	X
Additional Elements		X	X			
Exception Notification	X		X		X	
Delivery Notification	X		X			X
Additional Elements		X	X	X		

There are six types of records that may appear in Quantum View files, depending on the subscription type.

- 1. Manifest Basic (M1)** – Includes the most popular fields entered by the shipper when the package is manifested (entered into a shipping system and uploaded electronically to UPS).
- 2. Manifest Complete (M2)** – Includes virtually all of the fields entered by the shipper when the package is manifested (entered into a shipping system and uploaded electronically to UPS).
- 3. Origin (O1)** – Includes information about scans at the origin UPS facility.
- 4. Generic Activity (G1)** – Includes information about generic package activity, such as voided packages and Alternate Tracking Numbers.
- 5. Exception (E1)** – Includes information about in-transit scans that indicate a potential change in the package's scheduled delivery date (e.g., bad weather).
- 6. Delivery Short (D1)** – Includes basic information about a delivery (this record appears in the Quantum View file within hours of the actual delivery).

7. **Delivery Long (D2)** – Includes complete information about a delivery (this record appears in the Quantum View file usually much later the day of the delivery).

Each row in a comma-separated value (CSV) file has the same format, regardless of the record type, but not all fields will be populated for each record type. For example, the “Exception Reason Description” field will only be populated in rows with “Record Type” = “E1” (an exception record).

Comma-Separated Value (CSV) Files – Format

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
Subscriber ID	1 / A	16	Alphanumeric	The MyUPS ID of the Quantum View subscriber	All
Subscription Name	2 / B	35	Alphanumeric	Name assigned to the subscription by the subscriber	All
Subscription Number	3 / C	16	Alphanumeric	System-generated number assigned by UPS and used for support inquiries	All
Query Begin Date	4 / D	10	YYYY/MM/DD	Beginning date for the period of the file(s) selected for download	All
Query End Date	5 / E	10	YYYY/MM/DD	End date for the period of the file(s) selected for download	All
Subscription File Name	6 / F	35	Alphanumeric	File name for the downloaded file(s)	All
File Status	7 / G	13	“Read” or “Unread”	An indicator flag representing the status of “Read” or “Unread” for the subscription file	All
Record Type	8 / H	2	Alphanumeric (see codes at right)	Code that describes the event that the data row represents. Values: M1 = Manifest (Basic) M2 = Manifest (Complete) G1 = Generic Activity O1 = Origin E1 = Exception D1 = Short Delivery D2 = Long Delivery	All
Shipper Number	9 / I	10	Alphanumeric	The UPS account number of the person/company that shipped the package	All
Shipper Name	10 / J	35	Alphanumeric	The name of the person/company that shipped the package	Manifest Basic and Complete
Shipper Address Line 1	11 / K	35	Alphanumeric	First of three lines for the address of the person/company that shipped the package. Typically the street address	Manifest Basic and Complete
Shipper Address Line 2	12 / L	35	Alphanumeric	Second of three lines for the address of the	Manifest Basic and Complete

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				person/company that shipped the package. Typically the room/suite/floor	
Shipper Address Line 3	13 / M	35	Alphanumeric	Third of three lines for the address of the person/company that shipped the package. Typically the department name	Manifest Basic and Complete
Shipper City	14 / N	30	Alphanumeric	City of the person / company that shipped the package	Manifest Basic and Complete
Shipper State/Province	15 / O	5	Alphanumeric	State or province of the person / company that shipped the package	Manifest Basic and Complete
Shipper Postal Code	16 / P	16	Alphanumeric	Postal code of the person / company that shipped the package (includes ZIP+4 for U.S.-Origin packages)	Manifest Basic and Complete
Shipper Country	17 / Q	3	Alphanumeric (2 characters)	Country code of the person / company that shipped the package (e.g., US=United States)	Manifest Basic and Complete
Ship To Attention	18 / R	35	Alphanumeric	The "Attention To" field for the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To Phone	19 / S	17	Alphanumeric	Telephone number for the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To Name	20 / T	35	Alphanumeric	The name of the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To Address Line 1	21 / U	35	Alphanumeric	First of three lines for the address of the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To Address Line 2	22 / V	35	Alphanumeric	Second of three lines for the address of the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To Address	23 / W	35	Alphanumeric	Third of three lines for	Manifest Basic

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
Line 3				the address of the person/company to whom the package was shipped	and Complete
Ship To City	24 / X	30	Alphanumeric	City of the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To State/Province	25 / Y	5	Alphanumeric	State or province of the person/company to whom the package was shipped	Manifest Basic and Complete
Ship To Postal Code	26 / Z	16	Alphanumeric	Postal code of the person/company to whom the package was shipped (Includes Zip+4 for US-Origin packages)	Manifest Basic and Complete
Ship To Country	27 / AA	3	Alphanumeric (2 characters)	Country code of the person/company to whom the package was shipped (e.g., US=United States)	Manifest Basic and Complete
Ship To Location ID	28 / AB	10	Alphanumeric	Unique identifier for a specific receiving location	Manifest Complete and Generic Activity
Shipment Reference Number Type 1	29 / AC	2	Alphanumeric	First reference type assigned to a shipment by a shipper; relates to Shipment Reference Number Value 1	All
Shipment Reference Number Value 1	30 / AD	35	Alphanumeric	First reference number assigned to a shipment by a shipper	All
Shipment Reference Number Type 2	31 / AE	2	Alphanumeric	Second reference type assigned to a shipment by a shipper; relates to Shipment Reference Number Value 2	All
Shipment Reference Number Value 2	32 / AF	35	Alphanumeric	First reference number assigned to a shipment by a shipper	All
UPS Service	33 / AG	3	Alphanumeric (3 characters, see codes at right)	A code representing the service level of the package: 001 = UPS Next Day Air/UPS Express 002 = UPS 2 nd Day Air/UPS Expedited	Manifest Basic and Complete and Generic Activity

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				<p>003 = UPS Ground 007 = UPS Worldwide Express/UPS Express 008 = UPS Worldwide Expedited/UPS Expedited 011 = UPS Worldwide Standard/UPS Standard 012 = UPS 3 Day Select 013 = UPS Next Day Air Saver/UPS Express Savers (to US) 014 = UPS Next Day Air Early /UPS Express Early 021 = UPS Economy 031 = Basic 054 = UPS Worldwide Express Plus Note: 054 = UPS Express Early for shipments originating in Canada with a destination of Canada or the United States. 059 = UPS 2nd Day A.M. 064 = UPS Express NA1 065 = UPS Saver 066 = Worldwide Express Freight 070 = UPS Access Point Economy 082 = UPS Today Standard 083 = UPS Today Dedicated Courier 084 = UPS Today Intercity 085 = UPS Today Express 086 = UPS Today Express Saver 092 = UPS SurePost Less than 1 lb 093 = UPS SurePost 1 lb or Greater 094 = UPS SurePost</p>	

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				Bound Printed Matter 095 = UPS SurePost Media 096 = UPS Worldwide Express Freight	
Pickup Date	34 / AH	8	YYYYMMDD	The planned pickup date as indicated to UPS by the person/company who shipped the package as supplied in PLD.	Manifest Basic and Complete
Scheduled Delivery Date	35 / AI	8	YYYYMMDD	Date a package is scheduled for delivery by UPS; based on the date information that is uploaded to UPS by the person/company who shipped the package as supplied in PLD. (Note: For PLD-Compliant Return Services only. In Outbound and Third Party subscriptions, the Scheduled Delivery Date will not be populated in the Manifest Record. Instead, the Scheduled Delivery Date will be provided in the Origin Record at the time the Return Service package is moving within the UPS system.	Manifest Basic and Complete, Origin

Scheduled Delivery Time	36 / AJ	6	HHMMSS	<p>Values between 233000 and 235900 are equal to "By End of Day".</p> <p>Time a package is scheduled for delivery by UPS; based on the information that is uploaded to UPS by the person/company who shipped the package as supplied in PLD. (Note: For PLD-Compliant Return Services only. In Outbound and Third Party subscriptions, the Scheduled Delivery Time will not be populated in the Manifest Record. Instead, the Scheduled Delivery Time will be provided in the Origin Record at the time the Return Service package is moving within the UPS system.</p>	Manifest Basic and Complete, Origin
Document Type	37 / AK	1	Alphanumeric (1 character, see codes at right)	<p>An indicator that identifies the content type of the package: 1 = Letter 2 = Document 3 = Non-Document 4 = Pallet</p>	Manifest Complete
Package Activity Date	38 / AL	8	Alphanumeric	Date a package event occurred within the UPS system	All
Package Activity Time	39 / AM	6	HHMMSS	Time a package event occurred within the UPS system	All
Package Description	40 / AN	35	Alphanumeric	Description of the contents enclosed in the package as indicated in PLD by the person/company who shipped the package.	Manifest Basic and Complete
Package Count	41 / AO	9	Alphanumeric	Number of packages in the shipment	Manifest Complete
Package Dimensions Unit of Measurement	42 / AP	3	Alphanumeric	Unit of measure used when calculating the dimensional weight of a package (e.g., LBS = pounds)	Manifest Complete
Length	43 / AQ	8	Alphanumeric	The length of the package as indicated in	Manifest Complete

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				PLD by the person/company who shipped the package.	
Width	44 / AR	8	Alphanumeric	The width of the package as indicated in PLD by the person/company who shipped the package.	Manifest Complete
Height	45 / AS	8	Alphanumeric	The height of the package as indicated in PLD by the person/company who shipped the package.	Manifest Complete
Package Dimensional Weight	46 / AT	7	Alphanumeric	The weight of the package considering its dimensions (length, width, height), based on the International Air Transport Association (IATA) volumetric standards; consult the UPS Rate and Service Guide for more information. NOTE: To obtain the true dimensional weight, the decimal point needs to be moved one place to the left. For example, in the file a value of 120 represents an actual value of 12.0.	Manifest Complete
Package Weight	47 / AU	7	Alphanumeric	The actual weight of the package as specified in PLD by person/company who shipped the package. (e.g., 12.30 lbs. will appear as 12.3)	Manifest Complete
Large Package Type	48 / AV	1	Alphanumeric	Indicates whether a package exceeds a standard threshold for package dimensions and weight; consult the UPS Rate and Service Guide for more information	Manifest Complete
Tracking Number	49 / AW	35	Alphanumeric	Number used to identify and track a package through the UPS system	All

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
Package Reference Number Type 1	50 / AX	2	Alphanumeric	<p>First reference type assigned to a package by a shipper.</p> <p>The associated code of 'UR' is applied when there is an RTS Undeliverable Return package that has an Alternate Tracking number.</p> <p>'RE' is applied when there is a completed exchange for a UPS Returns Exchange transaction which has an Alternate Tracking number.</p> <p>The associated code of 'RP' is applied when there is a retail pickup for a package associated with a My Choice DCO (Delivery Change Option). This applies to the G1 (Generic) segment only</p> <p>All relate to Package Reference Number Value 1.</p>	All
Package Reference Number Value 1	51 / AY	35	Alphanumeric	<p>First reference number assigned to a package by a shipper.</p> <p>The Alternate Tracking number displays for an RTS Undeliverable Return package or UPS Returns Exchange package that has an Alternate Tracking number.</p> <p>The signed by name appears in the Package Reference Number Value 1 field when a</p>	All

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				package is picked up at a retail location associated with a My Choice DCO (Delivery Change Option). This applies to the G1 (Generic) segment only	
Package Reference Number Type 2	52 / AZ	2	Alphanumeric	Second reference type assigned to a package by a shipper; relates to Package Reference Number Value 2	All
Package Reference Number Value 2	53 / BA	35	Alphanumeric	Second reference number assigned to a package by the shipper	All
Package Reference Number Type 3	54 / BB	2	Alphanumeric	Third reference type assigned to a package by a shipper; relates to Package Reference Number Value 3	All
Package Reference Number Value 3	55 / BC	35	Alphanumeric	Third reference number assigned to a package by the shipper	All
Package Reference Number Type 4	56 / BD	2	Alphanumeric	Fourth reference type assigned to a package by a shipper; relates to Package Reference Number Value 4	All
Package Reference Number Value 4	57 / BE	35	Alphanumeric	Fourth reference number assigned to a package by the shipper	All
Package Reference Number Type 5	58 / BF	2	Alphanumeric	Fifth reference type assigned to a package by a shipper; relates to Package Reference Number Value 5	All
Package Reference Number Value 5	59 / BG	35	Alphanumeric	Fifth reference number assigned to a package by the shipper	All
COD Currency Type	60 / BH	3	Alphanumeric	Type of currency for a Collect On Delivery (COD) package as indicated in PLD by the person/company who shipped the package.	Manifest Basic and Complete
COD Amount Due	61 / BI	15	Numeric	The amount due on a Collect On Delivery (COD) package (e.g., \$12.25 will appear as 12.25)	Manifest Basic and Complete

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
Insured Monetary Value	62 / BJ	15	Numeric	Declared Value in excess of \$100 for the purposes of obtaining additional protection against loss or damage.	Manifest Complete
Earliest Delivery Time	63 / BK	6	Alphanumeric	Time indicated as the earliest delivery time for an Early AM package	Manifest Complete
Hazardous Material Type	64 / BL	3	Alphanumeric (1 character, see codes at right)	Indicates whether a package contains hazardous materials: 0 = No Hazardous Material 1 = Hazardous Material / International Dangerous Goods	Manifest Complete
Hold for Pickup	65 / BM	1	Alphanumeric (1 character, see code(s) at right)	Indicates whether a package should be held by UPS for pickup by the receiver instead of delivered to an address: 1 = Hold for Pickup	Manifest Basic and Complete
Saturday Delivery Indicator	66 / BN	1	Alphanumeric (1 character, see code(s) at right)	Indicates a package scheduled for delivery on a Saturday: 1 = Saturday Delivery	Manifest Basic and Complete
Call Tag ARS Type	67 / BO	3	Alphanumeric (2 characters, see code(s) at right)	Indicates whether a package is a Return Service package: 00 = No return service 01 = UPS Call Tag Service 02 = UPS Print and Mail 03 = 1 UPS Pickup Attempt 04 = UPS Print Return Label 05 = 3 UPS Pickup Attempt 06 = UPS Electronic Return Label 08 = UPS Returns on the Web Label	Manifest Complete
Manufacture Country	68 / BP	3	Alphanumeric	Country of the manufacturer of the contents of the package as indicated in PLD by the person/company	Manifest Complete

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				who shipped the package (applies to international shipments)	
Harmonized Type	69 / BQ	35	Alphanumeric	Code representing the contents of the package (applies to international shipments)	Manifest Complete
Customs Monetary Value	70 / BR	18	Alphanumeric	Value of a package reported for customs (applies to international shipments)	Manifest Complete
Special Instructions	71 / BS	35	Alphanumeric	Information provided for a package that describes any special instructions about the handling / delivery of a package as indicated in PLD by the person/company who shipped the package.	Manifest Basic and Complete
Shipment Charge Type	72 / BT	3	Currently not Populated		
Bill Ship To	73 / BU	3	Alphanumeric (1 character, see codes at right)	Indicates whether the package is to be billed to the consignee: Y = Bill Consignee N = Do not Bill Consignee	Manifest Complete
Collect Bill	74 / BV	3	Alphanumeric	Indicates a Collect on Delivery (COD) package Y = COD N = Not a COD	Manifest Complete
UPS Location	75 / BW	30	Alphanumeric	Location name of the UPS facility where the event occurred	Origin, Exception, Delivery Short and Long For Future Use in Generic Activity
UPS Location State/Province	76 / BX	5	Alphanumeric	The state/province of the UPS facility where the event occurred (e.g., New Jersey = NJ)	Origin, Exception, Delivery Short and Long For Future Use in Generic Activity
UPS Location	77 / BY	3	Alphanumeric (2)	Country code of the	Origin,

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
Country			characters)	UPS facility where the event occurred (e.g., US = United States)	Exception, Delivery Short and Long For Future Use in Generic Activity
Updated Ship To Name	78 / BZ	35	Alphanumeric	An updated ship-to name resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Street Number	79 / CA	11	Alphanumeric	An updated ship-to street number resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Street Prefix	80 / CB	2	Alphanumeric	An updated ship-to street prefix resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Street Name	81 / CC	30	Alphanumeric	An updated ship-to street name resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Street Type	82 / CD	4	Alphanumeric	An updated ship-to street type resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Street Suffix	83 / CE	2	Alphanumeric	An updated ship-to street suffix resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Building Name	84 / CF	3	Alphanumeric	An updated ship-to building/name resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Room/Suite/Floor	85 / CG	8	Alphanumeric	An updated ship-to room/suite/floor resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Political Division 3	86 / CH	30	Alphanumeric	An updated ship-to political division 3 resulting from an	Exception

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				exception (exception example, receiver moved)	
Updated Ship To City	87 / CI	30	Alphanumeric	An updated ship-to city resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To State/Province	88 / CJ	5	Alphanumeric	An updated ship-to state/province resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Country	89 / CK	3	Alphanumeric	An updated ship-to country resulting from an exception (exception example, receiver moved)	Exception
Updated Ship To Postal Code	90 / CL	16	Alphanumeric	An updated ship-to postal code resulting from an exception (exception example, receiver moved)	Exception
Exception Status Description	91 / CM	120	Alphanumeric	Description of the status of a package that has an exception (e.g., "business closed today")	Exception
Exception Reason Description	92 / CN	120	Alphanumeric	Description of the reason for a package exception	Exception
Exception Resolution Type	93 / CO	2	Alphanumeric	Code representing the resolution description	Exception
Exception Resolution Description	94 / CP	120	Alphanumeric	Description of the resolution for a package exception (e.g., "delivery rescheduled")	Exception
Rescheduled Delivery Date	95 / CQ	8	YYYYMMDD	Date a package is rescheduled for delivery (if an exception prevents the package from reaching the consignee by the scheduled delivery date)	Exception Generic - Used in the G1 record under when the activity type code is 'DS' - Destination Scan Or 'UD' - Updated Delivery Date

Rescheduled Delivery Time	96 / CR	6	HHMMSS	Values between 233000 and 235900 are equal to "By End of Day".	Exception
Driver Release	97 / CS	40	Alphanumeric	Indicates whether a package was released to the consignee without a signature	Delivery Short and Long
Delivery Location	98 / CT	15	Alphanumeric	Description of the location where the package was left (e.g., dock)	Delivery Short and Long
Delivery Name	99 / CU	35	Alphanumeric	Name of the person/company to which the package was delivered	Delivery Long
Delivery Street Number	100 / CV	11	Alphanumeric	Street number to which the package was delivered	Delivery Long
Delivery Street Prefix	101 / CW	2	Alphanumeric	Street prefix to which the package was delivered	Delivery Long
Delivery Street Name	102 / CX	30	Alphanumeric	Street name to which the package was delivered	Delivery Long
Delivery Street Type	103 / CY	4	Alphanumeric	Street type to which the package was delivered	Delivery Long
Delivery Street Suffix	104 / CZ	2	Alphanumeric	Street suffix to which the package was delivered	Delivery Long
Delivery Building Name	105 / DA	3	Alphanumeric	Building name to which the package was delivered	Delivery Long
Delivery Room/Suite/Floor	106 / DB	8	Alphanumeric	Room/suite/floor to which the package was delivered	Delivery Long
Delivery Political Division 3	107 / DC	30	Alphanumeric	Political division 3 to which the package was delivered	Delivery Long
Delivery City	108 / DD	30	Alphanumeric	City to which the package was delivered	Delivery Long
Delivery State/Province	109 / DE	5	Alphanumeric	State/province to which the package was delivered (e.g., NJ = New Jersey)	Delivery Long
Delivery Country	110 / DF	3	Alphanumeric	Country code to which the package was delivered (e.g., US=United States)	Delivery Long
Delivery Postal Code	111 / DG	16	Alphanumeric	Postal code to which the package was delivered	Delivery Long
Residential Address	112 / DH	1	Alphanumeric (1 character, see code(s) at right)	An indicator with a code that designates: "Residential" "Commercial" or	Delivery Short and Long

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				“Unavailable” 0 = Unavailable 1 = Commercial 2 = Residential	
Signed for By	113 / DI	35	Alphanumeric	Name of the person who signed for the package	Delivery Long
COD Collected Currency Type	114 / DJ	3	Alphanumeric	Type of currency collected for a Collect On Delivery (COD) package (MCC – Multiple Currency Types collected – causes the COD amount collected to be blank)	Delivery Long
COD Amount Collected	115 / DK	13	Numeric	The amount collected on a Collect on Delivery (COD) package. This is the COD amount collected without the decimal included (e.g., \$12.35 will appear as 1235)	Delivery Long
COD Amount Decimal	116 / DL	1	Alphanumeric	The number of decimal places in the “COD Amount Collected” field (e.g., if the actual COD amount is \$12.35 this field will display 2)	Delivery Long
Bill To Account Number	117 / DM	10	Alphanumeric	The UPS account number to which shipping charges were billed as supplied in PLD by the person/company who shipped the package.	All
Bill Option	118 / DN	2	Alphanumeric (2 characters, see codes at right)	Indicates how shipping charges for the package will be billed: 01 = Shipper 02 = Consignee Billing 03 = Third Party 04 = Freight Collect 99 = International Bill Option	All
Exception Reason Code	119 / DO	2	Alphanumeric	Package Exception Reason Code	Exception
Exception Status Code	120 / DP	2	Alphanumeric	Package Exception Status Code	Exception

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
Receiving Address Name	121 / DQ	35	Alphanumeric	Receiver's Business Party Name	Manifest Basic and Complete and Generic Activity
Activity Type	122 / DR	2	Alphanumeric	Code that identifies record by specific activity type VM= Void for Manifest UR = Alternate tracking number for undeliverable returns IR = Commercial Invoice Removed (for UPS Import Control) PS = Postal Service Possession Scan RE = UPS Returns Exchange RP = Retail Pickup FN = Notification failure DS = Destination Scan AG = Package is in transit to a UPS Facility UD = Updated Delivery Date	Generic Activity
Location Assured	123 / DS	1	Alphanumeric	Indicates whether the Location Assured assessorial was uploaded. Valid values are: Y=Yes	Manifest Basic and Complete
UPS Import Control	124 / DT	1	Alphanumeric	Indicates whether the UPS Import Control assessorial was uploaded. Valid values are: Y = Yes	Manifest Basic and Complete
Label Delivery Method	125 / DU	3	Alphanumeric	Indicates the label delivery method. Valid values: LDE - Electronic Label LDO - One Attempt LDP - Print Label LDT - Three Attempt LPM - Print and Mail Label	Manifest Basic and Complete
Commercial Invoice Removal	126 / DV	1	Alphanumeric	Indicates whether the Commercial Invoice Removal assessorial	Manifest Basic and Complete

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				was uploaded. Valid values are: Y = Yes	
Postal Service Tracking ID	127 / DW	35	Alphanumeric	Postal Service Tracking ID – transport company tracking number.	Manifest Basic and Complete
UPS Returns Flexible Access	128 / DX	1	Alphanumeric	Indicates whether the package is a UPS Flexible Return. Valid values are: Y = Yes	Manifest Basic and Complete
UPS carbon neutral	129 / DY	1	Alphanumeric	Indicates whether the UPS carbon neutral accessorial was uploaded. Valid values are: Y = Yes	Manifest Basic and Complete
Product	130 / DZ	4	Alphanumeric	Indicates the Product. Valid values: PAC – Pack and Collect	Manifest Basic and Complete
UPS Returns Exchange	131 / EA	1	Alphanumeric	Indicates whether the UPS Returns Exchange accessorial was uploaded. Valid values are: Y = Yes	Manifest Basic and Complete
Lift Gate on Delivery	132 / EB	1	Alpha	Indicates whether the UPS Lift Gate on Delivery accessorial was uploaded. Valid value: Y = Yes	Manifest Basic and Complete
Lift Gate on Pickup	133 / EC	1	Alpha	Indicates whether the UPS Lift Gate on Pickup accessorial was uploaded. Valid value: Y = Yes	Manifest Basic and Complete
Pickup Preference	134 / ED	1	Alpha	Indicates whether the Pickup Preference – UPS will Pickup or Drop Off at UPS Location option was uploaded. Valid value: Y = Yes	Manifest Basic and Complete
Delivery Preference	135 / EE	1	Alpha	Indicates whether the Delivery Preference – UPS will Deliver or Hold for Pickup at UPS Location option was uploaded. Valid value: Y = Yes	Manifest Basic and Complete
UPS Premium Care	136/EF	1	Alpha	Indicates whether the UPS Premium Care accessorial was uploaded. Valid	Manifest Basic and Complete

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				value: Y = Yes	
Direct To Retail	137 / EG	1	Alphanumeric	Indicates whether the Direct To Retail accessorial was uploaded. Valid value: Y = Yes	Manifest Basic and Complete
UPS Access Point Customer Name	138 / EH	35	Alphanumeric	The name of the access point to which the package was shipped	Manifest Basic and Complete
UPS Access Point Attention	139 / EI	35	Alphanumeric	The name of the person at the access point to which the package was shipped	Manifest Basic and Complete
UPS Access Point Address Line 1	140 / EJ	35	Alphanumeric	The address of the access point to which the package was shipped	Manifest Basic and Complete
UPS Access Point Address Line 2	141 / EK	35	Alphanumeric	The address of the access point to which the package was shipped	Manifest Basic and Complete
UPS Access Point Address Line 3	142 / EL	35	Alphanumeric	The address of the access point to which the package was shipped	Manifest Basic and Complete
UPS Access Point City	143 / EM	30	Alphanumeric	The City of the access point to which the package was shipped	Manifest Basic and Complete
UPS Access Point State/Province	144 / EN	5	Alphanumeric	The state of the access point to which the package was shipped	Manifest Basic and Complete
UPS Access Point Postal Code	145 / EO	16	Alphanumeric	The postal code of the access point to which the package was shipped	Manifest Basic and Complete
UPS Access Point Country	146 / EP	3	Alphanumeric	The country of the access point to which the package was shipped	Manifest Basic and Complete
UPS Access Point Phone	147 / EQ	17	Alphanumeric	The phone of the access point to which the package was shipped	Manifest Basic and Complete
Failure To Notify Email Address	148 / ER	50	Alphanumeric	The e-mail address provided by the Direct to Retail shipper	Generic
Failure To Notify Type	149 / ES	2	Alphanumeric	The type '01' - Package is ready for a pickup (original) '02' - Package is ready for a pickup (reminder)	Generic

Field Name	Column # / Microsoft Excel Column #	Maximum Field Length	Type	Description	Relevant Record Types
				'03' - Package is delivered to alternate delivery location '04' - Package is returned to sender	
Pickup By Date	150 / ET	10	YYYY/MM/DD	Last date on which to collect package at UPS Access point TM	Delivery Long
UPS Access Point Location ID	151 / EU	9	Alphanumeric	Global Access Point identifier	Delivery Long Exception
Deliver to Addressee	152 / EV	1	Alphanumeric	Assessorial: only addressee can collect package	Manifest Basic and Complete
Retail COD	153 / EW	1	Alphanumeric	Assessorial: COD may be collected by Access Point	Manifest Basic and Complete
Clinical Trials Indicator	154 / EX	1	Alphanumeric	Indicates whether the Clinical Trials Indicator was uploaded. Valid value: Y = Yes	Manifest Basic and Complete
Clinical Trial Number	155 / EY	20	Alphanumeric	Indicates whether the Clinical Trials Number was uploaded	Manifest Basic and Complete
Infectious Substances Category A	156 / EZ	1	Alphanumeric	Indicates whether the Infectious Substances Category A assessorial was uploaded. Valid value: Y = Yes	Manifest Basic and Complete
Direct Delivery Only	157 / FA	1	Alphanumeric	Indicates whether the Direct Delivery Only assessorial was uploaded. Valid value: Y = Yes	Manifest Basic and Complete
Package Release Code	158 / FB	1	Alphanumeric	Indicates whether the Package Release Code assessorial was uploaded. Valid value: Y = Yes	Manifest Basic and Complete